

AD 2. AERODROMES

FIMP A.D 2.1 AERODROME LOCATION INDICATOR AND NAME

FIMP- SIR SEEWOOSAGUR RAMGOOLAM INTERNATIONAL AIRPORT

FIMP A.D 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	<i>ARP coordinates and site at AD</i>	Latitude : 20 25 47.5S Longitude: 057 40 59.1E Site : Along the 14/32 runway centre line 1295 M FM THR RWY14
2	<i>Direction and distance from (city)</i>	11 NM SE of Curepipe 26 NM SE of Port Louis
3	<i>Elevation/Reference temperature</i>	184.3 FT at THR RWY 14 / 29.7 °C
4	<i>Geoid undulation</i>	- 4 M
5	<i>MAG VAR/Annual change</i>	19° W (2001) / 1 MIN E
6	<i>AD Administration, address, telephone, telefax, telex, AFS</i>	<p>Civil Aviation Director of Civil Aviation Department of Civil Aviation Sir Seewoosagur Ramgoolam International Airport Plaine Magnien Republic of Mauritius Telephone : (230) 6032000 Telefax : (230) 6373164 Telex : Nil AFS : FIMPYAYX Email : civil-aviation@govmu.org</p> <p>Airport Operator Chief Executive Airports of Mauritius Co. Ltd Sir Seewoosagur Ramgoolam International Airport Plaine Magnien Republic of Mauritius Telephone : (230) 6036000 Telefax : (230) 6035306 Telex : Nil AFS : FIMPYEYX E-mail : airportinfo@aml.aero</p>
7	<i>Types of traffic permitted (IFR/VFR)</i>	IFR/VFR
8	<i>Remarks</i>	Nil

FIMP A.D 2.3 OPERATIONAL HOURS

1	<i>Aerodrome administration</i>	MON-FRI : 0445-1200 SAT,SUN + HOL: CLOSED
2	<i>Customs and immigration</i>	HO
3	<i>Health and sanitation</i>	HO
4	<i>Agricultural and Quarantine</i>	0100 – 1930
5	<i>AIS Briefing Office</i>	As aerodrome administration
6	<i>ATS Reporting Office (ARO)</i>	H24
7	<i>MET Office</i>	H24
8	<i>Air Traffic Services</i>	H24
9	<i>Fuelling</i>	H24
10	<i>Handling</i>	H24
11	<i>Security</i>	H24
12	<i>De-icing</i>	Nil
13	<i>Remarks</i>	Nil

FIMP AD 2.4 HANDLING SERVICES AND FACILITIES

1.	<i>Cargo-handling facilities</i>	4 low loaders for wide-body aircraft (7 tons), 1 wide-body cargo loader (13 tons), fork lifts (5 tons), sufficient number of various vehicles and equipment handling weights up to 3 tons.
2.	<i>Fuel/oil types</i>	Jet A1, Turbo Oil 2380, ASTO 390, Skydrol 500B
3.	<i>Fueling facilities/capacity</i>	Service available 24 HR with at least 12 HR PN if operating outside 0200 - 1900 UTC Delivery rate - 3800 LPM
4.	<i>Ground Power Unit facilities</i>	Available on stands 11 to 16
5.	<i>De-icing facilities</i>	Nil
6.	<i>Hangar space for visiting aircraft</i>	Hangar space is available at Air Mauritius & at YU Lounge for General Aviation
7.	<i>Repair facilities for visiting aircraft</i>	Minor nature only
8.	<i>Remarks</i>	Nil

FIMP AD 2.5 PASSENGER FACILITIES

1.	<i>Hotels</i>	Near AD and in towns
2.	<i>Restaurants</i>	At adjacent hotels. Only light refreshments at airport
3.	<i>Transportation</i>	Taxis and rental cars operating during aircraft movements buses operating 04h50 to 19h15 daily
4.	<i>Medical facilities</i>	First aid treatment with a Medical Doctor available H24, one ambulance. Hospital only 5 Km
5.	<i>Bank and Post Office</i>	At AD. Open within AD HR ATM Facilities available H24
6.	<i>Foreign Exchange Counters</i>	At AD. Open within AD HR for commercial flights
7.	<i>Tourist Office</i>	Office at the airport. Operating during arrival flight movements
8.	<i>Remarks</i>	Nil

FIMP AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1.	<i>AD category for fire fighting</i>	CAT 10
2.	<i>Rescue equipment</i>	To ICAO requirements for category
3.	<i>Capability for rescue at sea</i>	One fireboat + Two rescue boats with sufficient life raft capacity of a Code F aircraft
4.	<i>Capability for removal of disabled aircraft</i>	B747 aircraft tug
5.	<i>Remarks</i>	Nil

FIMP AD 2.7 SEASONAL AVAILABILITY - CLEARING

1.	<i>Types of clearing equipment</i>	Nil
2.	<i>Clearance priority</i>	Nil
3.	<i>Remarks</i>	The airport is available all seasons. However, airport may be closed due to tropical cyclones (prevalent between November to April).

FIMP AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA

1.	<i>Apron surface and strength</i>	Surface : Concrete Aircraft Parking stands : PCN 1 to 5 : 63/R/B/W/T 7 to 10 : 70/R/B/W/T 11 to 15 : 94/R/C/W/T 16 : 109/R/C/W/T 41 to 48 : 49/R/B/W/T
----	-----------------------------------	--

