

**FIMA A.D 2.1 AERODROME LOCATION INDICATOR AND NAME**

FIMA - AGALEGA ISLAND AIRSTRIP

**FIMA A.D 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA**

1	<i>ARP coordinates and site at AD</i>	Latitude: 10 22 28S Longitude: 056 36 25E
2	<i>Direction and distance from (city)</i>	2.0 KM NW from Village Vingt Cinq.
3	<i>Elevation/Reference temperature</i>	2.629 M / 24° - 30.5° Celsius
4	<i>MAG VAR/Annual change</i>	8.41 <sup>0</sup> W (2023) / 1 Min W
5	<i>AD Administration, address, telephone, telefax, telex, AFS</i>	Outer Island Development Corporation (OIDC) Village Vingt Cinq Telephone: 8140120
6	<i>Types of traffic permitted (IFR/VFR)</i>	VFR
7	<i>Remarks</i>	The coordinates are published as provided by the data originator

**FIMA A.D 2.3 OPERATIONAL HOURS**

1.	<i>Aerodrome Administration Aerodrome Operations</i>	Available on request
2.	<i>Customs and Immigration</i>	Available on request
3	<i>Health and Sanitation</i>	Available on request
4	<i>AIS Briefing Office</i>	H24 (Briefing available at SSR Intl airport)
5.	<i>ATS Reporting Office</i>	HO
6.	<i>MET Office</i>	Between 0000 – 1800 UTC
7.	<i>Air Traffic Services</i>	HO
8.	<i>Fueling</i>	Nil
9	<i>Handling</i>	Nil
10.	<i>Security</i>	Available on request
11.	<i>De-icing</i>	Nil
12.	<i>Remarks</i>	Nil

**FIMA AD 2.4 HANDLING SERVICES AND FACILITIES**

1.	<i>Cargo-handling facilities</i>	Nil
2.	<i>Fuel/oil types</i>	Nil
3.	<i>Fueling facilities/capacity</i>	Nil
4.	<i>De-icing facilities</i>	Nil
5.	<i>Hangar space for visiting aircraft</i>	Available (However, no associated service available. No push back/ towing facility)
6.	<i>Repair facilities for visiting aircraft</i>	Nil
7.	<i>Remarks</i>	Nil

### FIMA AD 2.5 PASSENGER FACILITIES

1.	<i>Hotels</i>	Nil
2.	<i>Restaurants</i>	Nil
3.	<i>Transportation</i>	Prior arrangement may be made with Outer Island Development Corporation for transport.
4.	<i>Medical facilities</i>	Nil. Govt Primary Health Centre is available at Village Vingt Cinq
5.	<i>Bank and Post Office</i>	Nil. Mau Bank Ltd and Post Office are located at Village Vingt Cinq
6.	<i>Tourist Office</i>	Nil
7.	<i>Shops</i>	Nil. Shop is available at Village Vingt Cinq
8.	<i>Remarks</i>	Nil

### FIMA AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1.	<i>AD category for fire fighting</i>	CAT 7
2.	<i>Rescue equipment</i>	02 Nos AFFRV
3.	<i>Capability for removal of disabled aircraft</i>	Nil
4.	<i>Remarks</i>	Nil

### FIMA AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA

1.	<i>Apron surface and strength</i>	Surface: Rigid Pavement Strength: 64/R/B/W/T
2.	<i>Taxiway width, surface and strength</i>	Width: 23m Surface: Rigid Pavement Strength: 64/R/B/W/T
3.	<i>ACL location and elevation</i>	Nil
4.	<i>VOR/INS checkpoints</i>	Nil
5.	<i>Remarks</i>	Nil

### FIMA AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1.	<i>Use of aircraft stand ID signs, TWY guidelines and visual docking/parking guidance system of aircraft stands</i>	Aircraft parking Stand marking and Taxiway marking available
2.	<i>RWY and TWY markings and LGT</i>	Available
3.	<i>Stop bars</i>	Not Available
4.	<i>Remarks</i>	Nil

**FIMA AD 2.10 AERODROME OBSTACLES**

<i>In approach</i>			<i>In circling area and at AD</i>		<i>Remarks</i>
1			2		3
<i>RWY/ Area affected</i>	<i>Obstacle type Elevation Markings/LGT</i>	<i>Coordinates</i>	<i>Obstacle type Elevation Markings / LGT</i>	<i>Coordinates</i>	
a	b	c	a	b	
RWY 15	NCG Tower / OB-1 27.77m	10 21 01.62 S 056 35 19.05 E	COMN TOWER-1 / OB-4 42.45m	10 22 20.59 S 056 36 26.67 E	No Standard marking of the obstructions  The coordinates are published as provided by the data originator
RWY 15	MTML Tower / OB-2 35.00m	10 21 27.87 S 056 35 24.64 E	Control Tower / OB-11 33.75m	10 22 21.48 S 056 36 26.77 E	
RWY 33	EMTEL Tower / OB-3 39.59m	10 23 21.53 S 056 36 41.7 E	COMN TOWER-2 / OB-5 42.50m	10 22 20.86 S 056 36 28.12 E	
			COMN TOWER-3 / OB-6 42.57m	10 21 52.24 S 056 36 04.53 E	
			COMN TOWER 4 – OB-14 42.20m	10 21 46.00 S 056 36 21.00 E	

**FIMA AD 2.11 METEOROLOGICAL INFORMATION PROVIDED**

1	<i>Associated MET Office</i>	Agalega Meteorological Station
2	<i>Met Office outside office hours</i>	Main Meteorological Office (MMS Vacoas)
3	<i>Office responsible for TAF preparation</i>  <i>Periods of validity</i>	Main Meteorological Office (MMS Vacoas)  18 hours
4	<i>Type of landing forecast</i>  <i>Interval of issuance</i>	METAR/SPECI prior to landing / take off at Agalega
5	<i>Briefing/consultation provided</i>	Available on request
6	<i>Flight documentation Language(s) used</i>	English
7	<i>Charts and other information available for briefing or consultation</i>	Significant Weather chart / Flight Trend chart
8	<i>Supplementary equipment available for providing information</i>	Available
9	<i>ATS units provided with information</i>	Agalega Tower and ACC Mauritius
10	<i>Additional information (limitation of service, etc.)</i>	Special Communique in case of adverse weather

**FIMA AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS**

<i>Designations RWY NR</i>	<i>TRUE &amp; MAG BRG</i>	<i>Dimensions of RWY (M)</i>	<i>Strength (PCN) and surface of RWY and SWY</i>	<i>THR coordinates</i>	<i>THR elevation and highest elevation of TDZ of precision APCH RWY</i>
1	2	3	4	5	6
RWY 15	144°/153 ◦	3000 x 45m	64/R/B/W/T Rigid Pavement	10 21 38.17 S 056 35 43.25 E	3.287 m
RWY 33	324°/333 ◦	3000 x 45m	64/R/B/W/T Rigid Pavement	10 22 58.46 S 056 36 39.44 E	2.844 m
<b>Slope of RWY -SWY</b>					
<i>Slope of RWY -SWY</i>	<i>SWY dimensi ons (M)</i>	<i>CWY dimensions (M)</i>	<i>Strip dimensions (M)</i>	<i>OFZ</i>	<i>Remarks</i>
7	8	9	10	11	12
Transverse - 1% Longitudinal - 0.011%,	Nil	Nil	3120 x 150m	Nil	Nil
Note: The coordinates are published as provided by the data originator					

### FIMA AD 2.13 DECLARED DISTANCES

<b>RWY Designator</b>	<b>TORA (M)</b>	<b>TODA (M)</b>	<b>ASDA (M)</b>	<b>LDA (M)</b>	<b>Remarks</b>
1	2	3	4	5	6
RWY 15	3000m	3000m	3000m	3000m	Nil
RWY 33	3000m	3000m	3000m	3000m	Nil

**FIMA AD 2.14 APPROACH AND RUNWAY LIGHTING**

RWY Designator	APCH LGT type LEN INTST	THR LGT colour WBAR	VASIS (MEHT) PAPI	TDZ LGT LEN	RWY Centre Line LGT Length, spacing, colour, INTST	RWY edge LGT LEN, spacing colour INTST	RWY End LGT colour WBAR	SWY LGT LEN (M) colour	Remarks
1	2	3	4	5	6	7	8	9	10
15	CAT II, LED APCH Centre Line & Crossbar: White INTST: 20,000 Candela  APCH Side Row: Red INTST: 5,000 Candela LEN: from THR 900m with 5 crossbar at every 150m Spacing: 30m	LED Green INTST: 10,000 Candela  WBAR: NA	PAPI 3 <sup>0</sup>	LED White INTST: 5,000 Candela LEN: 900m Spacing: 30m	LED White/Red INTST: 2,500 Candela LEN: 3000m Spacing: 15m	LED White/Yellow INTST: White-10,000 Candela, Yellow-4,000 Candela LEN: 3000m Spacing: 30m	LED Red INTST: 2,500 Candela  WBAR: NA	SWY LGT at overrun LED Red INTST: 2,500 Candela  LEN (Width): 60m	Nil
33	Simple APCH, LED White INTST: 20,000 Candela, LEN: from THR 420m Crossbar at 300m Spacing: 60m	LED Green INTST: 10,000 Candela  WBAR: NA	PAPI 3 <sup>0</sup>	N/A	LED White/Red INTST: 2,500 Candela LEN: 3000m Spacing: 15m	LED White/Yellow INTST: White-10,000 Candela, Yellow-4,000 Candela LEN: 3000m Spacing: 30m	LED Red INTST: 2,500 Candela  WBAR: NA	SWY LGT at overrun LED Red INTST: 2,500 Candela  LEN (Width): 60m	Nil

**FIMA AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY**

1	<i>ABN/IBN Location, characteristics and hours of operation</i>	Location: ATC Tower Top, Colour: White & Green FPM / RPM: 24 / 12
2	<i>LDI location and LGT Anemometer location and LGT</i>	LDI (33 LED lights mounted along the body) Location DMS: 10 22 26.55 S 056 36 23.78 E  WDI (LED Illuminated wind sock as per ICAO) – 1 no. Location DMS: 10 22 27.71 S 056 36 24.66 E
3	<i>TWY edge and Centre line lighting</i>	TWY edge light, Type: LED, Colour: Blue TWY Centre line lighting: NA
4	<i>Secondary power supply/switch-over time</i>	No grid supply is available on the ISLAND. Only Diesel Engine based dedicated power supply for airstrip & allied facilities is available.
5	<i>Remarks</i>	The coordinates are published as provided by the data originator

**FIMA AD 2.18 ATS COMMUNICATION FACILITIES**

<i>Service designation</i>	<i>Call Sign</i>	<i>Frequency</i>	<i>Hours of operation</i>	<i>Remarks</i>
1	2	3	4	5
<b>TWR</b>	Agalega Tower	122.2 MHz 123.2 MHz	On request	Nil

**FIMA AD 2.19 RADIO NAVIGATION AND LANDING AIDS**

<i>Type of aid, CAT of ILS/MLS (For VOR7 ILS/MLS, give VAR)</i>	<i>ID</i>	<i>Frequency</i>	<i>Hours of operation</i>	<i>Site of transmitting antenna coordinates</i>	<i>Elevation of DME transmitting antenna / Remarks</i>
1	2	3	4	5	6
NDB	AGG	429 KHZ	HO		

**FIMA AD 2.23 ADDITIONAL INFORMATION**

Baggage Handling and scanning facilities presently not available. Nav Aids installation in progress.

**FIMA AD 2.24 CHARTS RELATED TO AGALEGA AIRSTRIP**

Aerodrome Chart ICAO	AD 2 - FIMA 7
----------------------	---------------

AERODROME CHART- ICAO ARP ELEVATION -2.629

AGALEGA AIRSTRIP (FIMA)

