



Changes: New Chart

**DEPARTURES RWY32 WEST**  
**TABULAR DESCRIPTION**

Route Designator	Serial number	Path Descriptor	WPT Identifier	Fly-over	Mag Var	°M	°T	Distance (NM)	Turn direction	Altitude	Speed (kts)	VPA/TCH	NAV Spec
<b>PASA2B</b>	10	CA	-	-	-18.38	315	297.06	-		+920			RNP 1
	20	DF	MP602	N	-18.38	-	-	-	L	+3350	-210		RNP 1
	30	TF	MP603	N	-18.38	275	256.499	7.0		-FL070			RNP 1
	40	TF	MP612	N	-18.38	275	256.543	7.6					RNP 1
	50	TF	PASAR	N	-18.38	255	237.048	57.4					RNP 1

Route Designator	Serial number	Path Descriptor	WPT Identifier	Fly-over	Mag Var	°M	°T	Distance (NM)	Turn direction	Altitude	Speed (kts)	VPA/TCH	NAV Spec
<b>SOBA2B</b>	10	CA	-	N	-18.38	315	297.06	-		+920			RNP 1
	20	DF	MP602	N	-18.38	-	-	-	L	+3350	-210		RNP 1
	30	TF	MP603	N	-18.38	275	256.50	7.0		-FL070			RNP 1
	40	TF	MP612	N	-18.38	275	256.54	7.6					RNP 1
	50	TF	SOBAT	N	-18.38	275	256.59	57.4					RNP 1

Route Designator	Serial number	Path Descriptor	WPT Identifier	Fly-over	Mag Var	°M	°T	Distance (NM)	Turn direction	Altitude	Speed (kts)	VPA/TCH	NAV Spec
<b>RASM2B</b>	10	IF	RW32	-	-18.38	-	-	-					RNP 1
	20	TF	GERUS	N	-18.38	315	296.97	12.3		+4000			RNP 1
	30	TF	MP600	N	-18.38	323	305.12	4.9					RNP 1
	40	TF	MP601	N	-18.38	288	269.86	5.3					RNP 1
	50	TF	MP608	N	-18.38	288	269.57	5.3		-FL120			RNP 1
	60	TF	MP609	N	-18.38	288	269.76	58.0					RNP 1
	70	TF	RASMA	N	-18.38	318	300.12	10.1					RNP 1

**DEPARTURES RWY32 WEST (CONTINUED)**  
 TABULAR DESCRIPTION

Route Designator	Serial number	Path Descriptor	WPT Identifier	Fly-over	Mag Var	°M	°T	Distance (NM)	Turn direction	Altitude	Speed (kts)	VPA/TCH	NAV Spec
<b>IMKO1B</b>	10	IF	RW32	-	-18.38	-	-	-					RNP 1
	20	TF	GERUS	N	-18.38	315	296.97	12.3		+4000			RNP 1
	30	TF	MP600	N	-18.38	323	305.12	4.9					RNP 1
	40	TF	IMKOV	N	-18.38	324	305.14	8.7					RNP 1

<b>OKMAR</b> (transition) <b>OKMAR1B</b>	10	IF	IMKOV	-	-18.38	-	-	-					RNP 1
	20	TF	OKMAR	N	-18.38	348	330.13	137.5					RNP 1

<b>DURDA</b> (transition) <b>DURD1B</b>	10	IF	IMKOV	-	-18.38	-	-	-					RNP 1
	20	TF	DURDA	N	-18.38	001	342.68	132					RNP 1

Route Designator	Serial number	Path Descriptor	WPT Identifier	Fly-over	Mag Var	°M	°T	Distance (NM)	Turn direction	Altitude	Speed (kts)	VPA/TCH	NAV Spec
<b>TIDU1B</b>	10	IF	RW32	-	-18.38	-	-	-					RNP 1
	20	TF	GERUS	N	-18.38	315	296.968	12.3		+4000			RNP 1
	30	TF	AXUMO	N	-18.38	39	20.686	6.9					RNP 1
	40	TF	TIDUM	N	-18.38	21	2.459	137.7					RNP 1