



Changes: New Chart

ARRIVAL RWY32 EAST
TABULAR DESCRIPTION

Route Designator	Serial number	Path Descriptor	WPT Identifier	Fly-over	Mag Var	°M	°T	Distance (NM)	Turn direction	Altitude	Speed (kts)	VPA/TCH	NAV Spec
UNPU1F	10	IF	UNPUG	-	-18.38	-	-	-					RNP 1
	20	TF	UVDAG	N	-18.38	201	182.28	132.8					RNP 1
	30	TF	MP503	N	-18.38	225	206.93	9.7					RNP 1
	40	TF	MP500	N	-18.38	225	206.96	5.4					RNP 1
	50	TF	ESTEK	N	-18.38	225	206.97	7.5		+3600			RNP 1

Route Designator	Serial number	Path Descriptor	WPT Identifier	Fly-over	Mag Var	°M	°T	Distance (NM)	Turn direction	Altitude	Speed (kts)	VPA/TCH	NAV Spec
OKBO1F	10	IF	OKBOG	-	-18.38	-	-	-					RNP 1
	20	TF	UVDAG	N	-18.38	227	208.74	125.9					RNP 1
	30	TF	MP503	N	-18.38	225	206.93	9.7					RNP 1
	40	TF	MP500	N	-18.38	225	206.96	5.4					RNP 1
	50	TF	ESTEK	N	-18.38	225	206.97	7.5		+3600			RNP 1

Route Designator	Serial number	Path Descriptor	WPT Identifier	Fly-over	Mag Var	°M	°T	Distance (NM)	Turn direction	Altitude	Speed (kts)	VPA/TCH	NAV Spec
UVAR1F	10	IF	UVARI	-	-18.38	-	-	-					RNP 1
	20	TF	UVDAG	N	-18.38	254	235.91	123.3					RNP 1
	30	TF	MP503	N	-18.38	225	206.93	9.8					RNP 1
	40	TF	MP500	N	-18.38	225	206.96	5.4					RNP 1
	50	TF	ESTEK	N	-18.38	225	206.97	7.5		+3600			RNP 1

ARRIVAL RWY32 EAST (CONTINUED)
TABULAR DESCRIPTION

Route Designator	Serial number	Path Descriptor	WPT Identifier	Fly-over	Mag Var	°M	°T	Distance (NM)	Turn direction	Altitude	Speed (kts)	VPA/TCH	NAV Spec
UTRO1F	10	IF	UTROD	-	-18.38	-	-	-					RNP 1
	20	TF	MP503	N	-18.38	278	259.88	131.2					RNP 1
	30	TF	MP500	N	-18.38	225	206.96	5.4					RNP 1
	40	TF	ESTEK	N	-18.38	225	206.97	7.5		+3600			RNP 1

Route Designator	Serial number	Path Descriptor	WPT Identifier	Fly-over	Mag Var	°M	°T	Distance (NM)	Turn direction	Altitude	Speed (kts)	VPA/TCH	NAV Spec
IMPA1F	10	IF	IMPAN	-	-18.38	-	-	-					RNP 1
	20	TF	MP503	N	-18.38	285	266.196	130.8					RNP 1
	30	TF	MP500	N	-18.38	225	206.96	5.4					RNP 1
	40	TF	ESTEK	N	-18.38	225	206.97	7.5		+3600			RNP 1

Route Designator	Serial number	Path Descriptor	WPT Identifier	Fly-over	Mag Var	°M	°T	Distance (NM)	Turn direction	Altitude	Speed (kts)	VPA/TCH	NAV Spec
IMRU1F	10	IF	IMRUL	-	-18.38	-	-	-					RNP 1
	20	TF	MP645	N	-18.38	299	280.51	101					RNP 1
	30	TF	ESTEK	N	-18.38	300	281.14	35.8		+3600			RNP 1