



Changes: New Chart

ARRIVAL RWY32 WEST
TABULAR DESCRIPTION

Route Designator	Serial number	Path Descriptor	WPT Identifier	Fly-over	Mag Var	°M	°T	Distance (NM)	Turn direction	Altitude	Speed (kts)	VPA/TCH	NAV Spec
DUNR1F	10	IF	DUNRI	-	-18.38	-	-	-					RNP 1
	20	TF	IMKOV	N	-18.38	194	175.68	133.2		+FL130			RNP 1
	30	TF	MP551	N	-18.38	178	159.97	10.3					RNP 1
	40	TF	MP602	N	-18.38	135	116.90	10.6					RNP 1
	50	TF	MP531	N	-18.38	135	116.84	7.0		+FL080			RNP 1
	60	TF	MP501	N	-18.38	135	116.80	13.1					RNP 1
	70	TF	ESTEK	N	-18.38	46	27.83	5.0	L	+3600			RNP 1

Route Designator	Serial number	Path Descriptor	WPT Identifier	Fly-over	Mag Var	°M	°T	Distance (NM)	Turn direction	Altitude	Speed (kts)	VPA/TCH	NAV Spec
TIBA2F	10	IF	TIBAG	-	-18.38	-	-	-					RNP 1
	20	TF	IMKOV	N	-18.38	155	136.62	141.6		+FL130			RNP 1
	30	TF	MP551	N	-18.38	178	159.97	10.3					RNP 1
	40	TF	MP602	N	-18.38	135	116.90	10.6					RNP 1
	50	TF	MP531	N	-18.38	135	116.84	7.0		+FL080			RNP 1
	60	TF	MP501	N	-18.38	135	116.80	13.1					RNP 1
	70	TF	ESTEK	N	-18.38	46	27.83	5.0	L	+3600			RNP 1

Route Designator	Serial number	Path Descriptor	WPT Identifier	Fly-over	Mag Var	°M	°T	Distance (NM)	Turn direction	Altitude	Speed (kts)	VPA/TCH	NAV Spec
RASM2F	10	IF	RASMA	-	-18.38	-	-	-					RNP 1
	20	TF	IMKOV	N	-18.38	109	90.72	70.2		+FL130			RNP 1
	30	TF	MP551	N	-18.38	178	159.97	10.3					RNP 1
	40	TF	MP602	N	-18.38	135	116.90	10.6					RNP 1
	50	TF	MP531	N	-18.38	135	116.84	7.0		+FL080			RNP 1
	60	TF	MP501	N	-18.38	135	116.80	13.1					RNP 1
	70	TF	ESTEK	N	-18.38	46	27.83	5.0	L	+3600			RNP 1

ARRIVAL RWY32 WEST (CONTINUED)
 TABULAR DESCRIPTION

Route Designator	Serial number	Path Descriptor	WPT Identifier	Fly-over	Mag Var	°M	°T	Distance (NM)	Turn direction	Altitude	Speed (kts)	VPA/TCH	NAV Spec
EPTE2F	10	IF	EPTEK	-	-18.38	-	-	-					RNP 1
	20	TF	MP551	N	-18.38	106	87.23	69.0					RNP 1
	30	TF	MP602	N	-18.38	135	116.90	10.6					RNP 1
	40	TF	MP531	N	-18.38	135	116.84	7.0		+FL080			RNP 1
	50	TF	MP501	N	-18.38	135	116.80	13.1					RNP 1
	60	TF	ESTEK	N	-18.38	46	27.83	5.0	L	+3600			RNP 1

Route Designator	Serial number	Path Descriptor	WPT Identifier	Fly-over	Mag Var	°M	°T	Distance (NM)	Turn direction	Altitude	Speed (kts)	VPA/TCH	NAV Spec
PASA2F	10	IF	PASAR	-	-18.38	-	-	-					RNP 1
	20	TF	MP531	N	-18.38	84	65.69	75.4		+FL080			RNP 1
	30	TF	MP501	N	-18.38	135	116.80	13.1					RNP 1
	40	TF	ESTEK	N	-18.38	46	27.83	5.0	L	+3600			RNP 1