

## INDEXB

| S.No | Articles               | Ref          | Remarks | Folio   | Qty   | Deno | Rate   | Total   |  |
|------|------------------------|--------------|---------|---------|-------|------|--------|---------|--|
| 2070 | IC 74121 MONOSTABLE    | MULTIVIBRATO | R       | 0       | 10.00 | UNIT |        |         |  |
| 34   | ANTENNS ASSY           | AT 36020     |         | 0       | 3     | UNIT |        |         |  |
| 45   | ATTENUATOR 54185       |              |         | 13 /042 | 1     | UNIT |        |         |  |
| 5000 | TUBE FIBRE GLASS 4FTx  | 1"           |         | 13 /003 | 2.00  | UNIT | 500.00 | 1000.00 |  |
| 3729 | ROD ANCHOR 36"x0.75"   | PLATE 9" SQ  |         | 13 /004 | 1.00  | UNIT | 200.00 | 200.00  |  |
| 1841 | FIBRE GLASS SLEEVES    | 6"x1"        |         | 13 /005 | 4.00  | UNIT | 50.00  | 200.00  |  |
| 145  | CABLE MAIN             |              |         | 13 /006 | 8.00  | YARD | 20.00  | 160.00  |  |
| 142  | CABLE COAXIAL          |              |         | 13 /007 | 17    | YARD | 12.00  | 204.00  |  |
| 2836 | PLATE 9" SQUARE GALV   |              |         | 13 /008 | 1.00  | UNIT | 150.00 | 150.00  |  |
| 4000 | SWITCH TELEPHONE       | 010762-0001  |         | 13 /012 | 1.00  | UNIT | 100.00 | 100.00  |  |
| 1449 | DIODE IN2615 ALTERNAT  | ER FOR 46097 |         | 13 /019 | 7.00  | UNIT | 10.00  | 70.00   |  |
| 4177 | TRANSFORMER MAIN       | 770915       |         | 13 /021 | 1.00  | UNIT | 25.00  | 25.00   |  |
| 3163 | RELAY 709301           |              |         | 13 /022 | 1.00  | UNIT | 100.00 | 100.00  |  |
|      | METER 0500 MICRO AMP   | 271375       |         | 13 /023 | 2.00  | UNIT | 50.00  | 100.00  |  |
| 905  | CONDENCER 0.25MF 350V  | 668936       |         | 13 /024 | 1.00  | UNIT | 25.00  | 25.00   |  |
| 2711 | MOTOR [FAN DOOR]       | 045695       |         | 13 /027 | 3.00  | UNIT | 200.00 | 600.00  |  |
| 4186 | TRANSFORMER PT38152    | 840031/32/41 | 842092  | 13 /038 | 4.00  | UNIT | 100.00 | 400.00  |  |
| 3710 | RESISTORS MISCELANEOUS |              |         | 13 /041 | 70.00 | UNIT | 10.00  | 700.00  |  |
| 3423 | RESISTOR 25K 5000      | 50529        |         | 13 /049 | 1.00  | UNIT | 10.00  | 10.00   |  |
| 3661 | RESISTOR RC42GF 222K   | 853114       |         | 13 /050 | 2.00  | UNIT | 10.00  | 20.00   |  |
| 794  | CKT BKR 50A 14167      |              |         | 13 /057 | 1.00  | UNIT | 10.00  | 10.00   |  |
| 133  | BUZZER 36003           |              |         | 13 /068 | 2     | UNIT | 25.00  | 50.00   |  |
| 3967 | SWITCH MS35058 0.5 9   | 8I2003       |         | 13 /072 | 1.00  | UNIT | 100.00 | 100.00  |  |

## INDEXB

|      |                       |              |        |         |       |      |        |        |  |
|------|-----------------------|--------------|--------|---------|-------|------|--------|--------|--|
| 3966 | SWITCH MS0.5 35059    | 0.5 I6 81200 | 2      | 13 /073 | 1.00  | UNIT | 100.00 | 100.00 |  |
| 2613 | LAMP 35657 0001       |              |        | 13 /076 | 49.00 | UNIT | 20.00  | 980.00 |  |
| 571  | CAPACITOR ELECTROLYTI | 50000VF 25V  | IA2083 | 13 /080 | 8.00  | UNIT | 20.00  | 160.00 |  |
| 71   | BELL 3" 24V           |              |        | 13 /083 | 1     | UNIT | 20.00  | 20.00  |  |
| 1202 | DIODE 12 5.6 ZENER    |              |        | 13 /086 | 2.00  | UNIT | 10.00  | 20.00  |  |
| 3739 | RV2NAYSB503A 864033   |              |        | 13 /088 | 1.00  | UNIT | 10.00  | 10.00  |  |
| 3738 | RV2NAYSB252A 864032   |              |        | 13 /089 | 1.00  | UNIT | 10.00  | 10.00  |  |
| 3232 | RESISISTANCE 2.2/2.5K | 10W          |        | 13 /091 | 5.00  | UNIT | 10.00  | 50.00  |  |
| 1324 | DIODE FN464 46026     |              |        | 13/110  | 18.00 | UNIT | 10.00  | 180.00 |  |
| 1462 | DIODE IN475 46040     |              |        | 13/111  | 4.00  | UNIT | 10.00  | 40.00  |  |
| 1448 | DIODE IN1310 46067    |              |        | 13/112  | 3.00  | UNIT | 10.00  | 30.00  |  |
| 1472 | DIODE IN904 46152     |              |        | 13/113  | 4.00  | UNIT | 10.00  | 40.00  |  |
| 1461 | DIODE IN4385 246036   |              |        | 13/114  | 8.00  | UNIT | 10.00  | 80.00  |  |
| 1468 | DIODE IN627 46104     |              |        | 13/115  | 21.00 | UNIT | 10.00  | 210.00 |  |
| 1450 | DIODE IN3020A 46137   |              |        | 13/116  | 3.00  | UNIT | 10.00  | 30.00  |  |
| 360  | CAPACITOR 300MF-21134 |              |        | 13/118  | 2.00  | UNIT | 50.00  | 100.00 |  |
| 3255 | RESISTOR 0.5VAR       | 54252        |        | 13/120  | 1.00  | UNIT | 5.00   | 5.00   |  |
| 3256 | RESISTOR 0.5VAR       | 54258        |        | 13/121  | 1.00  | UNIT | 5.00   | 5.00   |  |
| 3257 | RESISTOR 0.5VAR       | 54261        |        | 13/122  | 1.00  | UNIT | 5.00   | 5.00   |  |
| 4226 | TRANSISTOR            | TYPE 2N1613  | VOR    | 13/127  | 4.00  | UNIT | 20.00  | 80.00  |  |
| 1186 | DIODE                 | TYPE JN751A  | VOR    | 13/128  | 2.00  | UNIT | 10.00  | 20.00  |  |
| 1187 | DIODE                 | TYPE JN756 A | VOR    | 13/129  | 5.00  | UNIT | 10.00  | 50.00  |  |
| 4227 | TRANSISTOR            | 2N-1671 A    | VOR    | 13/130  | 2.00  | UNIT | 20.00  | 40.00  |  |
| 4228 | TRANSISTOR            | 3N-125       | VOR    | 13/132  | 4.00  | UNIT | 20.00  | 80.00  |  |

## INDEXB

|      |                       |              |         |         |       |      |       |        |  |
|------|-----------------------|--------------|---------|---------|-------|------|-------|--------|--|
| 1188 | DIODE                 | IN-2611      | VOR     | 13/134  | 4.00  | UNIT | 10.00 | 40.00  |  |
| 1189 | DIODE                 | IN-3025A     | VOR     | 13/135  | 1.00  | UNIT | 10.00 | 10.00  |  |
| 1190 | DIODE                 | IN-3714      | VOR     | 13/136  | 2.00  | UNIT | 10.00 | 20.00  |  |
| 1191 | DIODE                 | IN-4162B     |         | 13/137  | 3.00  | UNIT | 10.00 | 30.00  |  |
| 1192 | DIODE                 | IN-4165B     |         | 13/138  | 1.00  | UNIT | 10.00 | 10.00  |  |
| 1193 | DIODE                 | IN-705       |         | 13/139  | 2.00  | UNIT | 10.00 | 20.00  |  |
| 1194 | DIODE                 | IN-816       | VOR     | 13/140  | 10.00 | UNIT | 10.00 | 100.00 |  |
| 1195 | DIODE                 | IN-34A       |         | 13/174  | 3.00  | UNIT | 10.00 | 30.00  |  |
| 3684 | RESISTOR VARIABLE     |              |         | 13/175  | 3.00  | UNIT | 5.00  | 15.00  |  |
| 25   | ALTERNATOR VARIABLE   | INPUT/OUTPUT | 500OHM  | 13/178  | 2     | UNIT | 20.00 | 40.00  |  |
| 4831 | TRANSISTOR OC44 V392  | BEACON MONIT | OR      | 13A/012 | 3.00  | UNIT |       |        |  |
| 4830 | TRANSISTOR OC171 V412 | BEACON MONIT | OR      | 13A/015 | 2.00  | UNIT |       |        |  |
| 1328 | DIODE GEMINIUM V434   | OA91         |         | 13A/017 | 2.00  | UNIT |       |        |  |
| 1487 | DIODE IS130           |              |         | 13A/018 | 10.00 | UNIT |       |        |  |
| 1731 | DIODE ZENER V415      |              |         | 13A/019 | 1.00  | UNIT |       |        |  |
| 5092 | WASHER INSULATED L432 | 11P1-2       |         | 13A/029 | 1.00  | UNIT |       |        |  |
| 5093 | WASHER INSULATED TOP  | 11P1-2       |         | 13A/030 | 1.00  | UNIT |       |        |  |
| 3004 | POTENTIOMETER ASST    | 10K TYPE W   | 200 OHM | 13A/031 | 2.00  | UNIT |       |        |  |
| 3638 | RESISTOR MISC         | 10/47/150/OH | 1.5/2.2 | 13A/032 | 10.00 | UNIT |       |        |  |
| 620  | CAPACITOR MISC        | 10 UF/47/196 | PF      | 13A/033 | 22.00 | UNIT |       |        |  |
| 3705 | RESISTOR WW270/220 OH | R1126/7      |         | 13A/040 | 2.00  | UNIT |       |        |  |
| 4823 | TRANSISTOR OC 28      | V348         |         | 13A/041 | 1.00  | UNIT |       |        |  |
| 1727 | DIODE ZENER TYPE Z5D  | 120CF V486   |         | 13A/044 | 5.00  | UNIT |       |        |  |
| 1728 | DIODE ZENER TYPE Z5D  | 24V V485     |         | 13A/045 | 4.00  | UNIT |       |        |  |

## INDEXB

|      |                       |             |  |          |       |      |  |  |  |
|------|-----------------------|-------------|--|----------|-------|------|--|--|--|
| 5095 | WASHER INSULATION TOP | L431        |  | 13A/050  | 1.00  | UNIT |  |  |  |
| 5094 | WASHER INSULATION     | BUTTOM L432 |  | 13A/051  | 1.00  | UNIT |  |  |  |
| 1611 | DIODE TYPE Z576       |             |  | 13A/054  | 2.00  | UNIT |  |  |  |
| 1600 | DIODE TYPE IS 140     |             |  | 13A/055A | 2.00  | UNIT |  |  |  |
| 1574 | DIODE TYPE 2G 374     | OC83        |  | 13A/057  | 1.00  | UNIT |  |  |  |
| 4933 | TRANSISTOR TYPE OC26  |             |  | 13A/058  | 2.00  | UNIT |  |  |  |
| 4932 | TRANSISTOR TYPE OC139 | 3N-1302     |  | 13A/059  | 1.00  | UNIT |  |  |  |
| 1604 | DIODE TYPE IZ 56      |             |  | 13A/061  | 1.00  | UNIT |  |  |  |
| 1603 | DIODE TYPE IZ 39      |             |  | 13A/064  | 1.00  | UNIT |  |  |  |
| 1583 | DIODE TYPE GEX 34     |             |  | 13A/065  | 4.00  | UNIT |  |  |  |
| 4927 | TRANSISTOR TYPE 2N697 |             |  | 13A/076  | 11.00 | UNIT |  |  |  |
| 4922 | TRANSISTOR TYPE       | 2N2218      |  | 13A/077  | 10.00 | UNIT |  |  |  |
| 4923 | TRANSISTOR TYPE       | 2N2646      |  | 13A/078  | 5.00  | UNIT |  |  |  |
| 1586 | DIODE TYPE IN 457     |             |  | 13A/080  | 1.00  | UNIT |  |  |  |
| 1595 | DIODE TYPE IN746A     |             |  | 13A/081  | 3.00  | UNIT |  |  |  |
| 1588 | DIODE TYPE IN 751/A   |             |  | 13A/082  | 9.00  | UNIT |  |  |  |
| 1589 | DIODE TYPE IN 752/A   | 046240-0002 |  | 13A/083  | 5.00  | UNIT |  |  |  |
| 1598 | DIODE TYPE IN753A     |             |  | 13A/084  | 4.00  | UNIT |  |  |  |
| 1599 | DIODE TYPE IN754A     |             |  | 13A/085  | 5.00  | UNIT |  |  |  |
| 4466 | TRANSISTOR 2N706      |             |  | 13A/086  | 10.00 | UNIT |  |  |  |
| 4438 | TRANSISTOR 2N1132     |             |  | 13A/087  | 2.00  | UNIT |  |  |  |
| 1591 | DIODE TYPE IN270      |             |  | 13A/090  | 4.00  | UNIT |  |  |  |
| 1592 | DIODE TYPE IN283      |             |  | 13A/091  | 6.00  | UNIT |  |  |  |
| 4925 | TRANSISTOR TYPE       | 2N1483      |  | 13A/092  | 2.00  | UNIT |  |  |  |

## INDEXB

|      |                    |            |  |         |       |      |  |  |  |
|------|--------------------|------------|--|---------|-------|------|--|--|--|
| 1610 | DIODE TYPE T 12 G  |            |  | 13A/093 | 2.00  | UNIT |  |  |  |
| 4265 | TRANSISTOR 2N 2139 |            |  | 13A/094 | 4.00  | UNIT |  |  |  |
| 4284 | TRANSISTOR 2N 2405 |            |  | 13A/095 | 4.00  | UNIT |  |  |  |
| 4305 | TRANSISTOR 2N 2950 |            |  | 13A/096 | 2.00  | UNIT |  |  |  |
| 4306 | TRANSISTOR 2N 2951 |            |  | 13A/097 | 1.00  | UNIT |  |  |  |
| 1401 | DIODE IN 4586      | IN 4385    |  | 13A/098 | 12.00 | UNIT |  |  |  |
| 1446 | DIODE IN 967B      |            |  | 13A/099 | 2.00  | UNIT |  |  |  |
| 1447 | DIODE IN 968B      |            |  | 13A/100 | 6.00  | UNIT |  |  |  |
| 1362 | DIODE IN 2970B     |            |  | 13A/101 | 2.00  | UNIT |  |  |  |
| 1363 | DIODE IN 2973B     |            |  | 13A/102 | 3.00  | UNIT |  |  |  |
| 1364 | DIODE IN 2986BR    |            |  | 13A/103 | 4.00  | UNIT |  |  |  |
| 1365 | DIODE IN 2989B     |            |  | 13A/104 | 3.00  | UNIT |  |  |  |
| 1366 | DIODE IN 3003B     |            |  | 13A/105 | 6.00  | UNIT |  |  |  |
| 1367 | DIODE IN 3022A     |            |  | 13A/106 | 4.00  | UNIT |  |  |  |
| 1368 | DIODE IN 3022B     |            |  | 13A/107 | 4.00  | UNIT |  |  |  |
| 1369 | DIODE IN 3025B     |            |  | 13A/108 | 6.00  | UNIT |  |  |  |
| 1370 | DIODE IN 3029A     |            |  | 13A/109 | 1.00  | UNIT |  |  |  |
| 1371 | DIODE IN 3029B     |            |  | 13A/110 | 6.00  | UNIT |  |  |  |
| 1372 | DIODE IN 3030B     |            |  | 13A/111 | 6.00  | UNIT |  |  |  |
| 1359 | DIODE IN 21 BR     |            |  | 13A/112 | 4.00  | UNIT |  |  |  |
| 1375 | DIODE IN 34 AS     |            |  | 13A/113 | 3.00  | UNIT |  |  |  |
| 1432 | DIODE IN 82        |            |  | 13A/114 | 1.00  | UNIT |  |  |  |
| 1360 | DIODE IN 253       |            |  | 13A/115 | 8.00  | UNIT |  |  |  |
| 1395 | DIODE IN 416F      | 246120-001 |  | 13A/116 | 3.00  | PAIR |  |  |  |

## INDEXB

|      |                     |             |  |         |       |      |  |  |  |
|------|---------------------|-------------|--|---------|-------|------|--|--|--|
| 1396 | DIODE IN 4384       |             |  | 13A/117 | 23.00 | UNIT |  |  |  |
| 1397 | DIODE IN 4385       |             |  | 13A/118 | 23.00 | UNIT |  |  |  |
| 1439 | DIODE IN 935A       |             |  | 13A/119 | 4.00  | UNIT |  |  |  |
| 1440 | DIODE IN 960B       |             |  | 13A/120 | 3.00  | UNIT |  |  |  |
| 1441 | DIODE IN 961B       |             |  | 13A/121 | 1.00  | UNIT |  |  |  |
| 1443 | DIODE IN 964B       |             |  | 13A/122 | 4.00  | UNIT |  |  |  |
| 1442 | DIODE IN 963B       |             |  | 13A/123 | 2.00  | UNIT |  |  |  |
| 1444 | DIODE IN 965B       |             |  | 13A/124 | 6.00  | UNIT |  |  |  |
| 1310 | DIODE CR 201        |             |  | 13A/125 | 1.00  | UNIT |  |  |  |
| 1311 | DIODE CR 203        |             |  | 13A/126 | 2.00  | UNIT |  |  |  |
| 1605 | DIODE TYPE MA4755   |             |  | 13A/128 | 2.00  | UNIT |  |  |  |
| 1575 | DIODE TYPE 4E30-8   |             |  | 13A/129 | 5.00  | UNIT |  |  |  |
| 1149 | CRYSTAL OVEN HEATER | DME         |  | 13A/130 | 1.00  | UNIT |  |  |  |
| 2712 | MOTOR 245503        |             |  | 13A/134 | 1.00  | UNIT |  |  |  |
| 4141 | TRANSFORMER 43273   |             |  | 13A/137 | 1.00  | UNIT |  |  |  |
| 1398 | DIODE IN 4387       |             |  | 13A/142 | 3.00  | UNIT |  |  |  |
| 1585 | DIODE TYPE IN 21WE  |             |  | 13A/143 | 4.00  | UNIT |  |  |  |
| 1207 | DIODE 246014/1      | MA 4046A    |  | 13A/147 | 3.00  | UNIT |  |  |  |
| 1230 | DIODE 848003/1      |             |  | 13A/149 | 1.00  | UNIT |  |  |  |
| 3529 | RESISTOR 51044/1    |             |  | 13A/151 | 2.00  | UNIT |  |  |  |
| 66   | BEARING BALL 45702  |             |  | 13A/157 | 6     | UNIT |  |  |  |
|      | METERS              |             |  | 13A/161 | 4     | UNIT |  |  |  |
| 1358 | DIODE IN 1317 VOR   |             |  | 13A/165 | 2.00  | UNIT |  |  |  |
| 1431 | DIODE IN 627        | 046104/0001 |  | 13A/168 | 3.00  | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |         |       |      |  |  |  |
|------|-----------------------|--------------|----------|---------|-------|------|--|--|--|
| 1553 | DIODE SILICON 6DS1    | 246005/0001  |          | 13A/169 | 4.00  | UNIT |  |  |  |
| 3327 | RESISTOR 10W          | 051027-0001  |          | 13A/171 | 2.00  | UNIT |  |  |  |
| 4261 | TRANSISTOR 2N 1671A   | VOR          |          | 13A/175 | 2.00  | UNIT |  |  |  |
| 4279 | TRANSISTOR 2N 2324    | VOR          |          | 13A/176 | 2.00  | UNIT |  |  |  |
| 1361 | DIODE IN 2920         |              |          | 13A/180 | 1.00  | UNIT |  |  |  |
| 3111 | RECTIFIER IN 457      | IPL          |          | 13A/181 | 2.00  | UNIT |  |  |  |
| 1211 | DIODE 2N 270          | IPL          |          | 13A/182 | 2.00  | UNIT |  |  |  |
| 683  | CAPACITOR VAR 0.8-10  | PF 5000 VOC  | IPL      | 13A/184 | 2.00  | UNIT |  |  |  |
|      | CAPACITOR VAR QUARTZ  |              |          | 13A/185 | 6.00  | UNIT |  |  |  |
| 684  | CAPACITOR VAR 0.8-10  | PF 750 VPC   | IPL      | 13A/186 | 2.00  | UNIT |  |  |  |
| 5001 | TUBE GV4              | IPL          |          | 13A/187 | 2.00  | UNIT |  |  |  |
| 1076 | CRYSTAL 16.0 MHz      | TIME BOX     | IPL      | 13A/190 | 1.00  | UNIT |  |  |  |
| 1105 | CRYSTAL 54.25 MHz     | 2ndLOCAL OSC | IPL      | 13A/191 | 1.00  | UNIT |  |  |  |
| 3104 | RECTIFIER BRIDGE 4V   | H471 AC IPL  | 160003-0 | 13A/193 | 2.00  | UNIT |  |  |  |
| 3160 | RELAY 6 KO 283046     |              |          | 13B/001 | 1.00  | UNIT |  |  |  |
| 3923 | SWITCH 283123         |              |          | 13B/002 | 1.00  | UNIT |  |  |  |
| 3162 | RELAY 703742          |              |          | 13B/004 | 1.00  | UNIT |  |  |  |
| 2907 | PLUG RF               |              |          | 13B/006 | 1.00  | UNIT |  |  |  |
| 4929 | TRANSISTOR TYPE BC108 | A TR1        | FV05801  | 13B/009 | 3.00  | UNIT |  |  |  |
| 4589 | TRANSISTOR BC137 TR5  | FVO7594      |          | 13B/013 | 6.00  | UNIT |  |  |  |
| 4654 | TRANSISTOR BF166 TR1  | FVO7793      | RF UNIT  | 13B/014 | 10.00 | UNIT |  |  |  |
| 1333 | DIODE GH 5001 Rx OSC  | FVO9708      |          | 13B/015 | 4.00  | UNIT |  |  |  |
| 4931 | TRANSISTOR TYPE BSX20 | FVO5252 TX   | RF DRIVE | 13B/017 | 7.00  | UNIT |  |  |  |
| 1577 | DIODE TYPE BAX13      | TXPA UNIT    |          | 13B/018 | 8.00  | UNIT |  |  |  |

## INDEXB

|      |                       |              |         |         |       |      |  |  |  |
|------|-----------------------|--------------|---------|---------|-------|------|--|--|--|
| 1578 | DIODE TYPE BAX16      | D1 POWER SUP | FVO5232 | 13B/019 | 16.00 | UNIT |  |  |  |
| 1582 | DIODE TYPE GERMGP D3  | TX PA UNIT   | FVO5818 | 13B/020 | 7.00  | UNIT |  |  |  |
| 1593 | DIODE TYPE IN4001     | TX PA UNIT   | FVO7744 | 13B/021 | 2.00  | UNIT |  |  |  |
| 4859 | TRANSISTOR PT 31982   | TR2 FVO9193  |         | 13B/022 | 4.00  | UNIT |  |  |  |
| 4860 | TRANSISTOR PT 31983   | FVO9191      |         | 13B/023 | 4.00  | UNIT |  |  |  |
| 4488 | TRANSISTOR 40310      | FVO7594      |         | 13B/024 | 1.00  | UNIT |  |  |  |
| 4858 | TRANSISTOR PT 31981   | FVO9190      |         | 13B/025 | 5.00  | UNIT |  |  |  |
| 3592 | RESISTOR ASST         |              |         | 13B/026 | 51.00 | UNIT |  |  |  |
| 939  | CONDENSER ASST        |              |         | 13B/028 | 37.00 | UNIT |  |  |  |
| 3005 | POTENTIOMETER ASST    |              |         | 13B/029 | 3.00  | UNIT |  |  |  |
| 3912 | SWITCH                |              |         | 13B/030 | 13.00 | UNIT |  |  |  |
| 3197 | RELAY PT No FR 20203  |              |         | 13B/031 | 1.00  | UNIT |  |  |  |
| 3196 | RELAY PT No 283071    | 170 OHM      |         | 13B/032 | 1.00  | UNIT |  |  |  |
|      | LOUDSPEAKER 3 OHM     | AT10877/2    |         | 13B/033 | 3.00  | UNIT |  |  |  |
|      | MICRO INSERT FM 99004 |              |         | 13B/034 | 2.00  | UNIT |  |  |  |
| 2573 | KNOB                  |              |         | 13B/035 | 3.00  | UNIT |  |  |  |
| 1017 | CORE                  |              |         | 13B/037 | 4.00  | UNIT |  |  |  |
| 736  | CHOKE                 |              |         | 13B/038 | 7.00  | UNIT |  |  |  |
| 818  | COIL                  |              |         | 13B/039 | 29.00 | UNIT |  |  |  |
| 4129 | TRANSFORMER           |              |         | 13B/040 | 1.00  | UNIT |  |  |  |
| 2870 | PLUG 7WAYS FP16816    |              |         | 13B/041 | 3.00  | UNIT |  |  |  |
| 3815 | SOCKET 7WAYS          |              |         | 13B/042 | 1.00  | UNIT |  |  |  |
| 4585 | TRANSISTOR BC108 TR1  | FVO5800      |         | 13B/043 | 6.00  | UNIT |  |  |  |
| 4586 | TRANSISTOR BC108B TR2 | FVO5802      |         | 13B/044 | 8.00  | UNIT |  |  |  |

## INDEXB

|      |                       |             |       |         |       |      |  |  |  |
|------|-----------------------|-------------|-------|---------|-------|------|--|--|--|
| 1302 | DIODE BZY 88 C9V1     |             |       | 13B/045 | 1.00  | UNIT |  |  |  |
| 1747 | DIODE ZF 4.7          |             |       | 13B/048 | 2.00  | UNIT |  |  |  |
| 1567 | DIODE SX 631          |             |       | 13B/049 | 4.00  | UNIT |  |  |  |
| 1749 | DIODE ZF 9.1 D        | FVO5814     |       | 13B/050 | 6.00  | UNIT |  |  |  |
| 4588 | TRANSISTOR BC118      | FVO5820     |       | 13B/052 | 2.00  | UNIT |  |  |  |
| 749  | CHOKE 2nd RF AMP      | INP 279051  |       | 13B/060 | 1.00  | UNIT |  |  |  |
| 3166 | RELAY 750 OHM FR03992 |             |       | 13B/061 | 3.00  | UNIT |  |  |  |
| 1329 | DIODE GERANIUM SFD108 | FVO5818     |       | 13B/063 | 5.00  | UNIT |  |  |  |
| 4058 | THERMISTOR 1K3 VA103  | PL23078     |       | 13B/064 | 2.00  | UNIT |  |  |  |
| 1137 | CRYSTAL METAL CAN     | FC03038     | 72MHz | 13B/066 | 10.00 | UNIT |  |  |  |
|      | MICRO SWITCH CONV.KIT | FSO7053-FSO |       | 13B/068 | 9.00  | UNIT |  |  |  |
| 4864 | TRANSISTOR PT41622    | FVO 9195    |       | 13B/070 | 1.00  | UNIT |  |  |  |
| 1622 | DIODE Y23 FVO9765     |             |       | 13B/071 | 2.00  | UNIT |  |  |  |
| 4178 | TRANSFORMER MAIN      | AL 21321    |       | 13B/075 | 1.00  | UNIT |  |  |  |
| 3878 | SPRING BT 26870       |             |       | 13B/080 | 2.00  | UNIT |  |  |  |
| 2623 | LAMP HOLDER FH 03032  |             |       | 13B/081 | 2.00  | UNIT |  |  |  |
| 4145 | TRANSFORMER AL 21423  |             |       | 13B/082 | 1.00  | UNIT |  |  |  |
| 5091 | WASHER ASST 9635339   | 9600343,4   |       | 13B/085 | 4.00  | UNIT |  |  |  |
| 3749 | SCREW 9615014         |             |       | 13B/086 | 1.00  | UNIT |  |  |  |
| 151  | CABLE SLEEVE COAXIAL  | 9633634     |       | 13B/087 | 4     | UNIT |  |  |  |
| 4696 | TRANSISTOR BLY 216/   | L15         |       | 13B/111 | 2.00  | UNIT |  |  |  |
| 1584 | DIODE TYPE HG 1012    |             |       | 13B/112 | 5.00  | UNIT |  |  |  |
| 2947 | POTENTIOMETER 1 KOHM  |             |       | 13B/113 | 2.00  | UNIT |  |  |  |
| 2574 | KNOB                  |             |       | 13B/116 | 3.00  | UNIT |  |  |  |

## INDEXB

|      |                       |          |  |         |       |      |  |  |  |
|------|-----------------------|----------|--|---------|-------|------|--|--|--|
| 3913 | SWITCH                |          |  | 13B/118 | 2.00  | UNIT |  |  |  |
| 4615 | TRANSISTOR BF 115     |          |  | 13B/119 | 2.00  | UNIT |  |  |  |
| 4281 | TRANSISTOR 2N 2369    |          |  | 13B/120 | 8.00  | UNIT |  |  |  |
| 4366 | TRANSISTOR 2N 4427    |          |  | 13B/121 | 9.00  | UNIT |  |  |  |
| 4815 | TRANSISTOR NKT 2790   |          |  | 13B/122 | 1.00  | UNIT |  |  |  |
| 4357 | TRANSISTOR 2N 4255    |          |  | 13B/123 | 7.00  | UNIT |  |  |  |
| 4936 | TRANSISTOR VC 734     |          |  | 13B/124 | 5.00  | UNIT |  |  |  |
| 1382 | DIODE IN 4002         |          |  | 13B/125 | 1.00  | UNIT |  |  |  |
| 1482 | DIODE IS 2068A        |          |  | 13B/126 | 3.00  | UNIT |  |  |  |
| 1349 | DIODE HS 1012         |          |  | 13B/127 | 7.00  | UNIT |  |  |  |
| 1351 | DIODE HS 7001         |          |  | 13B/128 | 1.00  | UNIT |  |  |  |
| 1742 | DIODE ZF 10           |          |  | 13B/129 | 2.00  | UNIT |  |  |  |
| 1483 | DIODE IS 2100A        |          |  | 13B/130 | 2.00  | UNIT |  |  |  |
| 4691 | TRANSISTOR BFY81      |          |  | 13B/133 | 2.00  | UNIT |  |  |  |
| 2550 | INSULATOR 9618048     |          |  | 13B/135 | 4.00  | UNIT |  |  |  |
| 2739 | NUT 9658152 (9635240) |          |  | 13B/136 | 21.00 | UNIT |  |  |  |
| 79   | BLOWER 134779         | PT 24000 |  | 13C/001 | 4     | UNIT |  |  |  |
| 1532 | DIODE RECTIFIER       | 160002   |  | 13C/009 | 1.00  | UNIT |  |  |  |
| 1263 | DIODE BRIDGE 160001   |          |  | 13C/010 | 1.00  | UNIT |  |  |  |
| 1713 | DIODE ZENER IN 3031   | 160279   |  | 13C/011 | 2.00  | UNIT |  |  |  |
| 1340 | DIODE HP 2800 162003  |          |  | 13C/012 | 2.00  | UNIT |  |  |  |
| 1402 | DIODE IN 4751 160279  |          |  | 13C/013 | 2.00  | UNIT |  |  |  |
| 1424 | DIODE IN 5373 160280  |          |  | 13C/014 | 2.00  | UNIT |  |  |  |
| 1715 | DIODE ZENER IN 5229B  | 160268   |  | 13C/015 | 4.00  | UNIT |  |  |  |

## INDEXB

|      |                       |        |  |         |      |      |  |  |  |
|------|-----------------------|--------|--|---------|------|------|--|--|--|
| 1650 | DIODE ZENER 5M 5RIZS2 | 160274 |  | 13C/016 | 4.00 | UNIT |  |  |  |
| 1341 | DIODE HP 3039 162002  |        |  | 13C/017 | 1.00 | UNIT |  |  |  |
| 1716 | DIODE ZENER IN 5236B  |        |  | 13C/018 | 1.00 | UNIT |  |  |  |
| 1417 | DIODE IN 5246B 160275 |        |  | 13C/019 | 2.00 | UNIT |  |  |  |
| 4429 | TRANSISTOR 2N 740     | 106031 |  | 13C/020 | 2.00 | UNIT |  |  |  |
| 4430 | TRANSISTOR 2N 918     | 106025 |  | 13C/021 | 2.00 | UNIT |  |  |  |
| 4266 | TRANSISTOR 2N 2219    | 106008 |  | 13C/022 | 2.00 | UNIT |  |  |  |
| 4294 | TRANSISTOR 2N 2905    | 106001 |  | 13C/024 | 2.00 | UNIT |  |  |  |
| 4282 | TRANSISTOR 2N 2369    | 106062 |  | 13C/026 | 2.00 | UNIT |  |  |  |
| 4478 | TRANSISTOR 3498       | 106006 |  | 13C/027 | 2.00 | UNIT |  |  |  |
| 4351 | TRANSISTOR 2N 4236    | 106029 |  | 13C/031 | 2.00 | UNIT |  |  |  |
| 4352 | TRANSISTOR 2N 4239    | 106032 |  | 13C/032 | 2.00 | UNIT |  |  |  |
| 4370 | TRANSISTOR 2N 4853    |        |  | 13C/033 | 2.00 | UNIT |  |  |  |
| 4373 | TRANSISTOR 2N 4900    |        |  | 13C/034 | 2.00 | UNIT |  |  |  |
| 4499 | TRANSISTOR 4906       |        |  | 13C/035 | 2.00 | UNIT |  |  |  |
| 4376 | TRANSISTOR 2N 4912    |        |  | 13C/036 | 2.00 | UNIT |  |  |  |
| 4385 | TRANSISTOR 2N 5208    |        |  | 13C/037 | 2.00 | UNIT |  |  |  |
| 4390 | TRANSISTOR 2N 5335    |        |  | 13C/038 | 2.00 | UNIT |  |  |  |
| 4394 | TRANSISTOR 2N 5430    |        |  | 13C/039 | 2.00 | UNIT |  |  |  |
| 4483 | TRANSISTOR 3N 201     |        |  | 13C/040 | 2.00 | UNIT |  |  |  |
| 2055 | IC 662                |        |  | 13C/041 | 2.00 | UNIT |  |  |  |
| 4756 | TRANSISTOR DUAL MD    | 918A   |  | 13C/042 | 2.00 | UNIT |  |  |  |
| 4759 | TRANSISTOR FET 3N 159 |        |  | 13C/043 | 2.00 | UNIT |  |  |  |
| 2056 | IC 668                |        |  | 13C/044 | 2.00 | UNIT |  |  |  |

## INDEXB

|      |                       |             |  |         |      |      |  |  |  |
|------|-----------------------|-------------|--|---------|------|------|--|--|--|
| 2057 | IC 670                |             |  | 13C/045 | 2.00 | UNIT |  |  |  |
| 2059 | IC 702                |             |  | 13C/046 | 2.00 | UNIT |  |  |  |
| 2060 | IC 709                |             |  | 13C/047 | 2.00 | UNIT |  |  |  |
| 2061 | IC 710                |             |  | 13C/048 | 2.00 | UNIT |  |  |  |
| 2502 | IC UA 734             |             |  | 13C/049 | 2.00 | UNIT |  |  |  |
| 2047 | IC 54121              |             |  | 13C/050 | 2.00 | UNIT |  |  |  |
| 2285 | IC MC663L             |             |  | 13C/051 | 2.00 | UNIT |  |  |  |
| 2293 | IC N7400A             |             |  | 13C/052 | 1.00 | UNIT |  |  |  |
| 2294 | IC N7441B             |             |  | 13C/053 | 2.00 | UNIT |  |  |  |
| 2295 | IC N7472A             |             |  | 13C/054 | 2.00 | UNIT |  |  |  |
| 2296 | IC N7490A             |             |  | 13C/055 | 2.00 | UNIT |  |  |  |
| 2321 | IC S8162A             |             |  | 13C/057 | 2.00 | UNIT |  |  |  |
| 2322 | IC S8281A             |             |  | 13C/058 | 2.00 | UNIT |  |  |  |
| 2323 | IC S8808A             |             |  | 13C/059 | 2.00 | UNIT |  |  |  |
| 2324 | IC S8815A             |             |  | 13C/060 | 2.00 | UNIT |  |  |  |
| 2325 | IC S8816A             |             |  | 13C/061 | 2.00 | UNIT |  |  |  |
| 2326 | IC S8826A             |             |  | 13C/062 | 2.00 | UNIT |  |  |  |
| 2327 | IC S8870A             |             |  | 13C/063 | 2.00 | UNIT |  |  |  |
| 2328 | IC S8880A             |             |  | 13C/064 | 2.00 | UNIT |  |  |  |
| 2329 | IC S8881A             |             |  | 13C/065 | 2.00 | UNIT |  |  |  |
| 2330 | IC S8T 90A            |             |  | 13C/066 | 2.00 | UNIT |  |  |  |
| 2339 | IC SL 521C            |             |  | 13C/067 | 2.00 | UNIT |  |  |  |
| 589  | CAPACITOR FIXED ELECT | 3300 UF 50V |  | 13C/068 | 2.00 | UNIT |  |  |  |
| 591  | CAPACITOR FIXED ELECT | 2500V 1UF   |  | 13C/070 | 1.00 | UNIT |  |  |  |

## INDEXB

|      |                       |             |      |         |      |      |  |  |  |
|------|-----------------------|-------------|------|---------|------|------|--|--|--|
| 693  | CAPACITOR VAR GL 0.18 | 16PF 750V   |      | 13C/071 | 5.00 | UNIT |  |  |  |
| 592  | CAPACITOR FIXED ELECT | 1UF 100V    |      | 13C/075 | 2.00 | UNIT |  |  |  |
| 588  | CAPACITOR FIXED CER   | 0.10UF 200V |      | 13C/076 | 1.00 | UNIT |  |  |  |
| 3631 | RESISTOR FXD WW 1550  | OHM 20W     |      | 13C/077 | 2.00 | UNIT |  |  |  |
| 3632 | RESISTOR FXD WW LOOK  | 25V         |      | 13C/078 | 2.00 | UNIT |  |  |  |
| 3628 | RESISTOR FXD WW       | 2K 20W      |      | 13C/079 | 2.00 | UNIT |  |  |  |
| 3629 | RESISTOR FXD WW       | 4.7K 20W    |      | 13C/080 | 2.00 | UNIT |  |  |  |
| 3625 | RESISTOR FXD FILM     | 806K 0.25W  |      | 13C/081 | 2.00 | UNIT |  |  |  |
| 3626 | RESISTOR FXD FILM     | 1.05 MEGO   | 0.5W | 13C/082 | 2.00 | UNIT |  |  |  |
| 3627 | RESISTOR FXD FILM     | 332K 1/8 W  |      | 13C/083 | 2.00 | UNIT |  |  |  |
| 3630 | RESISTOR FXD WW       | 35 OHM 15W  |      | 13C/084 | 2.00 | UNIT |  |  |  |
| 3681 | RESISTOR VAR CERMET   | 100K 0.75W  |      | 13C/085 | 2.00 | UNIT |  |  |  |
| 3674 | RESISTOR VAR CER      | 2K 0.25W    |      | 13C/086 | 2.00 | UNIT |  |  |  |
| 3675 | RESISTOR VAR CER      | 20K 0.75W   |      | 13C/087 | 2.00 | UNIT |  |  |  |
| 3676 | RESISTOR VAR CER      | 10K 0.75W   |      | 13C/088 | 2.00 | UNIT |  |  |  |
| 3677 | RESISTOR VAR CER      | 5K 0.75W    |      | 13C/089 | 2.00 | UNIT |  |  |  |
| 3678 | RESISTOR VAR CER      | 1K 0.75W    |      | 13C/090 | 2.00 | UNIT |  |  |  |
| 3663 | RESISTOR VAR          | 1MEGO 2W    |      | 13C/091 | 2.00 | UNIT |  |  |  |
| 3664 | RESISTOR VAR          | 50 1W       |      | 13C/092 | 2.00 | UNIT |  |  |  |
| 3682 | RESISTOR VAR COMP     | 2K 0.75W    |      | 13C/093 | 2.00 | UNIT |  |  |  |
| 3679 | RESISTOR VAR CER      | 1MEGO 0.75W |      | 13C/094 | 2.00 | UNIT |  |  |  |
| 3680 | RESISTOR VAR CER      | 500K 0.75W  |      | 13C/095 | 2.00 | UNIT |  |  |  |
| 4189 | TRANSFORMER PWRT1     |             |      | 13C/096 | 1.00 | UNIT |  |  |  |
| 4187 | TRANSFORMER PWR LOWT2 |             |      | 13C/097 | 1.00 | UNIT |  |  |  |

## INDEXB

|      |                              |              |  |          |       |      |  |  |  |
|------|------------------------------|--------------|--|----------|-------|------|--|--|--|
| 4188 | TRANSFORMER PWR LOWT3        |              |  | 13C/098  | 1.00  | UNIT |  |  |  |
| 4200 | TRANSFORMER T1               |              |  | 13C/099  | 1.00  | UNIT |  |  |  |
| 3150 | RELAY 3 PST NORM OPEN        |              |  | 13C/101  | 1.00  | UNIT |  |  |  |
| 3177 | RELAY DPST NORM OPEN         |              |  | 13C/102  | 1.00  | UNIT |  |  |  |
| 3176 | RELAY DPDT NORM OPEN         |              |  | 13C/103  | 1.00  | UNIT |  |  |  |
| 3131 | RELAY                        |              |  | 13C/104  | 1.00  | UNIT |  |  |  |
| 3188 | RELAY LATCHING HEAD          | FORM A CR-46 |  | 13C/105  | 1.00  | UNIT |  |  |  |
| 1155 | CRYSTAL UNIT CR-18A/V        | 16 MHz       |  | 13C/113  | 1.00  | UNIT |  |  |  |
| 602  | CAPACITOR FXD ELECT          | TA30 UF 100V |  | 13C/114  | 6.00  | UNIT |  |  |  |
| 686  | CAPACITOR VAR 178501         |              |  | 13C/115  | 6.00  | UNIT |  |  |  |
| 1865 | FILTER FEED THRU             | 179015       |  | 13C/117  | 3.00  | UNIT |  |  |  |
| 5048 | VALVE 8536                   |              |  | 13C/118  | 2.00  | UNIT |  |  |  |
| 5050 | VALVE 8741/Y640              |              |  | 13C/119  | 1.00  | UNIT |  |  |  |
|      | CAPACITOR (179009-0000)      |              |  | 13C/125  | 25.00 | UNIT |  |  |  |
|      | TUBE(2C43)                   |              |  | 13C/126  | 1.00  | UNIT |  |  |  |
|      | TUBE(ML8536)                 |              |  | 13C/127  | 4.00  | UNIT |  |  |  |
|      | TUBE(ML8741)                 |              |  | 13C/128  | 2.00  | UNIT |  |  |  |
|      | REGULATOR(LM 313BD2T P/N 917 | 68456        |  | 13C/130  | 10.00 | UNIT |  |  |  |
|      | TRANSISTOR IRF 540           | P/N 99128237 |  | 13C/130A | 10.00 | UNIT |  |  |  |
|      | DIODE                        | P/N 99202497 |  | 13C/130B | 50.00 | UNIT |  |  |  |
|      | LOUDSPEAKER 3 OHM 2 1/2"     |              |  | 16 /001  | 1.00  | UNIT |  |  |  |
|      | METER ET                     |              |  | 16 /002  | 1.00  | UNIT |  |  |  |
| 4179 | TRANSFORMER MAIN             | T 1078       |  | 16 /009  | 1.00  | UNIT |  |  |  |
| 4158 | TRANSFORMER AUDIO OUT        | PUT T 1079   |  | 16 /010  | 1.00  | UNIT |  |  |  |

## INDEXB

|      |                       |             |         |          |       |      |  |  |  |
|------|-----------------------|-------------|---------|----------|-------|------|--|--|--|
|      | METER DECIBEL         | 52K848358   |         | 16 /035  | 2.00  | UNIT |  |  |  |
| 2638 | LAMP NLA              |             |         | 16 /036  | 2.00  | BOX  |  |  |  |
| 3372 | RESISTOR 18C 848202   |             |         | 16 /040  | 4.00  | UNIT |  |  |  |
| 808  | CLOCK SLAVE 300MM 24V | SINGLE FACE |         | 16 /051  | 2.00  | UNIT |  |  |  |
| 809  | CLOCK SLAVE MAKE GENT |             |         | 16 /052  | 8.00  | UNIT |  |  |  |
| 4680 | TRANSISTOR BFY 18     |             |         | 16 /076  | 2.00  | UNIT |  |  |  |
| 4469 | TRANSISTOR 2S 302     |             |         | 16 /078  | 3.00  | UNIT |  |  |  |
| 4472 | TRANSISTOR 2S 733     |             |         | 16 /079  | 2.00  | UNIT |  |  |  |
| 4511 | TRANSISTOR ACY 21     |             |         | 16 /081  | 2.00  | UNIT |  |  |  |
| 4712 | TRANSISTOR BSY 29     |             |         | 16 /084  | 1.00  | UNIT |  |  |  |
| 4258 | TRANSISTOR 2N 1309    |             |         | 16 /085  | 2.00  | UNIT |  |  |  |
| 1579 | DIODE TYPE BYX 10     |             |         | 16 /087  | 2.00  | UNIT |  |  |  |
| 1761 | DISPLAY UNIT          |             |         | 16 /089  | 1.00  | UNIT |  |  |  |
| 368  | CAPACITOR 330PF TYPE  | MS 64/1/R   | 500V    | 16A/002  | 1.00  | UNIT |  |  |  |
| 410  | CAPACITOR 5000PF TYPE | MS 611/1/R  | 200V    | 16A/003  | 1.00  | UNIT |  |  |  |
| 186  | CAPACITOR .01MFD TYPE | MS 2515/1/R | 200V    | 16A/004  | 1.00  | UNIT |  |  |  |
| 3309 | RESISTOR 100 OHM      |             |         | 16A/006  | 5.00  | UNIT |  |  |  |
| 3512 | RESISTOR 470 OHM TYPE | TR5         |         | 16A/007  | 1.00  | UNIT |  |  |  |
| 3359 | RESISTOR 1500 OHM     | TYPE TR5    |         | 16A/008  | 1.00  | UNIT |  |  |  |
| 3515 | RESISTOR 47000 OHM    | TYPE TR5    | 47 KOHM | 16A/009  | 1.00  | UNIT |  |  |  |
| 4872 | TRANSISTOR SILICON    | 40235       |         | 16A/010  | 22.00 | UNIT |  |  |  |
| 4873 | TRANSISTOR SILICON    | 3906        |         | 16A/014  | 2.00  | UNIT |  |  |  |
| 1573 | DIODE TYPE 1B40K40    |             |         | 16A/015A | 5.00  | UNIT |  |  |  |
| 4874 | TRANSISTOR SILICON    | 2N 3663     |         | 16A/016  | 3.00  | UNIT |  |  |  |

## INDEXB

|      |                       |              |        |         |      |      |  |  |  |
|------|-----------------------|--------------|--------|---------|------|------|--|--|--|
| 1339 | DIODE HG5007          |              |        | 16A/019 | 8.00 | UNIT |  |  |  |
| 1491 | DIODE MATCHED QUALITY | HBX31        |        | 16A/021 | 3.00 | UNIT |  |  |  |
| 1767 | DOIDE GERMANIUM       | OA95         |        | 16A/022 | 5.00 | UNIT |  |  |  |
| 1617 | DIODE VOLTAGE CAPACIT | IN5452       | HC7002 | 16A/023 | 6.00 | UNIT |  |  |  |
| 1768 | DOIDE SILEEM RECTIFIE | R IB20K20    |        | 16A/024 | 4.00 | UNIT |  |  |  |
| 1550 | DIODE SILEEM AVALMEHE | RAS 508AF    |        | 16A/025 | 8.00 | UNIT |  |  |  |
| 1551 | DIODE SILEEM REGULATO | R BZZ95-C12  |        | 16A/026 | 3.00 | UNIT |  |  |  |
| 2536 | INDUCTOR RF2.7MH      | 3635-42 =10% |        | 16A/028 | 3.00 | UNIT |  |  |  |
| 2537 | INDUCTOR RFI00 MH 10% |              |        | 16A/029 | 3.00 | UNIT |  |  |  |
| 2538 | INDUCTOR RFIMH 10%    |              |        | 16A/030 | 3.00 | UNIT |  |  |  |
| 4014 | SWITCH WAPER IPOL     | OP 5709/5    |        | 16A/034 | 2.00 | UNIT |  |  |  |
| 4013 | SWITCH WAPER I POLE   | RED SPOT     |        | 16A/035 | 7.00 | UNIT |  |  |  |
| 4011 | SWITCH WAPER          | ORANGE SPOT  |        | 16A/036 | 4.00 | UNIT |  |  |  |
| 4012 | SWITCH WAPER 2POLE    | BLUE SPOT    |        | 16A/038 | 3.00 | UNIT |  |  |  |
| 2863 | PLUG 3WAY             |              |        | 16A/044 | 1.00 | UNIT |  |  |  |
| 3853 | SOCKET UNITED 25 WAY  |              |        | 16A/046 | 3.00 | UNIT |  |  |  |
| 2918 | PLUG UNITED 25 WAY    |              |        | 16A/047 | 3.00 | UNIT |  |  |  |
| 3830 | SOCKET COOXIAL        |              |        | 16A/048 | 2.00 | UNIT |  |  |  |
| 3831 | SOCKET COOXIAL TYPE   | LI403/PCS/AU |        | 16A/050 | 3.00 | UNIT |  |  |  |
| 2884 | PLUG COOXIAL WITH     | LEAD         |        | 16A/051 | 3.00 | UNIT |  |  |  |
| 3837 | SOCKET JACK           |              |        | 16A/052 | 3.00 | UNIT |  |  |  |
| 4508 | TRANSISTOR ACCESSORY  | 1 SET OF 2   |        | 16A/054 | 1.00 | SET  |  |  |  |
| 3    | ACCESSORY             |              |        | 16A/055 | 1    | SET  |  |  |  |
| 4875 | TRANSISTOR SILICON    | TYPE V410    |        | 16A/057 | 8.00 | UNIT |  |  |  |

## INDEXB

|      |                       |             |  |         |       |      |  |  |  |
|------|-----------------------|-------------|--|---------|-------|------|--|--|--|
| 4876 | TRANSISTOR SILICON    | TYPE 2N3906 |  | 16A/059 | 10.00 | UNIT |  |  |  |
| 4877 | TRANSISTOR SILICON    | 2N3663      |  | 16A/061 | 6.00  | UNIT |  |  |  |
| 4766 | TRANSISTOR GERMENIUM  | OC 28       |  | 16A/062 | 5.00  | UNIT |  |  |  |
| 4878 | TRANSISTOR SILICON    | BDY 20      |  | 16A/063 | 9.00  | UNIT |  |  |  |
| 4523 | TRANSISTOR ASSY       |             |  | 16A/069 | 5.00  | PAIR |  |  |  |
| 4879 | TRANSISTOR SILICON    | TYPE N410   |  | 16A/071 | 4.00  | UNIT |  |  |  |
| 4880 | TRANSISTOR SILICON    | 2N 3904     |  | 16A/072 | 16.00 | UNIT |  |  |  |
| 4881 | TRANSISTOR SILICON    | 2N 3906     |  | 16A/073 | 8.00  | UNIT |  |  |  |
| 4882 | TRANSISTOR SILICON    | 2N 3663     |  | 16A/075 | 4.00  | UNIT |  |  |  |
| 4765 | TRANSISTOR GENANIUM   | OC 28       |  | 16A/076 | 4.00  | UNIT |  |  |  |
| 4883 | TRANSISTOR SILICON    | BDY 20      |  | 16A/077 | 4.00  | UNIT |  |  |  |
| 277  | CAPACITOR 10PF 125VDC |             |  | 16A/084 | 1.00  | UNIT |  |  |  |
| 347  | CAPACITOR 22PF 125VDC |             |  | 16A/085 | 3.00  | UNIT |  |  |  |
| 4978 | TRIMMER 3.30 PF E7876 |             |  | 16A/086 | 3.00  | UNIT |  |  |  |
| 4977 | TRIMMER 3.30 PF 7896  |             |  | 16A/087 | 1.00  | UNIT |  |  |  |
| 280  | CAPACITOR 120 PF 350V |             |  | 16A/089 | 1.00  | UNIT |  |  |  |
| 325  | CAPACITOR 200 PF 125V |             |  | 16A/090 | 1.00  | UNIT |  |  |  |
| 365  | CAPACITOR 330 PF 125V |             |  | 16A/092 | 1.00  | UNIT |  |  |  |
| 362  | CAPACITOR 310 PF 350V | WS 611/1/R  |  | 16A/093 | 1.00  | UNIT |  |  |  |
| 384  | CAPACITOR 410 PF 125V |             |  | 16A/094 | 1.00  | UNIT |  |  |  |
| 393  | CAPACITOR 470 PF 350V |             |  | 16A/095 | 1.00  | UNIT |  |  |  |
| 282  | CAPACITOR 1200PF 125V |             |  | 16A/096 | 1.00  | UNIT |  |  |  |
| 326  | CAPACITOR 2000PF 125V |             |  | 16A/097 | 1.00  | UNIT |  |  |  |
| 188  | CAPACITOR .1 M.F.D    |             |  | 16A/098 | 6.00  | UNIT |  |  |  |

## INDEXB

|      |                      |           |       |         |      |      |  |  |  |
|------|----------------------|-----------|-------|---------|------|------|--|--|--|
| 346  | CAPACITOR 22MF       |           |       | 16A/099 | 1.00 | UNIT |  |  |  |
| 373  | CAPACITOR 35 MFD     | IO%20V DC |       | 16A/104 | 1.00 | UNIT |  |  |  |
| 348  | CAPACITOR 250MFD     | +50%-20%  | 25VDC | 16A/108 | 1.00 | UNIT |  |  |  |
| 284  | CAPACITOR 1250 MFD   | +50%-10%  | 40VDC | 16A/111 | 1.00 | UNIT |  |  |  |
| 3443 | RESISTOR 3.30 OMHS   | +10%      |       | 16A/112 | 1.00 | UNIT |  |  |  |
| 3300 | RESISTOR 10 OHMS TR5 |           |       | 16A/113 | 3.00 | UNIT |  |  |  |
| 3409 | RESISTOR 22 OHMS     | +2%       |       | 16A/114 | 1.00 | UNIT |  |  |  |
| 3428 | RESISTOR 27 OHMS     | +2%       |       | 16A/115 | 1.00 | UNIT |  |  |  |
| 3462 | RESISTOR 33 OHMS     | +2%       |       | 16A/116 | 1.00 | UNIT |  |  |  |
| 3473 | RESISTOR 39 OHMS     | +2%       |       | 16A/117 | 1.00 | UNIT |  |  |  |
| 3504 | RESISTOR 47 OHMS     | +2%       |       | 16A/118 | 2.00 | UNIT |  |  |  |
| 3537 | RESISTOR 56 OHMS     | +2%       |       | 16A/119 | 1.00 | UNIT |  |  |  |
| 3568 | RESISTOR 68 OHMS     | +2%       |       | 16A/120 | 1.00 | UNIT |  |  |  |
| 3584 | RESISTOR 82 OHMS     | +2%       |       | 16A/121 | 1.00 | UNIT |  |  |  |
| 3318 | RESISTOR 100 OHMS    | +2%       |       | 16A/123 | 1.00 | UNIT |  |  |  |
| 3338 | RESISTOR 120 OHMS    | +2%       |       | 16A/124 | 2.00 | UNIT |  |  |  |
| 3358 | RESISTOR 150 OHMS    | +2%       |       | 16A/125 | 2.00 | UNIT |  |  |  |
| 3417 | RESISTOR 220 OHMS    | +2%       |       | 16A/127 | 1.00 | UNIT |  |  |  |
| 3434 | RESISTOR 270 OHMS    | +2%       |       | 16A/128 | 1.00 | UNIT |  |  |  |
| 3468 | RESISTOR 330 OHMS    | +2%       |       | 16A/129 | 2.00 | UNIT |  |  |  |
| 3478 | RESISTOR 390 OHMS    | +2%       |       | 16A/130 | 1.00 | UNIT |  |  |  |
| 3514 | RESISTOR 470 OHMS    | +2%       |       | 16A/131 | 2.00 | UNIT |  |  |  |
| 3544 | RESISTOR 560 OHMS    | +2%       |       | 16A/132 | 1.00 | UNIT |  |  |  |
| 3571 | RESISTOR 680 OHMS    | +2%       |       | 16A/133 | 2.00 | UNIT |  |  |  |

## INDEXB

|      |                   |     |  |         |      |      |  |  |  |
|------|-------------------|-----|--|---------|------|------|--|--|--|
| 3589 | RESISTOR 820 OHMS | +2% |  | 16A/134 | 2.00 | UNIT |  |  |  |
| 3635 | RESISTOR 1.K O    | +2% |  | 16A/135 | 4.00 | UNIT |  |  |  |
| 3274 | RESISTOR 1.2K     | +2% |  | 16A/136 | 2.00 | UNIT |  |  |  |
| 3284 | RESISTOR 1.5K     | +2% |  | 16A/137 | 2.00 | UNIT |  |  |  |
| 3634 | RESISTOR 1.8K     | +2% |  | 16A/138 | 2.00 | UNIT |  |  |  |
| 3385 | RESISTOR 2.2K     | +2% |  | 16A/139 | 3.00 | UNIT |  |  |  |
| 3392 | RESISTOR 2.7K     | +2% |  | 16A/140 | 1.00 | UNIT |  |  |  |
| 3442 | RESISTOR 3.3K     | +2% |  | 16A/141 | 1.00 | UNIT |  |  |  |
| 3445 | RESISTOR 3.9K     | +2% |  | 16A/142 | 1.00 | UNIT |  |  |  |
| 3489 | RESISTOR 4.7K     | +2% |  | 16A/143 | 2.00 | UNIT |  |  |  |
| 3522 | RESISTOR 5.6K     | +2% |  | 16A/144 | 2.00 | UNIT |  |  |  |
| 3557 | RESISTOR 6.8K     | +2% |  | 16A/145 | 1.00 | UNIT |  |  |  |
| 3579 | RESISTOR 8.2K     | +2% |  | 16A/146 | 3.00 | UNIT |  |  |  |
| 3326 | RESISTOR 10K      |     |  | 16A/147 | 2.00 | UNIT |  |  |  |
| 3341 | RESISTOR 12K      | +2% |  | 16A/148 | 1.00 | UNIT |  |  |  |
| 3342 | RESISTOR 12K      | +2% |  | 16A/149 | 1.00 | UNIT |  |  |  |
| 3436 | RESISTOR 27K      | +2% |  | 16A/150 | 2.00 | UNIT |  |  |  |
| 3469 | RESISTOR 33K      |     |  | 16A/151 | 2.00 | UNIT |  |  |  |
|      | RESISTOR 39K      | +2% |  | 16A/152 | 1.00 | UNIT |  |  |  |
| 3479 | RESISTOR 47K      | +2% |  | 16A/153 | 1.00 | UNIT |  |  |  |
| 3572 | RESISTOR 68K      | +2% |  | 16A/154 | 1.00 | UNIT |  |  |  |
| 3323 | RESISTOR 100K     | +2% |  | 16A/155 | 1.00 | UNIT |  |  |  |
| 3362 | RESISTOR 150K     | +2% |  | 16A/156 | 1.00 | UNIT |  |  |  |
| 3509 | RESISTOR 470 OHM  | +2% |  | 16A/157 | 1.00 | UNIT |  |  |  |

## INDEXB

|      |                       |             |          |         |        |      |  |  |  |
|------|-----------------------|-------------|----------|---------|--------|------|--|--|--|
| 3266 | RESISTOR 1 MQ         | +2%         |          | 16A/158 | 3.00   | UNIT |  |  |  |
| 3464 | RESISTOR 330 OHM      | +2%         |          | 16A/159 | 1.00   | UNIT |  |  |  |
| 3039 | POTENTIOMETER LINEAR  | 50 OHM +10% |          | 16A/160 | 3.00   | UNIT |  |  |  |
| 2987 | POTENTIOMETER 470 OHM |             |          | 16A/161 | 3.00   | UNIT |  |  |  |
| 2984 | POTENTIOMETER 4.5K    | +407K       |          | 16A/162 | 3.00   | UNIT |  |  |  |
| 2963 | POTENTIOMETER 10K     |             |          | 16A/165 | 1.00   | UNIT |  |  |  |
| 2961 | POTENTIOMETER 100K    |             |          | 16A/166 | 2.00   | UNIT |  |  |  |
| 4184 | TRANSFORMER POWER STE | P DOWN TO   | SB/T2700 | 16A/167 | 1.00   | UNIT |  |  |  |
| 4157 | TRANSFORMER AUDIO DRI | VE SRT 2652 | SP 3286  | 16A/170 | 2.00   | UNIT |  |  |  |
| 4159 | TRANSFORMER AUDIOLINE | OUTPUT      | SR 4258  | 16A/171 | 2.00   | UNIT |  |  |  |
| 4156 | TRANSFORMER AUDIO     | OUTPUT      | SP 4259  | 16A/172 | 1.00   | UNIT |  |  |  |
|      | METER 125/MC          |             |          | 16A/173 | 1.00   | UNIT |  |  |  |
| 1146 | CRYSTAL OVEN 12/24V   | SP 4298     |          | 16A/175 | 1.00   | UNIT |  |  |  |
| 1147 | CRYSTAL OVEN 12/24V   | TYPE D4     | FP 100   | 16A/176 | 1.00   | UNIT |  |  |  |
| 2593 | KNOB WING SKIRTED TO  | SPEC 9227/S | SP4301   | 16A/178 | 2.00   | UNIT |  |  |  |
| 1132 | CRYSTAL IF FILTER     | 2863        |          | 16A/179 | 1.00   | UNIT |  |  |  |
| 2717 | MOTOR LEDEX M1/M2     | SR4347      |          | 16A/180 | 2.00   | UNIT |  |  |  |
| 3192 | RELAY PLUG IN 60/0    | RLA SP4348  | SP4288   | 16A/181 | 3.00   | UNIT |  |  |  |
| 3224 | RELAY TYPE K 3000     | XL/1 SP43   |          | 16A/182 | 4.00   | UNIT |  |  |  |
| 5006 | TUNING UNIT 5.7/9.2   | MHz         |          | 16A/184 | 1.00   | UNIT |  |  |  |
| 4884 | TRANSISTOR SILICON    | ASST        |          | 16A/186 | 54.00  | UNIT |  |  |  |
| 3593 | RESISTOR ASST         |             |          | 16A/188 | 138.00 | UNIT |  |  |  |
| 3223 | RELAY TYPE ED 10873 & | ED 10850    |          | 16A/189 | 6.00   | UNIT |  |  |  |
| 4090 | TLERMISTOR TYPE VAIO3 | 8           |          | 16A/190 | 2.00   | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |          |       |      |  |  |  |
|------|-----------------------|--------------|----------|----------|-------|------|--|--|--|
| 2643 | LAMPHOLDER TYPE       | D.674/1/RED  |          | 16A/192  | 2.00  | UNIT |  |  |  |
| 4    | ACCESSORY SET TYPE    | LOT95        |          | 16A/193  | 1     | SET  |  |  |  |
| 1866 | FILTER I F            |              |          | 16A/194  | 1.00  | UNIT |  |  |  |
| 3206 | RELAY RLC TYPE        | 4-5A-CAB-34  |          | 16A/196  | 1.00  | UNIT |  |  |  |
| 3205 | RELAY RLA TYPE        | VP6/LMB/B/21 |          | 16A/197  | 2.00  | UNIT |  |  |  |
| 2714 | MOTOR CONTACT FOR LED | EX MOTOR     | OP9209/M | 16A/198  | 3.00  | UNIT |  |  |  |
| 706  | CAPACITORS ASST       |              |          | 16A/199A | 70.00 | UNIT |  |  |  |
| 4083 | THYRISTOR SIL TYPE    | CRS3/20AF    |          | 16A/200  | 2.00  | UNIT |  |  |  |
| 5003 | TUNING UNIT           | 3.6/5.7MHZ   | A56644/M | 16B/001  | 2.00  | UNIT |  |  |  |
| 5004 | TUNING UNIT           | 14.2/21.2 MH | Z A5644/ | 16B/002  | 2.00  | UNIT |  |  |  |
| 1560 | DIODE SILICON RECTIFI | ER TYPE      | 0A210    | 16B/007  | 10.00 | UNIT |  |  |  |
| 1561 | DIODE SILICON VARIABL | E CAP TYPE   | HC7005   | 16B/008  | 2.00  | UNIT |  |  |  |
| 1312 | DIODE D07 TYPE        | HC5007       |          | 16B/009  | 5.00  | UNIT |  |  |  |
| 1562 | DIODE SILICON VOLTAGE | RECTIFIER    | TYPE     | 16B/010  | 2.00  | UNIT |  |  |  |
| 4002 | SWITCH TO DWG         | OP5776/3     |          | 16B/012  | 1.00  | UNIT |  |  |  |
| 2659 | LEDEX MOTORS 2M TO    | SPEC OP9209/ | M        | 16B/013  | 4.00  | UNIT |  |  |  |
| 2989 | POTENTIOMETER 47K OHM | TYPE MFD-404 | /8/02656 | 16B/014  | 2.00  | UNIT |  |  |  |
| 3038 | POTENTIOMETER I00K OH | TO SPEC      | 3/P29530 | 16B/015  | 1.00  | UNIT |  |  |  |
| 3002 | POTENTIOMETER 5K OHMS | TO SPEC 7/P2 | 9530/5   | 16B/017  | 2.00  | UNIT |  |  |  |
| 3003 | POTENTIOMETER 5K OHMS | TO SPEC 4/T2 | 9530/5   | 16B/018  | 2.00  | UNIT |  |  |  |
| 2986 | POTENTIOMETER 400 OHM | TYPE MFD 404 | /S02856  | 16B/019  | 2.00  | UNIT |  |  |  |
| 2964 | POTENTIOMETER 10K OHM | TYPE 404/8/0 | 2001/090 | 16B/020  | 2.00  | UNIT |  |  |  |
| 1154 | CRYSTAL UNIT 1500 OHM | TO SPEC OP/9 | 141/5    | 16B/021  | 2.00  | UNIT |  |  |  |
| 1143 | CRYSTAL OPERATING FRE | 5.525 KH     | OP9197/8 | 16B/022  | 1.00  | UNIT |  |  |  |

## INDEXB

|      |                       |             |          |          |       |      |  |  |  |
|------|-----------------------|-------------|----------|----------|-------|------|--|--|--|
| 1142 | CRYSTAL OPERATING     | 17.572 KHz  | OP2197/S | 16B/023  | 1.00  | UNIT |  |  |  |
| 1144 | CRYSTAL OPERATING FRE | 10.025KHz   | OP9197/S | 16B/024  | 2.00  | UNIT |  |  |  |
| 1145 | CRYSTAL OPERATING FRE | 13.330 KHz  | OP9197/S | 16B/025  | 2.00  | UNIT |  |  |  |
| 1986 | GREASE MULTIPURPOSE   | 556-446     |          | 16B/051  | 6.00  | TUBE |  |  |  |
| 720  | CASE CARRYING FOR WM  | 4/3 611-240 |          | 16B/063D | 1.00  | UNIT |  |  |  |
| 568  | CAPACITOR ELECTRO 63V | 1 UF        |          | 16B/065  | 6.00  | UNIT |  |  |  |
| 569  | CAPACITOR ELECTRO 63V | 100 UF      |          | 16B/066  | 3.00  | UNIT |  |  |  |
| 570  | CAPACITOR ELECTRO 63V | 1000 UF     |          | 16B/067  | 6.00  | UNIT |  |  |  |
| 802  | CLIP CROCODILE        |             |          | 16B/068  | 16.00 | UNIT |  |  |  |
| 798  | CLIP BATTERY COVER    | RED         |          | 16B/071  | 5.00  | UNIT |  |  |  |
| 1988 | GREASE SILICON 100G   |             |          | 16B/078  | 8.00  | TUBE |  |  |  |
| 3765 | SEALANT COMPOUND      | ACRYLIC     |          | 16B/080  | 1.00  | TUBE |  |  |  |
| 799  | CLIP BATTERY COVER    | BLACK       |          | 16B/083  | 30.00 | UNIT |  |  |  |
| 3229 | REPLACEMENT FACES     | NYLON       | 547-868  | 16B/084  | 6.00  | UNIT |  |  |  |
| 3230 | REPLACEMENT FACES     | SOFT        | 547-874  | 16B/085  | 6.00  | UNIT |  |  |  |
| 4968 | TRIM CERMET 20K       |             |          | 16B/101C | 5.00  | UNIT |  |  |  |
| 4967 | TRIM CERMET 10R       |             |          | 16B/101D | 5.00  | UNIT |  |  |  |
| 2504 | IC ULN 2803A          |             |          | 16B/111  | 5.00  | UNIT |  |  |  |
| 2053 | IC 555                |             |          | 16B/111A | 3.00  | UNIT |  |  |  |
| 2019 | IC 14069 UBCP         |             |          | 16B/111B | 5.00  | UNIT |  |  |  |
| 2223 | IC LM 14585           |             |          | 16B/112A | 5.00  | UNIT |  |  |  |
| 2246 | IC MC 14001 BCP       |             |          | 16B/112B | 4.00  | UNIT |  |  |  |
| 2247 | IC MC 14013 BCP       |             |          | 16B/113  | 5.00  | UNIT |  |  |  |
| 2257 | IC MC 14538 BCP       |             |          | 16B/113A | 5.00  | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |          |       |      |  |  |  |
|------|-----------------------|--------------|----------|----------|-------|------|--|--|--|
| 2251 | IC MC 14066 BCP       |              |          | 16B/113B | 5.00  | UNIT |  |  |  |
| 2256 | IC MC 14518 BCP       |              |          | 16B/114  | 5.00  | UNIT |  |  |  |
| 2253 | IC MC 14081 BCP       |              |          | 16B/114A | 5.00  | UNIT |  |  |  |
| 2249 | IC MC 14040 BCP       |              |          | 16B/114B | 4.00  | UNIT |  |  |  |
| 3098 | RECTIFIER 1A/50V      |              |          | 16B/115B | 3.00  | UNIT |  |  |  |
| 3097 | RECTIFIER 1A/200V     |              |          | 16B/116A | 3.00  | UNIT |  |  |  |
| 3102 | RECTIFIER 6.6A/800V   |              |          | 16B/117A | 3.00  | UNIT |  |  |  |
| 3103 | RECTIFIER 6A/800V     |              |          | 16B/117B | 3.00  | UNIT |  |  |  |
| 2511 | IDENTIFICATION SLEEVE | KIT (CABLE)  |          | 16B/160A | 1.00  | KIT  |  |  |  |
| 67   | BEARING BALL CAT 27   |              |          | 17 /010  | 1     | UNIT |  |  |  |
| 68   | BEARING BALL CAT 28   |              |          | 17 /011  | 1     | UNIT |  |  |  |
| 69   | BEARING BALL CAT 4043 |              |          | 17 /012  | 1     | UNIT |  |  |  |
| 65   | BEARING BALL (FOR MOT | OR EM 4788   | FOLIO 69 | 17 /107  | 14    | UNIT |  |  |  |
| 1209 | DIODE 2849 TYPE IS411 |              |          | 17/ 004  | 6.00  | UNIT |  |  |  |
| 787  | CIRCLIP CAT 331       |              |          | 17/ 015  | 7.00  | UNIT |  |  |  |
| 786  | CIRCLIP CAT 327       |              |          | 17/ 020  | 11.00 | UNIT |  |  |  |
| 266  | CAPACITOR 1000 UF     | 3V TO 25V    | CAT 238  | 17/ 022  | 6.00  | UNIT |  |  |  |
| 1708 | DIODE ZENER BZY C7V5  | CAT 2846     |          | 17/ 023  | 2.00  | UNIT |  |  |  |
| 2610 | LAMP 12V 5W P9764     |              |          | 17/ 060  | 11.00 | UNIT |  |  |  |
| 2608 | LAMP 12V P9764        |              |          | 17/ 063  | 2.00  | UNIT |  |  |  |
| 4022 | TAPE JOINTING         |              |          | 17/ 067  | 1.00  | ROLL |  |  |  |
| 70   | BEARING BALL CAT 4043 |              |          | 17/ 072  | 8     | UNIT |  |  |  |
| 3795 | SOCKET 15 WAY CAT3206 |              |          | 17/ 084  | 1.00  | UNIT |  |  |  |
| 3794 | SOCKET 15 WAY CAT2206 | USE PLUG 15W | 9A/15P   | 17/ 089  | 1.00  | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |         |       |      |  |  |  |
|------|-----------------------|--------------|----------|---------|-------|------|--|--|--|
| 3817 | SOCKET 9 WAY CAT 2243 |              |          | 17/ 092 | 1.00  | UNIT |  |  |  |
| 2872 | PLUG 9 WAY CAT 1322   | USE SOCKET 9 | WAY 1322 | 17/ 093 | 1.00  | UNIT |  |  |  |
| 2847 | PLUG 14WAY CAT 1322   | MP 114       |          | 17/ 094 | 1.00  | UNIT |  |  |  |
| 3792 | SOCKET 14 WAY CAT2244 | USE PLUG 14W | MP 114   | 17/ 095 | 1.00  | UNIT |  |  |  |
| 1608 | DIODE TYPE S2 CAT2843 |              |          | 17/108  | 5.00  | UNIT |  |  |  |
| 1601 | DIODE TYPE IS020      | CAT 2850     |          | 17/109  | 4.00  | UNIT |  |  |  |
| 1612 | DIODE TYPE Z5D 130CF  | ZOB13        | CAT 2824 | 17/111  | 2.00  | UNIT |  |  |  |
| 4593 | TRANSISTOR BCY 34     | CAT 2863     |          | 17/113  | 6.00  | UNIT |  |  |  |
| 4822 | TRANSISTOR OC 206     | CAT 2836     |          | 17/114  | 2.00  | UNIT |  |  |  |
| 4319 | TRANSISTOR 2N 3702    |              |          | 17/115  | 4.00  | UNIT |  |  |  |
| 4326 | TRANSISTOR 2N 3707    |              |          | 17/116  | 4.00  | UNIT |  |  |  |
| 4509 | TRANSISTOR ACY 20     | CAT 2840     |          | 17/118  | 8.00  | UNIT |  |  |  |
| 4827 | TRANSISTOR OC 35      | CAT 2816     |          | 17/119  | 3.00  | UNIT |  |  |  |
| 1614 | DIODE TYPE ZOB 15     | CAT 2833     |          | 17/120  | 2.00  | UNIT |  |  |  |
| 4602 | TRANSISTOR BCZ 11     | CAT 2835     |          | 17/121  | 3.00  | UNIT |  |  |  |
| 1522 | DIODE OAZ 230         |              |          | 17/122  | 1.00  | UNIT |  |  |  |
| 1523 | DIODE OAZ 243         | CAT 2844     |          | 17/123  | 3.00  | UNIT |  |  |  |
| 1512 | DIODE OA 47           |              |          | 17/124  | 6.00  | UNIT |  |  |  |
| 4257 | TRANSISTOR 2N 1131    |              |          | 17/125  | 2.00  | UNIT |  |  |  |
| 1751 | DIODE ZOB-10          |              |          | 17/127  | 1.00  | UNIT |  |  |  |
| 4470 | TRANSISTOR 2S 303     |              |          | 17/128  | 4.00  | UNIT |  |  |  |
| 1486 | DIODE IS-121          | 2834         |          | 17/129  | 9.00  | UNIT |  |  |  |
| 1485 | DIODE IS-120          |              |          | 17/130  | 1.00  | UNIT |  |  |  |
| 4468 | TRANSISTOR 2S 103     | 2819         |          | 17/131  | 13.00 | UNIT |  |  |  |

## INDEXB

|      |                       |              |         |          |       |      |  |  |  |
|------|-----------------------|--------------|---------|----------|-------|------|--|--|--|
| 4426 | TRANSISTOR 2N 696     | 2867         |         | 17/132   | 5.00  | UNIT |  |  |  |
| 4769 | TRANSISTOR GET 880    | 2807/A       |         | 17/133   | 4.00  | UNIT |  |  |  |
| 1525 | DIODE OAZ 245         | 2846         |         | 17/134   | 4.00  | UNIT |  |  |  |
| 3369 | RESISTOR 1629         |              |         | 17/139   | 4.00  | UNIT |  |  |  |
| 3366 | RESISTOR 1542         |              |         | 17/141   | 4.00  | UNIT |  |  |  |
| 3365 | RESISTOR 1530         |              |         | 17/142   | 2.00  | UNIT |  |  |  |
| 3973 | SWITCH PUSH BUTTON    | 15651        |         | 17A/001A | 1.00  | UNIT |  |  |  |
| 1867 | FILTER PILOT & VOICE  | OPERATION    | D5914   | 17A/003  | 1.00  | UNIT |  |  |  |
| 731  | CHANGEOVER SPARE CHAN | NEL D6750    | D7621/2 | 17A/005  | 1.00  | UNIT |  |  |  |
| 3884 | STABILIZER PSU ELECTR | ONIC D5738   |         | 17A/009  | 1.00  | UNIT |  |  |  |
| 2721 | MOTOR SPOOLING 50 Hz  | P16384       | 11G40   | 17A/011  | 2.00  | UNIT |  |  |  |
| 2713 | MOTOR CAPSTAN 50 Hz   | 9586         |         | 17A/012  | 1.00  | UNIT |  |  |  |
| 422  | CAPACITOR 6MF 50 Hz   | SPOOLING MOT | 12026   | 17A/015  | 4.00  | UNIT |  |  |  |
| 75   | BELT MYLOR D8029/1-02 | 15053,9236   |         | 17A/018  | 2     | UNIT |  |  |  |
| 2741 | O"RING 8200           |              |         | 17A/019  | 5.00  | UNIT |  |  |  |
| 3767 | SELENOID P13748       |              |         | 17A/020  | 1.00  | UNIT |  |  |  |
| 3768 | SELENOID P13749       |              |         | 17A/021  | 2.00  | UNIT |  |  |  |
| 1972 | FYLWEEL ASSY D7809    |              |         | 17A/022A | 2.00  | UNIT |  |  |  |
| 3873 | SPRING {BRAKES}7337   |              |         | 17A/024  | 2.00  | UNIT |  |  |  |
| 3872 | SPRING {BRAKES LOCKIN | G}10593      |         | 17A/025  | 2.00  | UNIT |  |  |  |
| 3874 | SPRING {TAPE LIFTER}  | 8970         |         | 17A/027  | 2.00  | UNIT |  |  |  |
| 783  | CIRCLIP {BRAKES} 335  |              |         | 17A/028  | 9.00  | UNIT |  |  |  |
| 784  | CIRCLIP {CAPSTAN}9247 |              |         | 17A/029  | 17.00 | UNIT |  |  |  |
| 2957 | POTENTIOMETER 100 K   | 8246         |         | 17A/032  | 21.00 | UNIT |  |  |  |

## INDEXB

|      |                       |           |  |          |       |      |  |  |  |
|------|-----------------------|-----------|--|----------|-------|------|--|--|--|
| 2997 | POTENTIOMETER 500 K   | 8247      |  | 17A/033  | 1.00  | UNIT |  |  |  |
| 2994 | POTENTIOMETER 50 K    | 8250      |  | 17A/034  | 2.00  | UNIT |  |  |  |
| 2952 | POTENTIOMETER 10 K    | 8251      |  | 17A/035  | 2.00  | UNIT |  |  |  |
| 2990 | POTENTIOMETER 5 K     | 8257      |  | 17A/036  | 10.00 | UNIT |  |  |  |
| 2942 | POTENTIOMETER 1 K     | 10148     |  | 17A/037  | 2.00  | UNIT |  |  |  |
| 2988 | POTENTIOMETER 470 OHM | 11928     |  | 17A/038  | 18.00 | UNIT |  |  |  |
| 2975 | POTENTIOMETER 22 K    | 12407     |  | 17A/040  | 2.00  | UNIT |  |  |  |
| 2959 | POTENTIOMETER 100 OHM | 12408     |  | 17A/041  | 2.00  | UNIT |  |  |  |
| 2968 | POTENTIOMETER 2 K     | 12410     |  | 17A/042  | 14.00 | UNIT |  |  |  |
| 2982 | POTENTIOMETER 2K7     | 12411     |  | 17A/043  | 6.00  | UNIT |  |  |  |
| 2981 | POTENTIOMETER 2K2     | 13844     |  | 17A/044  | 18.00 | UNIT |  |  |  |
| 3974 | SWITCH PUSH BUTTON    | 11529     |  | 17A/047  | 6.00  | UNIT |  |  |  |
| 3955 | SWITCH MAIN 12135     |           |  | 17A/048  | 3.00  | UNIT |  |  |  |
| 2621 | LAMP HOLDER {GREEN}   | 8593      |  | 17A/050  | 1.00  | UNIT |  |  |  |
| 2622 | LAMP HOLDER {RED}     | 8595      |  | 17A/052  | 2.00  | UNIT |  |  |  |
| 2607 | LAMP {PHOTO CELL}     | 8588      |  | 17A/053  | 3.00  | UNIT |  |  |  |
| 4139 | TRANSFORMER 3A 8414   |           |  | 17A/062A | 1.00  | UNIT |  |  |  |
| 4676 | TRANSISTOR BFX 88     | 9040      |  | 17A/063  | 4.00  | UNIT |  |  |  |
| 4757 | TRANSISTOR E112       | 10540     |  | 17A/064  | 2.00  | UNIT |  |  |  |
| 4574 | TRANSISTOR BC 351     | 10537     |  | 17A/067  | 16.00 | UNIT |  |  |  |
| 1433 | DIODE IN 821          | 12382     |  | 17A/068  | 2.00  | UNIT |  |  |  |
| 4371 | TRANSISTOR 2N 4871    | 12383     |  | 17A/072  | 1.00  | UNIT |  |  |  |
| 1353 | DIODE HSM 7027        | 10538     |  | 17A/073  | 2.00  | UNIT |  |  |  |
| 1692 | DIODE ZENER BZY 88    | C13 10539 |  | 17A/076  | 2.00  | UNIT |  |  |  |

## INDEXB

|      |                       |         |  |         |       |      |  |  |  |
|------|-----------------------|---------|--|---------|-------|------|--|--|--|
| 1210 | DIODE 2A 43           | 11963   |  | 17A/077 | 2.00  | UNIT |  |  |  |
| 1513 | DIODE OA 47           |         |  | 17A/078 | 2.00  | UNIT |  |  |  |
| 1533 | DIODE RECTIFIER       | IR 3054 |  | 17A/079 | 6.00  | UNIT |  |  |  |
| 1295 | DIODE BZY 88 ASSORTED |         |  | 17A/080 | 3.00  | UNIT |  |  |  |
| 4951 | TRANSISTOR ZTX 550    |         |  | 17A/081 | 11.00 | UNIT |  |  |  |
| 4949 | TRANSISTOR ZTX 450    |         |  | 17A/082 | 4.00  | UNIT |  |  |  |
| 1223 | DIODE 5ZS 12B         | 12660   |  | 17A/084 | 2.00  | UNIT |  |  |  |
| 2384 | IC SN 7406N           | 11945   |  | 17A/086 | 2.00  | UNIT |  |  |  |
| 2388 | IC SN 7413N           | 9795    |  | 17A/087 | 2.00  | UNIT |  |  |  |
| 2376 | IC SN 72741P          | 9796    |  | 17A/088 | 3.00  | UNIT |  |  |  |
| 2338 | IC SL 414A            | 12515   |  | 17A/089 | 1.00  | UNIT |  |  |  |
| 2382 | IC SN 7403N           | 11941   |  | 17A/090 | 2.00  | UNIT |  |  |  |
| 2377 | IC SN 72748P          | 9797    |  | 17A/091 | 2.00  | UNIT |  |  |  |
| 2510 | IC ZN 7420L           | 9163    |  | 17A/094 | 2.00  | UNIT |  |  |  |
| 2379 | IC SN 740             | 9171    |  | 17A/096 | 2.00  | UNIT |  |  |  |
| 4421 | TRANSISTOR 2N 6179    | 9171    |  | 17A/097 | 2.00  | UNIT |  |  |  |
| 2385 | IC SN 7407N           | 13546   |  | 17A/100 | 2.00  | UNIT |  |  |  |
| 2934 | POTENTIOMETER         | 14053   |  | 17A/104 | 1.00  | UNIT |  |  |  |
| 1505 | DIODE MZ 27           | 2868    |  | 17A/105 | 2.00  | UNIT |  |  |  |
| 4606 | TRANSISTOR BD 175     | 11980   |  | 17A/107 | 4.00  | UNIT |  |  |  |
| 3134 | RELAY 11845           |         |  | 17A/108 | 5.00  | UNIT |  |  |  |
| 3135 | RELAY 11847           |         |  | 17A/109 | 29.00 | UNIT |  |  |  |
| 3136 | RELAY 11848           |         |  | 17A/109 | 1.00  | UNIT |  |  |  |
| 3137 | RELAY 11860           |         |  | 17A/110 | 1.00  | UNIT |  |  |  |

## INDEXB

|      |                       |              |         |         |       |      |  |  |  |
|------|-----------------------|--------------|---------|---------|-------|------|--|--|--|
| 5081 | VOLTAGE REGULATOR     | LM 309H      |         | 17A/113 | 6.00  | UNIT |  |  |  |
| 2850 | PLUG 16 WAY           |              |         | 17A/115 | 2.00  | UNIT |  |  |  |
| 4500 | TRANSISTOR 5767       |              |         | 17A/116 | 2.00  | UNIT |  |  |  |
| 1497 | DIODE MULLARD BAX 1TT | 8406         |         | 17A/120 | 2.00  | UNIT |  |  |  |
| 4456 | TRANSISTOR 2N4871     |              |         | 17A/121 | 2.00  | UNIT |  |  |  |
| 1227 | DIODE 6F10 10534      | 13218        |         | 17A/123 | 4.00  | UNIT |  |  |  |
| 4445 | TRANSISTOR 2N4126     | 10533        |         | 17A/124 | 12.00 | UNIT |  |  |  |
| 3124 | REGULATOR H A 7824    | 13622        |         | 17A/125 | 2.00  | UNIT |  |  |  |
| 801  | CLIP CABLE 404        |              |         | 17A/126 | 10.00 | UNIT |  |  |  |
| 432  | CAPACITOR 9743        |              |         | 17A/128 | 2.00  | UNIT |  |  |  |
| 1391 | DIODE IN 4149         |              |         | 17A/129 | 10.00 | UNIT |  |  |  |
| 4454 | TRANSISTOR 2N4416     |              |         | 17A/130 | 1.00  | UNIT |  |  |  |
| 3200 | RELAY REED 12V 90-2-A | 12/2         |         | 17A/131 | 1.00  | UNIT |  |  |  |
| 415  | CAPACITOR 6-84F 35V   | 20%          |         | 17A/135 | 1.00  | UNIT |  |  |  |
| 797  | CLAWS                 |              |         | 17A/137 | 2.00  | UNIT |  |  |  |
| 3750 | SCREW ASSY            |              |         | 17A/138 | 3.00  | UNIT |  |  |  |
| 394  | CAPACITOR 470 PF 4180 |              |         | 17A/141 | 10.00 | UNIT |  |  |  |
| 258  | CAPACITOR 100 UF 25V  | 7846         |         | 17A/143 | 13.00 | UNIT |  |  |  |
| 387  | CAPACITOR 47 UF 10,25 | ,40V 13462,3 | ,4 7845 | 17A/144 | 10.00 | UNIT |  |  |  |
| 244  | CAPACITOR 10 UF 25V   | 251 ELCT     | 13789   | 17A/145 | 19.00 | UNIT |  |  |  |
| 3138 | RELAY 12V 11841       |              |         | 17A/146 | 4.00  | UNIT |  |  |  |
| 665  | CAPACITOR TANT 2.2UF  | 35V 13466    |         | 17A/147 | 22.00 | UNIT |  |  |  |
| 297  | CAPACITOR 150 UF 16V  | 9525         |         | 17A/149 | 13.00 | UNIT |  |  |  |
| 341  | CAPACITOR 220 UF 10V  | 253          |         | 17A/150 | 5.00  | UNIT |  |  |  |

## INDEXB

|      |                       |            |       |         |       |      |  |  |  |
|------|-----------------------|------------|-------|---------|-------|------|--|--|--|
| 2985 | POTENTIOMETER 4.7KOHM | 8249       |       | 17A/151 | 10.00 | UNIT |  |  |  |
| 279  | CAPACITOR 11611       |            |       | 17A/153 | 5.00  | UNIT |  |  |  |
| 211  | CAPACITOR 0.1 UF 160V | 9743       |       | 17A/154 | 12.00 | UNIT |  |  |  |
| 185  | CAPACITOR .01 KX 27   | QT 10360   |       | 17A/155 | 20.00 | UNIT |  |  |  |
| 649  | CAPACITOR QT 11610    |            |       | 17A/156 | 11.00 | UNIT |  |  |  |
| 404  | CAPACITOR 47n2 25V    | 12332      |       | 17A/157 | 20.00 | UNIT |  |  |  |
| 219  | CAPACITOR 0.22 UF100, | 160V 10068 | 11609 | 17A/159 | 16.00 | UNIT |  |  |  |
| 664  | CAPACITOR TANT 2.2 UF | 16V 12036  |       | 17A/160 | 10.00 | UNIT |  |  |  |
| 399  | CAPACITOR 4700 UF     | 9707       |       | 17A/161 | 14.00 | UNIT |  |  |  |
| 293  | CAPACITOR 15 UF 16V   | 13682      |       | 17A/163 | 5.00  | UNIT |  |  |  |
| 343  | CAPACITOR 2200 UF 25V | 7774       |       | 17A/164 | 1.00  | UNIT |  |  |  |
| 396  | CAPACITOR 470 UF CAT  | 13424      |       | 17A/165 | 6.00  | UNIT |  |  |  |
| 263  | CAPACITOR 1000 PF     | 4177       |       | 17A/166 | 20.00 | UNIT |  |  |  |
| 283  | CAPACITOR 12339       |            |       | 17A/167 | 3.00  | UNIT |  |  |  |
| 650  | CAPACITOR QT 12338    |            |       | 17A/168 | 2.00  | UNIT |  |  |  |
| 187  | CAPACITOR .047 UF 250 | V 9877     |       | 17A/169 | 11.00 | UNIT |  |  |  |
| 189  | CAPACITOR .1/10/180   | 34421104   |       | 17A/170 | 14.00 | UNIT |  |  |  |
| 192  | CAPACITOR .47 UF 250V | 11604      |       | 17A/171 | 10.00 | UNIT |  |  |  |
| 3364 | RESISTOR 150R         | 11522      |       | 17A/178 | 6.00  | UNIT |  |  |  |
| 3657 | RESISTOR R18          | 11513      |       | 17A/180 | 6.00  | UNIT |  |  |  |
| 275  | CAPACITOR 10n2 50V    | 11608      |       | 17A/182 | 10.00 | UNIT |  |  |  |
| 711  | CAPSTAN D5714/2       |            |       | 17A/186 | 2.00  | UNIT |  |  |  |
| 46   | AUDIO AMP ASSY D3084  |            |       | 17B/001 | 1     | UNIT |  |  |  |
| 2753 | OSCILLATOR &COUNTER 1 | ASSY D3077 |       | 17B/002 | 1.00  | UNIT |  |  |  |

## INDEXB

|      |                      |             |  |         |       |      |  |  |  |
|------|----------------------|-------------|--|---------|-------|------|--|--|--|
| 1028 | COUNTER 2 ASSY D3078 |             |  | 17B/003 | 1.00  | UNIT |  |  |  |
| 115  | BULB (LAMP) 12V 5W   | P9764       |  | 17B/005 | 5     | UNIT |  |  |  |
| 3771 | SETTING KEY D3172    |             |  | 17B/006 | 1.00  | UNIT |  |  |  |
| 1772 | DRIVE WHEEL P14689   |             |  | 17B/008 | 1.00  | UNIT |  |  |  |
| 3140 | RELAY 1450           |             |  | 17B/010 | 1.00  | UNIT |  |  |  |
| 3862 | SOLENOID P9394       |             |  | 17B/011 | 1.00  | UNIT |  |  |  |
| 3165 | RELAY 7403           |             |  | 17B/012 | 1.00  | UNIT |  |  |  |
| 4052 | TEXAS 2S 303         |             |  | 17B/016 | 2.00  | UNIT |  |  |  |
| 4050 | TEXAS 2S 103         | 2819        |  | 17B/017 | 4.00  | UNIT |  |  |  |
| 4051 | TEXAS 2S 302         | 2817/A      |  | 17B/018 | 3.00  | UNIT |  |  |  |
| 4049 | TEXAS 2N 696         | 2867        |  | 17B/019 | 2.00  | UNIT |  |  |  |
| 4048 | TEXAS 2N 1131        | 2878        |  | 17B/020 | 2.00  | UNIT |  |  |  |
| 2728 | MULLARD OC 28        | 2861        |  | 17B/021 | 2.00  | UNIT |  |  |  |
| 2729 | MULLARD OC 35        | 2816        |  | 17B/022 | 10.00 | UNIT |  |  |  |
| 2727 | MULLARD OC 206       | 2836        |  | 17B/024 | 3.00  | UNIT |  |  |  |
| 4053 | TEXAS D1008          | 2877        |  | 17B/025 | 5.00  | UNIT |  |  |  |
| 1976 | GET 880              | 2807        |  | 17B/026 | 3.00  | UNIT |  |  |  |
| 4054 | TEXAS IS 020         | 2850 5V6    |  | 17B/027 | 5.00  | UNIT |  |  |  |
| 4055 | TEXAS IS 120         | 2820        |  | 17B/028 | 2.00  | UNIT |  |  |  |
| 1531 | DIODE RECIEVER TEXAS | IS 121 2834 |  | 17B/029 | 5.00  | UNIT |  |  |  |
| 5110 | ZENER ZOB 5 BRUSH    | 2824        |  | 17B/030 | 2.00  | UNIT |  |  |  |
| 5108 | ZENER ZOB 10 BRUSH   | 2825        |  | 17B/031 | 2.00  | UNIT |  |  |  |
| 5109 | ZENER ZOB 15         | 2833        |  | 17B/032 | 2.00  | UNIT |  |  |  |
| 5107 | ZENER OAB 230        | 2876        |  | 17B/033 | 2.00  | UNIT |  |  |  |

## INDEXB

|      |                       |             |          |         |       |      |  |  |  |
|------|-----------------------|-------------|----------|---------|-------|------|--|--|--|
| 1548 | DIODE S32             | 2880        |          | 17B/034 | 2.00  | UNIT |  |  |  |
| 2726 | MULLARD OA 47         |             |          | 17B/035 | 3.00  | UNIT |  |  |  |
| 5100 | WHEEL MOUNTING ASSY   | D3093       |          | 17B/037 | 1.00  | UNIT |  |  |  |
| 3880 | SPRING MOTOR MOUNTING | WHEEL MOUNT | 2351/733 | 17B/040 | 15.00 | UNIT |  |  |  |
| 1771 | DRIVE WHEEL NYLON     | P12812      |          | 17B/041 | 4.00  | UNIT |  |  |  |
| 3871 | SPRING                | P12811      |          | 17B/043 | 8.00  | UNIT |  |  |  |
| 4513 | TRANSISTOR ACY44      | 2807/A      |          | 17B/045 | 4.00  | UNIT |  |  |  |
| 785  | CIRCLIP 322           |             |          | 17B/046 | 9.00  | UNIT |  |  |  |
| 3929 | SWITCH ACTUATOR CAT/1 |             |          | 17B/047 | 1.00  | UNIT |  |  |  |
| 4594 | TRANSISTOR BCY 34A    | 2835        |          | 17B/048 | 2.00  | UNIT |  |  |  |
| 1106 | CRYSTAL 69.885 KHz    |             |          | 17B/049 | 1.00  | UNIT |  |  |  |
| 3141 | RELAY 1456            |             |          | 17B/050 | 2.00  | UNIT |  |  |  |
| 3093 | RECORD AMP(EXT BOARD) | D2928       |          | 17B/051 | 1.00  | UNIT |  |  |  |
| 3882 | SPRING(HEAD ADJUSTMEN | 7548        |          | 17B/052 | 6.00  | UNIT |  |  |  |
| 3883 | SPRING(HEAD RETURN)   | 7556        |          | 17B/053 | 5.00  | UNIT |  |  |  |
| 3875 | SPRING 7555           |             |          | 17B/054 | 6.00  | UNIT |  |  |  |
| 3877 | SPRING ADJUSTER       | P9717       |          | 17B/055 | 5.00  | UNIT |  |  |  |
| 3881 | SPRING SOLENOID       | 8006        |          | 17B/056 | 6.00  | UNIT |  |  |  |
| 3879 | SPRING LINK           | P9548       |          | 17B/057 | 6.00  | UNIT |  |  |  |
| 3876 | SPRING 9387           |             |          | 17B/058 | 6.00  | UNIT |  |  |  |
| 2720 | MOTOR SHAFT(PIVOT PIN | P9213       |          | 17B/059 | 1.00  | UNIT |  |  |  |
| 2829 | PIVOT PIN             | P9377       |          | 17B/061 | 2.00  | UNIT |  |  |  |
| 1974 | GEAR WHEEL            | P9202       |          | 17B/062 | 1.00  | UNIT |  |  |  |
| 3424 | RESISTOR 25W 220 OHM  | 14454       |          | 17C/002 | 5.00  | UNIT |  |  |  |

## INDEXB

|      |                       |            |  |         |      |      |  |  |  |
|------|-----------------------|------------|--|---------|------|------|--|--|--|
| 4135 | TRANSFORMER 2773      |            |  | 17C/004 | 1.00 | UNIT |  |  |  |
| 3389 | RESISTOR 2.5W 5%      | 8987       |  | 17C/005 | 2.00 | UNIT |  |  |  |
| 4868 | TRANSISTOR REGULATOR  | LAS1524    |  | 17C/008 | 1.00 | UNIT |  |  |  |
| 4790 | TRANSISTOR MJE1100    |            |  | 17C/009 | 1.00 | UNIT |  |  |  |
| 1860 | FILTER ASSY           |            |  | 17C/011 | 1.00 | UNIT |  |  |  |
| 4516 | TRANSISTOR AF 124     |            |  | 18/ 006 | 3.00 | UNIT |  |  |  |
| 1478 | DIODE IS 134          |            |  | 18/ 007 | 4.00 | UNIT |  |  |  |
| 4506 | TRANSISTOR A1572      |            |  | 18/ 008 | 4.00 | UNIT |  |  |  |
| 4813 | TRANSISTOR NKT 274    |            |  | 18/ 009 | 5.00 | UNIT |  |  |  |
| 4285 | TRANSISTOR 2N 2476    |            |  | 18/ 010 | 5.00 | UNIT |  |  |  |
| 4807 | TRANSISTOR NKT 221    |            |  | 18/ 011 | 2.00 | UNIT |  |  |  |
| 2903 | PLUG P427             |            |  | 18/ 013 | 2.00 | UNIT |  |  |  |
| 3938 | SWITCH FRO 1157       | COAT RELAY |  | 18/ 014 | 1.00 | UNIT |  |  |  |
| 1247 | DIODE AAZ 13 FVO 9074 |            |  | 18/ 015 | 2.00 | UNIT |  |  |  |
| 1140 | CRYSTAL METAL CAN FC  | 03038      |  | 18/ 016 | 3.00 | UNIT |  |  |  |
| 819  | COIL                  |            |  | 18/ 017 | 1.00 | UNIT |  |  |  |
| 734  | CHOCK 2.9UK 58/10/3   | ROK/10     |  | 18/ 018 | 1.00 | UNIT |  |  |  |
| 844  | COIL ASSY 27R504      |            |  | 18/ 019 | 1.00 | UNIT |  |  |  |
| 4148 | TRANSFORMER AL21104   |            |  | 18/ 020 | 1.00 | UNIT |  |  |  |
| 1492 | DIODE MPN 3401        | PVO 8937   |  | 18/ 076 | 4.00 | UNIT |  |  |  |
| 853  | COIL ASSY AT 32171/9  |            |  | 18/ 077 | 1.00 | UNIT |  |  |  |
| 2138 | IC CA 3086 FVO 9114   |            |  | 18/ 078 | 2.00 | UNIT |  |  |  |
| 3651 | RESISTOR ORO5 5%      | PL 44101   |  | 18/ 079 | 2.00 | UNIT |  |  |  |
| 4785 | TRANSISTOR MJ 2953    | FV 377816  |  | 18/ 080 | 2.00 | UNIT |  |  |  |

## INDEXB

|      |                       |              |         |          |       |       |  |  |  |
|------|-----------------------|--------------|---------|----------|-------|-------|--|--|--|
| 4744 | TRANSISTOR COMPT MJE  | FVO 5838     |         | 18/ 081  | 2.00  | UNIT  |  |  |  |
| 3173 | RELAY C/O 2POLE 3250H | FR 22634     |         | 18/ 082  | 1.00  | UNIT  |  |  |  |
| 2927 | POT 100R LIN PL 06645 |              |         | 18/ 084  | 5.00  | UNIT  |  |  |  |
| 4570 | TRANSISTOR BC 327     | FVO 5975     |         | 18/ 085  | 2.00  | UNIT  |  |  |  |
| 1330 | DIODE GERMANIUM       | FVO 5818     |         | 18/ 086  | 2.00  | UNIT  |  |  |  |
| 2980 | POTENTIOMETER 250 UH  | PL 09087     |         | 18/ 087  | 1.00  | UNIT  |  |  |  |
| 4046 | TEST LEAD ASSY        | AT 36532     |         | 18/ 089  | 1.00  | UNIT  |  |  |  |
| 129  | BUNG AT ANTENNA P5000 | BT 36525     |         | 18/ 090  | 5     | UNIT  |  |  |  |
| 2992 | POTENTIOMETER 5 KOHM  | PL09086      |         | 18/ 091  | 1.00  | UNIT  |  |  |  |
| 716  | CARRYING HOLSTER      | P5000        |         | 18/ 092  | 2.00  | UNIT  |  |  |  |
| 2759 | OSCILLATOR PWB MULTIP | LIER ASSY    | AT27756 | 18/ 150  | 3.00  | UNIT  |  |  |  |
| 5051 | VALVE BASE 40211/01   |              |         | 19/ 021  | 8.00  | UNIT  |  |  |  |
| 152  | CABLE STANDARD MULTI  | 12 WAY       |         | 19/ 038  | 27.00 | METRE |  |  |  |
| 1830 | FEET 5/8",3/4"        |              |         | 19/ 039  | 1.00  | BOX   |  |  |  |
| 3896 | STICK ON FEET 12.5MM, | 18.7,12.7MM  | 543-32  | 19/ 041  | 32.00 | UNIT  |  |  |  |
| 2639 | LAMP PILOT M/F 28V    | 0.04 AMP     | 586-419 | 19/ 048  | 25.00 | UNIT  |  |  |  |
| 119  | BULB LILIPUTS         | 12V.IA       |         | 19/ 069A | 13    | UNIT  |  |  |  |
| 1010 | CONTROL KNOB [BEZEL]  |              |         | 19/ 071  | 19.00 | UNIT  |  |  |  |
| 2547 | INSULATING BOARD      |              |         | 19/ 074  | 2.00  | SHEET |  |  |  |
| 4020 | TAG TURRET            |              |         | 19/ 075  | 0.00  | BOX   |  |  |  |
| 721  | CASE HANDLE           |              |         | 19/ 081  | 1.00  | UNIT  |  |  |  |
| 3953 | SWITCH LOW TALK       | MICRO-SWITCH |         | 19/ 086  | 4.00  | UNIT  |  |  |  |
| 2546 | INSULATED TERMINALS   | 4232-01/17/  | 51/39   | 19/ 096  | 14.00 | UNIT  |  |  |  |
| 1031 | COVER AND RETAINER    | 466-113      |         | 19/062A  | 4.00  | UNIT  |  |  |  |

## INDEXB

|      |                       |              |          |         |        |      |  |  |  |
|------|-----------------------|--------------|----------|---------|--------|------|--|--|--|
| 3745 | SADDLES 544-336       |              |          | 19/064A | 30.00  | UNIT |  |  |  |
| 2642 | LAMPHOLDER 338-507    |              |          | 19/079A | 3.00   | UNIT |  |  |  |
| 120  | BULB NEON & FESTOON   |              |          | 19/101  | 5      | UNIT |  |  |  |
| 58   | BATTERY ALKALINE AA   | 1.5V 591-225 |          | 19/102  | 1      | UNIT |  |  |  |
| 3854 | SOCKETS 3 POLE 0.25   | IN LINE      |          | 19/108  | 7.00   | UNIT |  |  |  |
| 3101 | RECTIFIER 43A/47      | SILICON BRID | GE 600V  | 19/109  | 10.00  | UNIT |  |  |  |
| 4984 | TRIMMER COMPRESSION   |              |          | 19/113  | 14.00  | UNIT |  |  |  |
| 3100 | RECTIFIER 31          |              |          | 19/117  | 4.00   | UNIT |  |  |  |
| 803  | CLIP CROCODILE COVER  |              |          | 19/124  | 4.00   | UNIT |  |  |  |
| 63   | BATTERY RECHARGEABLE  | NICKEL CAD   |          | 19/131  | 1      | UNIT |  |  |  |
| 143  | CABLE EHT (25 METRE   | REEL)        |          | 19/144  | 4      | REEL |  |  |  |
| 3693 | RESISTOR W/W 11W      |              |          | 19/145  | 14.00  | UNIT |  |  |  |
| 1537 | DIODE RECTIFIER ASST  |              |          | 19/147  | 54.00  | UNIT |  |  |  |
| 3006 | POTENTIOMETER ASST    |              |          | 19/150A | 126.00 | UNIT |  |  |  |
| 146  | CABLE MARKER ASST     |              |          | 19/151A | 1      | SET  |  |  |  |
| 2901 | PLUG N SUIT UNIRADIO  | 43           |          | 19/153A | 5.00   | UNIT |  |  |  |
| 1834 | FERRITE CORES COMPLET |              |          | 19/160A | 2.00   | ROLL |  |  |  |
| 1833 | FERRITE CORES 228-107 |              |          | 19/161A | 10.00  | ROLL |  |  |  |
| 2886 | PLUG FOR CABLE        | 488-567      |          | 19/163A | 2.00   | UNIT |  |  |  |
| 3782 | SLEEVING HEAT SHRINKA | BLE          |          | 19/167A | 29.00  | ROLL |  |  |  |
| 3480 | RESISTOR 3W/2.5W      |              |          | 19/174A | 279.00 | UNIT |  |  |  |
| 2559 | JACK OPEN             |              |          | 19/185  | 16.00  | UNIT |  |  |  |
| 2561 | JACK PLUG 2 POLE      |              |          | 19/198A | 106.00 | UNIT |  |  |  |
| 12   | ADAPTOR INNER SERIES  | TERMINATION  | BNC50 OH | 19A/001 | 11     | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |          |         |      |  |  |  |
|------|-----------------------|--------------|----------|----------|---------|------|--|--|--|
| 2625 | LAMP HOLDER LED ASST  |              |          | 19A/009  | 30.00   | UNIT |  |  |  |
| 3845 | SOCKET ROUND INSULATE | DBLACK &RED  |          | 19A/019  | 4.00    | UNIT |  |  |  |
| 2913 | PLUG STACKABLE BLACK  | & RED 444-   | 539/567  | 19A/020  | 16.00   | UNIT |  |  |  |
| 2877 | PLUG BUNCH PIN BLACK  | & RED 444-   | 832/797  | 19A/021  | 7.00    | UNIT |  |  |  |
| 3870 | SPING ACTION TERMINAL | POST RED/BLA | CK       | 19A/022  | 20.00   | UNIT |  |  |  |
| 2515 | INDICATOR T SUB MINIA | TURE FLANGE  | RED/GREE | 19A/023  | 8.00    | UNIT |  |  |  |
| 1842 | FILAMENT L.S.S TYPE   | 24V 1W 586-1 | 00,535   | 19A/027  | 3.00    | UNIT |  |  |  |
| 3744 | SADDLE CABLE ADJUSTEB | LE 543-850,  | 543-844  | 19A/035  | 40.00   | UNIT |  |  |  |
| 3797 | SOCKET 2 POLE 477-567 |              |          | 19A/037  | 17.00   | UNIT |  |  |  |
| 3848 | SOCKET TEST POIT PCB  | 434-144      |          | 19A/038  | 2.00    | PACK |  |  |  |
| 3960 | SWITCH MIDGET WAFER   | ASST 4P 3W   | 1P 12W   | 19A/047  | 10.00   | UNIT |  |  |  |
| 2685 | MODULE CASE IN-LINE   | 456-217      |          | 19A/050A | 3.00    | UNIT |  |  |  |
| 3174 | RELAY CHANGE OVER LOW | PROFILE PRON | B 2 POLE | 19A/052  | 13.00   | UNIT |  |  |  |
| 3254 | RESISTOR 0.5/1 W ASST |              |          | 19A/074  | 4377.00 | UNIT |  |  |  |
| 3517 | RESISTOR 5 W          |              |          | 19A/076  | 22.00   | UNIT |  |  |  |
| 3250 | RESISTOR 0.25 W ASST  |              |          | 19A/083  | 639.00  | UNIT |  |  |  |
| 3301 | RESISTOR 10 W ASST    |              |          | 19A/086  | 38.00   | UNIT |  |  |  |
| 3548 | RESISTOR 6 W ASST     |              |          | 19A/088  | 36.00   | UNIT |  |  |  |
| 3382 | RESISTOR 2 W ASST     |              |          | 19A/089  | 413.00  | UNIT |  |  |  |
| 3573 | RESISTOR 7 W 1.2 K    |              |          | 19A/090  | 8.00    | UNIT |  |  |  |
| 2851 | PLUG 16 WAY           |              |          | 19A/118  | 4.00    | UNIT |  |  |  |
| 2871 | PLUG 8 WAY            |              |          | 19A/118  | 4.00    | UNIT |  |  |  |
| 2856 | PLUG 24 WAY           |              |          | 19A/120  | 2.00    | UNIT |  |  |  |
| 2860 | PLUG 3 POLE 3FP       | LI904A       |          | 19A/155  | 16.00   | UNIT |  |  |  |

## INDEXB

|      |                       |              |         |          |       |      |  |  |  |
|------|-----------------------|--------------|---------|----------|-------|------|--|--|--|
| 3811 | SOCKET 7 POLE 7CS     | LI904A       |         | 19A/156  | 1.00  | UNIT |  |  |  |
| 2893 | PLUG JACK 3 POLE      | 478-009      |         | 19A/167  | 3.00  | UNIT |  |  |  |
| 2810 | PCB HOLDER            |              |         | 19A/173  | 1.00  | UNIT |  |  |  |
| 4964 | TRAY CONDUCTIVE SIZE3 | 550-151      |         | 19A/174  | 2.00  | UNIT |  |  |  |
| 2545 | INSTRUMENT LABEL KIT  |              |         | 19A/178  | 1.00  | UNIT |  |  |  |
| 4067 | THERMOSTAT TAMP 240V  | AC 50Hz 16A  |         | 19A/181  | 3.00  | UNIT |  |  |  |
| 804  | CLIP FOR CABLE        |              |         | 19B/001  | 1.00  | BOX  |  |  |  |
| 72   | BELL INT 50 C 474-647 |              |         | 19B/036  | 1     | UNIT |  |  |  |
| 1033 | COVER END 6x10 MM     | 423-683      |         | 19B/037  | 10.00 | UNIT |  |  |  |
| 3847 | SOCKET SQUARE N       | 455-769      |         | 19B/039  | 9.00  | UNIT |  |  |  |
| 1979 | GLAND CABLE 544-011   |              |         | 19B/039A | 9.00  | UNIT |  |  |  |
| 121  | BULB T5.5 12V/5MA     | 586-649      |         | 19B/057A | 10    | UNIT |  |  |  |
| 1994 | GROMMET STRIP 1.0-1.3 | MM 548-546   |         | 19B/058  | 1.00  | REEL |  |  |  |
| 127  | BULBS M.E.S 6.5V 0.15 | A 586-188    |         | 19B/092A | 10    | UNIT |  |  |  |
| 124  | BULB TI 3/4 28V + EXT | RACT 589-373 |         | 19B/095A | 23    | UNIT |  |  |  |
| 122  | BULB T5.5 30V 40MA    | 588-061      |         | 19B/099A | 10    | UNIT |  |  |  |
| 567  | CAPACITOR ELECTRO     | 220 UF/16V   | 104-483 | 19B/120  | 2.00  | UNIT |  |  |  |
| 1656 | DIODE ZENER 8ZX85 18V | 283-952      |         | 19B/123  | 10.00 | UNIT |  |  |  |
| 4966 | TRIAC T81 400-0.35    | 262-028      |         | 19B/126  | 10.00 | UNIT |  |  |  |
| 5082 | VOLTAGE REGULATOR     | 0.1 AMP      | 302-722 | 19B/128  | 9.00  | UNIT |  |  |  |
| 2039 | IC 40498 C-MOS        | 306-667      |         | 19B/129  | 5.00  | UNIT |  |  |  |
| 2300 | IC OP AMP 741N        | 306-308      |         | 19B/130  | 3.00  | UNIT |  |  |  |
| 1171 | DARLINGTON DRIVER     | ARRAY 307-10 | 9       | 19B/131  | 33.00 | UNIT |  |  |  |
| 5083 | VOLTAGE REGULATOR     | L723 655-672 |         | 19B/132  | 12.00 | UNIT |  |  |  |

## INDEXB

|      |                       |              |  |          |        |      |  |  |  |
|------|-----------------------|--------------|--|----------|--------|------|--|--|--|
| 2252 | IC MC 140668 CP       | 640-620      |  | 19B/135  | 5.00   | UNIT |  |  |  |
| 2153 | IC CD 4027BE          | 636-968      |  | 19B/136  | 5.00   | UNIT |  |  |  |
| 3057 | PRINTED CIRCUIT BOARD | 434-071      |  | 19B/137  | 8.00   | UNIT |  |  |  |
| 2248 | IC MC 14017BCP        | 640-349      |  | 19B/138  | 5.00   | UNIT |  |  |  |
| 123  | BULB TI 12V 60MA      | 587-579      |  | 19B/145  | 5      | UNIT |  |  |  |
| 434  | CAPACITOR ASST        |              |  | 19B/157  | 469.00 | UNIT |  |  |  |
| 2821 | PIN 20WAY FORMED SC   | 3KT 404-777  |  | 19B/168B | 5.00   | UNIT |  |  |  |
| 2822 | PIN 24 WAY FORMED SC  | 8KT 404-799  |  | 19B/169  | 10.00  | UNIT |  |  |  |
| 4039 | TERMINAL IDC LJUI/1A  | 472-506      |  | 19B/171  | 3.00   | UNIT |  |  |  |
| 2865 | PLUG 4 WAY HANDSET    | 430A 470-235 |  | 19B/172  | 10.00  | UNIT |  |  |  |
| 2866 | PLUG 4 WAY LINE 431A  | 470-229      |  | 19B/172A | 10.00  | UNIT |  |  |  |
| 1821 | FAN 240V              | 509-226      |  | 19B/172B | 9.00   | UNIT |  |  |  |
| 1822 | FAN 240V 160MM        | 508-071      |  | 19B/173  | 4.00   | UNIT |  |  |  |
| 3156 | RELAY 48V DC          | 348-964      |  | 19B/173A | 4.00   | UNIT |  |  |  |
| 3133 | RELAY + IND 12V DC    |              |  | 19B/177A | 2.00   | UNIT |  |  |  |
| 3777 | SIL BRIDGE 12A/800V   |              |  | 19B/178  | 2.00   | UNIT |  |  |  |
| 3778 | SIL BRIDGE 1A/50V     |              |  | 19B/178A | 5.00   | UNIT |  |  |  |
| 62   | BATTERY PFX 650 MAH   |              |  | 19B/179  | 3      | UNIT |  |  |  |
| 2859 | PLUG 2AMP CHASSIS     |              |  | 19B/180  | 2.00   | UNIT |  |  |  |
| 3059 | PROBE HV              |              |  | 19B/180A | 1.00   | UNIT |  |  |  |
| 2911 | PLUG SHIELD TERMINAL  | 9W           |  | 19B/181  | 8.00   | UNIT |  |  |  |
| 1170 | D-HOOD 9 WAY GREY     |              |  | 19B/181A | 8.00   | UNIT |  |  |  |
| 4996 | TUBE (REPLACEMENT)22W |              |  | 19B/182A | 1.00   | UNIT |  |  |  |
| 559  | CAPACITOR ELECT AXIAL | 100MF 100V   |  | 19C/001  | 5.00   | UNIT |  |  |  |

## INDEXB

|     |                       |              |         |         |       |      |  |  |  |
|-----|-----------------------|--------------|---------|---------|-------|------|--|--|--|
| 560 | CAPACITOR ELECT AXIAL | 100MF 63V    |         | 19C/002 | 5.00  | UNIT |  |  |  |
| 561 | CAPACITOR ELECT AXIAL | 220MF 63V    |         | 19C/003 | 4.00  | UNIT |  |  |  |
| 562 | CAPACITOR ELECT AXIAL | 1MF 63V      |         | 19C/004 | 5.00  | UNIT |  |  |  |
| 604 | CAPACITOR METALISED   | FILM 0.01MF  |         | 19C/010 | 10.00 | UNIT |  |  |  |
| 605 | CAPACITOR METALISED   | 0.022MF 160V | DC100   | 19C/011 | 2.00  | UNIT |  |  |  |
| 606 | CAPACITOR METALISED   | 4700PF 63VDC | 40V AC  | 19C/012 | 10.00 | UNIT |  |  |  |
| 607 | CAPACITOR METALISED   | 470PF 63V DC | 40V AC  | 19C/013 | 10.00 | UNIT |  |  |  |
| 608 | CAPACITOR METALISED   | 2200PF 160V  | DC      | 19C/014 | 5.00  | UNIT |  |  |  |
| 611 | CAPACITOR METALISED   | 470PF 630V   | DC      | 19C/017 | 5.00  | UNIT |  |  |  |
| 612 | CAPACITOR METALISED   | 0.47MF 63V   | DC      | 19C/018 | 10.00 | UNIT |  |  |  |
| 613 | CAPACITOR METALISED   | 0.22MF 63V   | DC      | 19C/019 | 10.00 | UNIT |  |  |  |
| 614 | CAPACITOR METALISED   | 0.47MF 400V  | DC 200V | 19C/020 | 3.00  | UNIT |  |  |  |
| 615 | CAPACITOR METALISED   | 0.047MF 400V | DC 200V | 19C/021 | 4.00  | UNIT |  |  |  |
| 616 | CAPACITOR METALISED   | 220PF 100V   | DC      | 19C/022 | 10.00 | UNIT |  |  |  |
| 617 | CAPACITOR METALISED   | 2200PF 100V  | DC      | 19C/023 | 10.00 | UNIT |  |  |  |
| 670 | CAPACITOR TANTALUM    | 0.1MF 35V    |         | 19C/024 | 5.00  | UNIT |  |  |  |
| 671 | CAPACITOR TANTALUM    | 1.0MF 35V    |         | 19C/025 | 5.00  | UNIT |  |  |  |
| 672 | CAPACITOR TANTALUM    | 1.2MF 35V    |         | 19C/026 | 5.00  | UNIT |  |  |  |
| 673 | CAPACITOR TANTALUM    | 4.7MF 35V    |         | 19C/027 | 5.00  | UNIT |  |  |  |
| 674 | CAPACITOR TANTALUM    | 47MF 16V     |         | 19C/028 | 5.00  | UNIT |  |  |  |
| 407 | CAPACITOR 5.08MM PITC | H 100PF      |         | 19C/030 | 10.00 | UNIT |  |  |  |
| 352 | CAPACITOR 270PF       |              |         | 19C/031 | 10.00 | UNIT |  |  |  |
| 276 | CAPACITOR 10PF        |              |         | 19C/032 | 10.00 | UNIT |  |  |  |
| 272 | CAPACITOR 1000PF      |              |         | 19C/033 | 10.00 | UNIT |  |  |  |

## INDEXB

|      |                       |              |         |         |       |      |  |  |  |
|------|-----------------------|--------------|---------|---------|-------|------|--|--|--|
| 400  | CAPACITOR 4700PF      |              |         | 19C/034 | 10.00 | UNIT |  |  |  |
| 1457 | DIODE IN4006 800V     |              |         | 19C/035 | 6.00  | UNIT |  |  |  |
| 4443 | TRANSISTOR 2N3704     |              |         | 19C/036 | 5.00  | UNIT |  |  |  |
| 4441 | TRANSISTOR 2N3055H    |              |         | 19C/037 | 3.00  | UNIT |  |  |  |
| 1947 | FUSE HBC LINK NS 16A  | F06          |         | 19C/048 | 5.00  | UNIT |  |  |  |
| 4983 | TRIMMER CERMET RESIS  | 50 OHM 0.75" |         | 19C/051 | 5.00  | UNIT |  |  |  |
| 4981 | TRIMMER CERMET        | 10 K OHM     |         | 19C/052 | 5.00  | UNIT |  |  |  |
| 4982 | TRIMMER CERMET        | 50 K OHM     |         | 19C/053 | 5.00  | UNIT |  |  |  |
| 4986 | TRIMMER RESISTANCE    | 3/8" SQUARE  | 200 OHM | 19C/054 | 5.00  | UNIT |  |  |  |
| 4972 | TRIMMER 10 K OHM      |              |         | 19C/055 | 5.00  | UNIT |  |  |  |
| 4974 | TRIMMER 20 K OHM      |              |         | 19C/056 | 5.00  | UNIT |  |  |  |
| 4975 | TRIMMER 200 K OHM     |              |         | 19C/057 | 5.00  | UNIT |  |  |  |
| 3313 | RESISTOR 100 OHM 25W  |              |         | 19C/058 | 5.00  | UNIT |  |  |  |
| 3467 | RESISTOR 330 OHM 6W   |              |         | 19C/059 | 10.00 | UNIT |  |  |  |
| 3501 | RESISTOR 47 OHM 6W    |              |         | 19C/060 | 5.00  | UNIT |  |  |  |
| 3414 | RESISTOR 220 OHM 25W  |              |         | 19C/061 | 5.00  | UNIT |  |  |  |
| 3296 | RESISTOR 10 OHM 0.25W |              |         | 19C/062 | 8.00  | UNIT |  |  |  |
| 3333 | RESISTOR 12 OHM 0.25W |              |         | 19C/063 | 8.00  | UNIT |  |  |  |
| 3408 | RESISTOR 22 OHM 0.25W |              |         | 19C/064 | 10.00 | UNIT |  |  |  |
| 3431 | RESISTOR 270 OHM 0.25 | W            |         | 19C/065 | 10.00 | UNIT |  |  |  |
| 3466 | RESISTOR 330 OHM 0.25 | W            |         | 19C/066 | 10.00 | UNIT |  |  |  |
| 3511 | RESISTOR 470 OHM 0.25 | W            |         | 19C/067 | 9.00  | UNIT |  |  |  |
| 3542 | RESISTOR 560 OHM 0.25 | W            |         | 19C/068 | 10.00 | UNIT |  |  |  |
| 3569 | RESISTOR 680 OHM 0.25 | W            |         | 19C/069 | 8.00  | UNIT |  |  |  |

## INDEXB

|      |                       |       |  |         |       |      |  |  |  |
|------|-----------------------|-------|--|---------|-------|------|--|--|--|
| 3587 | RESISTOR 820 OHM .25W |       |  | 19C/070 | 10.00 | UNIT |  |  |  |
| 3260 | RESISTOR 1 K OHM .25W |       |  | 19C/071 | 10.00 | UNIT |  |  |  |
| 3278 | RESISTOR 1.5 K OHM    | .25W  |  | 19C/072 | 10.00 | UNIT |  |  |  |
| 3383 | RESISTOR 2.2 K OHM    | 0.25W |  | 19C/073 | 7.00  | UNIT |  |  |  |
| 3391 | RESISTOR 2.7 K OHM    | 0.25W |  | 19C/074 | 5.00  | UNIT |  |  |  |
| 3441 | RESISTOR 3.3 K OHM    | 0.25W |  | 19C/075 | 10.00 | UNIT |  |  |  |
| 3485 | RESISTOR 4.7 K OHM    | 0.25W |  | 19C/076 | 10.00 | UNIT |  |  |  |
| 3520 | RESISTOR 5.6 K OHM    | 0.25W |  | 19C/077 | 7.00  | UNIT |  |  |  |
| 3577 | RESISTOR 8.2 K OHM    | 0.25W |  | 19C/078 | 10.00 | UNIT |  |  |  |
| 3293 | RESISTOR 10 K OHM     | 0.25W |  | 19C/079 | 10.00 | UNIT |  |  |  |
| 3406 | RESISTOR 22 K OHM     | 0.25W |  | 19C/080 | 10.00 | UNIT |  |  |  |
| 3426 | RESISTOR 27 K OHM     | 0.25W |  | 19C/081 | 10.00 | UNIT |  |  |  |
| 3460 | RESISTOR 33 K OHM     | 0.25W |  | 19C/082 | 10.00 | UNIT |  |  |  |
| 3472 | RESISTOR 39 K OHM     | 0.25W |  | 19C/083 | 10.00 | UNIT |  |  |  |
| 3495 | RESISTOR 47 K OHM     | 0.25W |  | 19C/084 | 10.00 | UNIT |  |  |  |
| 3536 | RESISTOR 56 K OHM     | 0.25W |  | 19C/085 | 10.00 | UNIT |  |  |  |
| 3582 | RESISTOR 82 K OHM     | 0.25W |  | 19C/086 | 10.00 | UNIT |  |  |  |
| 3336 | RESISTOR 120 K OHM    | 0.25W |  | 19C/087 | 10.00 | UNIT |  |  |  |
| 3354 | RESISTOR 150 K OHM    | 0.25W |  | 19C/088 | 10.00 | UNIT |  |  |  |
| 3497 | RESISTOR 47 K OHM 1W  |       |  | 19C/089 | 10.00 | UNIT |  |  |  |
| 3539 | RESISTOR 560 K OHM    | 0.25  |  | 19C/090 | 8.00  | UNIT |  |  |  |
| 3264 | RESISTOR 1 M OHM      | 0.25  |  | 19C/091 | 10.00 | UNIT |  |  |  |
| 5076 | VICE G- CLAMP         |       |  | 19C/115 | 1.00  | UNIT |  |  |  |
| 54   | BASE FOR SOCKET 13A   |       |  | 19C/140 | 30    | UNIT |  |  |  |

## INDEXB

|      |                      |              |         |          |       |      |  |  |  |
|------|----------------------|--------------|---------|----------|-------|------|--|--|--|
| 215  | CAPACITOR 0.1MF 35V  |              |         | 19C/141  | 10.00 | UNIT |  |  |  |
| 222  | CAPACITOR 0.47MF 35V |              |         | 19C/142  | 10.00 | UNIT |  |  |  |
| 2421 | IC SOCKET 16 PIN     |              |         | 19C/143  | 30.00 | UNIT |  |  |  |
| 3374 | RESISTOR 1K 0.25W    |              |         | 19C/147  | 50.00 | UNIT |  |  |  |
| 2228 | IC LM 339            |              |         | 19C/148  | 3.00  | UNIT |  |  |  |
| 333  | CAPACITOR 22 MF 35V  |              |         | 19C/149  | 10.00 | UNIT |  |  |  |
| 609  | CAPACITOR METALISED  | 220 & 270 PF | 630V DC | 19C/15   | 5.00  | UNIT |  |  |  |
| 2142 | IC CD 4001           |              |         | 19C/150  | 10.00 | UNIT |  |  |  |
| 2160 | IC CD 4584           |              |         | 19C/151  | 5.00  | UNIT |  |  |  |
| 2420 | IC SOCKET 14 PIN     |              |         | 19C/152  | 36.00 | UNIT |  |  |  |
| 2232 | IC LM 358            |              |         | 19C/153  | 5.00  | UNIT |  |  |  |
| 226  | CAPACITOR 1 MF 50 V  |              |         | 19C/154  | 10.00 | UNIT |  |  |  |
| 2424 | IC SOCKET 8 PIN      |              |         | 19C/155  | 6.00  | UNIT |  |  |  |
| 2238 | IC LM 741 8 PIN      |              |         | 19C/156  | 10.00 | UNIT |  |  |  |
| 2144 | IC CD 4011           |              |         | 19C/157  | 8.00  | UNIT |  |  |  |
| 2157 | IC CD 4081           |              |         | 19C/158  | 5.00  | UNIT |  |  |  |
| 610  | CAPACITOR METALISED  | 4700PF 160V  | DC      | 19C/16   | 5.00  | UNIT |  |  |  |
| 3158 | RELAY 566-1200       |              |         | 19C/160  | 2.00  | UNIT |  |  |  |
| 3528 | RESISTOR 510-7620    |              | DOPRA   | 19C/160A | 2.00  | UNIT |  |  |  |
| 1014 | CONVERTOR 530-2400   |              | DOPRA   | 19C/160B | 2.00  | UNIT |  |  |  |
| 5079 | VOLTAGE REFERENCE    | 532-0700     | DOPRA   | 19C/161  | 2.00  | UNIT |  |  |  |
| 3157 | RELAY 566-0300       |              | DOPRA   | 19C/161A | 2.00  | UNIT |  |  |  |
| 2725 | MPV 534-1101         |              | DOPRA   | 19C/161B | 2.00  | UNIT |  |  |  |
| 31   | AMPLIFIER 532-1000   |              | DOPRA   | 19C/162  | 2     | UNIT |  |  |  |

## INDEXB

|      |                       |          |       |          |        |      |  |  |  |
|------|-----------------------|----------|-------|----------|--------|------|--|--|--|
| 3079 | RCA-CDM 534-2200      |          | DOPRA | 19C/162A | 2.00   | UNIT |  |  |  |
| 2747 | OPTO COUPLERS         | 535-0200 | DOPRA | 19C/162B | 2.00   | UNIT |  |  |  |
| 3530 | RESISTOR 512-2200     |          | DOPRA | 19C/163  | 2.00   | UNIT |  |  |  |
| 3077 | RCA CDP 534-0400      |          | DOPRA | 19C/163A | 2.00   | UNIT |  |  |  |
| 1938 | FUSE GLASS 100 MA     |          |       | 19D/001  | 228.00 | UNIT |  |  |  |
| 1940 | FUSE GLASS 250 MA     |          |       | 19D/002  | 73.00  | UNIT |  |  |  |
| 1937 | FUSE GLASS 1.25 AMP   |          |       | 19D/003  | 42.00  | UNIT |  |  |  |
| 1939 | FUSE GLASS 200 MA     |          |       | 19D/004  | 20.00  | UNIT |  |  |  |
| 1941 | FUSE GLASS 3 AMP      |          |       | 19D/005  | 25.00  | UNIT |  |  |  |
| 1942 | FUSE GLASS 500 MA     |          |       | 19D/006  | 303.00 | UNIT |  |  |  |
| 1909 | FUSE 5 AMP            |          |       | 19D/008  | 83.00  | UNIT |  |  |  |
| 1936 | FUSE GLASS 1 AMP      |          |       | 19D/009  | 240.00 | UNIT |  |  |  |
| 1930 | FUSE ANTISURGE 3.15   | AMP      |       | 19D/011  | 10.00  | UNIT |  |  |  |
| 1912 | FUSE 50 MA            |          |       | 19D/012  | 23.00  | UNIT |  |  |  |
| 1929 | FUSE ANTISURGE 1.6AMP |          |       | 19D/013  | 45.00  | UNIT |  |  |  |
| 1931 | FUSE ANTISURGE 400 MA |          |       | 19D/014  | 40.00  | UNIT |  |  |  |
| 1965 | FUSE MAIN 10 AMP      |          |       | 19D/015  | 102.00 | UNIT |  |  |  |
| 1882 | FUSE 1.5 AMP          |          |       | 19D/016  | 50.00  | UNIT |  |  |  |
| 1924 | FUSE 8 AMP            |          |       | 19D/017  | 40.00  | UNIT |  |  |  |
| 1890 | FUSE 15 AMP           |          |       | 19D/018  | 26.00  | UNIT |  |  |  |
| 1918 | FUSE 60 MA            |          |       | 19D/019  | 30.00  | UNIT |  |  |  |
| 1920 | FUSE 63 MA            |          |       | 19D/020  | 40.00  | UNIT |  |  |  |
| 1889 | FUSE 125 MA           |          |       | 19D/022  | 30.00  | UNIT |  |  |  |
| 1893 | FUSE 160 MA           |          |       | 19D/023  | 20.00  | UNIT |  |  |  |

## INDEXB

|      |                       |              |        |         |        |      |  |  |  |
|------|-----------------------|--------------|--------|---------|--------|------|--|--|--|
| 1904 | FUSE 300 MA           |              |        | 19D/024 | 9.00   | UNIT |  |  |  |
| 1905 | FUSE 315 MA           |              |        | 19D/025 | 30.00  | UNIT |  |  |  |
| 1921 | FUSE 630 MA           |              |        | 19D/026 | 40.00  | UNIT |  |  |  |
| 1919 | FUSE 600 MA           |              |        | 19D/027 | 70.00  | UNIT |  |  |  |
| 1926 | FUSE 800 MA           |              |        | 19D/028 | 60.00  | UNIT |  |  |  |
| 1923 | FUSE 750 MA           |              |        | 19D/029 | 9.00   | UNIT |  |  |  |
| 1915 | FUSE 6.3 AMP          |              |        | 19D/030 | 19.00  | UNIT |  |  |  |
| 1957 | FUSE HRC 4 AMP        |              |        | 19D/031 | 84.00  | UNIT |  |  |  |
| 1874 | FUSE .25 AMP 600      | 250 MA       | 014168 | 19D/032 | 40.00  | UNIT |  |  |  |
| 1959 | FUSE IPL {SLO,BLO,MDL | }            |        | 19D/033 | 140.00 | UNIT |  |  |  |
| 1875 | FUSE 0.5 AMP 250V     | BUSS AGC     |        | 19D/034 | 30.00  | UNIT |  |  |  |
| 1933 | FUSE CARTIDGE         | BUSS HVA 1/2 |        | 19D/035 | 80.00  | UNIT |  |  |  |
| 1906 | FUSE 350 MA           |              |        | 19D/036 | 15.00  | UNIT |  |  |  |
| 1914 | FUSE 6 AMP 115V       |              |        | 19D/037 | 0.00   | UNIT |  |  |  |
| 1900 | FUSE 2.5 AMP          |              |        | 19D/038 | 10.00  | UNIT |  |  |  |
| 1891 | FUSE 150 MA 1.25"     |              |        | 19D/039 | 10.00  | UNIT |  |  |  |
| 1880 | FUSE 1.25 AMP         |              |        | 19D/040 | 10.00  | UNIT |  |  |  |
| 1922 | FUSE 7.5 AMP          |              |        | 19D/041 | 20.00  | UNIT |  |  |  |
| 1943 | FUSE GLASS HRC 2 AMP  |              |        | 19D/043 | 70.00  | UNIT |  |  |  |
| 1964 | FUSE MAIN 13 AMP      | BS1362       |        | 19D/044 | 0.00   | UNIT |  |  |  |
| 1958 | FUSE HRC 50AMP A3/BAO |              |        | 19D/045 | 0.00   | UNIT |  |  |  |
| 1925 | FUSE 80 MA            |              |        | 19D0/21 | 40.00  | UNIT |  |  |  |
| 52   | BARREL ASSY MBAH      |              |        | 19E/007 | 3      | SET  |  |  |  |
| 3859 | SOLDERING IRON SPONGE |              |        | 19E/008 | 0.00   | SET  |  |  |  |

## INDEXB

|      |                       |         |  |         |       |      |  |  |  |
|------|-----------------------|---------|--|---------|-------|------|--|--|--|
| 5104 | WRAPPING TOOL 30 AWG  | MOD     |  | 19E/011 | 0.00  | SET  |  |  |  |
| 15   | ADJUSTABLE STRIPPING  | TOOL    |  | 19E/012 | 0     | SET  |  |  |  |
| 5103 | WRAPPING TOOL 26 AWG  |         |  | 19E/012 | 0.00  | SET  |  |  |  |
| 3226 | RELEASABLE CABLE TIE  | 549-870 |  | 19E/015 | 0.00  | UNIT |  |  |  |
| 3227 | RELEASABLE CABLE TIE  | 549-886 |  | 19E/016 | 0.00  | UNIT |  |  |  |
| 139  | CABLE CLIP            | 543-816 |  | 19E/017 | 0     | BOX  |  |  |  |
| 140  | CABLE CLIP            | 543-822 |  | 19E/018 | 0     | BOX  |  |  |  |
| 141  | CABLE CLIP            | 543-838 |  | 19E/019 | 1     | BOX  |  |  |  |
| 1846 | FILLER KIT            |         |  | 19E/021 | 1.00  | KIT  |  |  |  |
| 2892 | PLUG IN TONE RINGER   |         |  | 19E/023 | 2.00  | UNIT |  |  |  |
| 1993 | GROMMET KIT PVC BLACK |         |  | 19E/024 | 0.00  | KIT  |  |  |  |
| 1990 | GROMMET FLEX (1.0-1.3 | MM)     |  | 19E/025 | 1.00  | REEL |  |  |  |
| 1991 | GROMMET FLEX (1.3-2.2 | MM)     |  | 19E/026 | 0.00  | REEL |  |  |  |
| 1992 | GROMMET FLEX (2.2-3.4 | MM)     |  | 19E/027 | 0.00  | REEL |  |  |  |
| 37   | ANTISTATIC 3 COLOUR   | 75X50   |  | 19E/028 | 1     | BAG  |  |  |  |
| 38   | ANTISTATIC 3 COLOUR   | 25X25   |  | 19E/029 | 1     | BAG  |  |  |  |
| 3728 | RINGING TOOL MI       |         |  | 19E/032 | 1.00  | UNIT |  |  |  |
| 1828 | FAN RACK 19" 240 V    |         |  | 19E/061 | 0.00  | UNIT |  |  |  |
| 1825 | FAN FILTER            |         |  | 19E/068 | 3.00  | UNIT |  |  |  |
| 1820 | FAN 240 V             |         |  | 19E/069 | 0.00  | UNIT |  |  |  |
| 3982 | SWITCH ROCKET D.P.D.T |         |  | 19E/078 | 1.00  | UNIT |  |  |  |
| 117  | BULB 36/8 28V 0.04A   |         |  | 19E/080 | 20    | UNIT |  |  |  |
| 985  | CONDUCTIVE PCB HOLDER |         |  | 19E/087 | 5.00  | UNIT |  |  |  |
| 977  | CONDUCTIVE BAG BLACK  | 5X8     |  | 19E/088 | 10.00 | UNIT |  |  |  |

## INDEXB

|      |                       |             |         |         |       |      |  |  |  |
|------|-----------------------|-------------|---------|---------|-------|------|--|--|--|
| 978  | CONDUCTIVE BAG BLACK  | 8X10        |         | 19E/089 | 10.00 | UNIT |  |  |  |
| 979  | CONDUCTIVE BAG BLACK  | 10X12       |         | 19E/090 | 10.00 | UNIT |  |  |  |
| 980  | CONDUCTIVE BAG BLACK  | 12X16       |         | 19E/091 | 20.00 | UNIT |  |  |  |
| 981  | CONDUCTIVE BAG BLACK  | 16X20       |         | 19E/092 | 10.00 | UNIT |  |  |  |
| 983  | CONDUCTIVE IC STORAGE | BOX         |         | 19E/093 | 2.00  | UNIT |  |  |  |
| 982  | CONDUCTIVE FOAM LOW   | DENS        |         | 19E/094 | 4.00  | UNIT |  |  |  |
| 2632 | LAMP MIDGET GROOVE    | TI3/4-6MM   | 579-304 | 19E/125 | 20.00 | UNIT |  |  |  |
| 694  | CAPACITOR VAR TO SPEC | OP 5667/4   |         | 21/ 002 | 1.00  | UNIT |  |  |  |
| 1609 | DIODE TYPE SZ 68 BR   |             |         | 21/ 010 | 2.00  | UNIT |  |  |  |
| 2533 | INDUCTOR RF TO DRWG   | A2527/M EDN | "E"     | 21/ 013 | 1.00  | UNIT |  |  |  |
| 2534 | INDUCTOR RF TO DRWG   | 200/3736/S  |         | 21/ 014 | 1.00  | UNIT |  |  |  |
| 1008 | CONTACTOR TO DRWG     | OP8702/S    |         | 21/ 015 | 1.00  | UNIT |  |  |  |
| 3215 | RELAY TO SPEC OP3826/ | S           |         | 21/ 016 | 1.00  | UNIT |  |  |  |
| 3218 | RELAY TO SPEC P27032/ | S           |         | 21/ 017 | 1.00  | UNIT |  |  |  |
| 3852 | SOCKET TYPE RS32      |             |         | 21/ 020 | 1.00  | UNIT |  |  |  |
| 2908 | PLUG RF32             |             |         | 21/ 021 | 1.00  | UNIT |  |  |  |
| 2910 | PLUG RS8              |             |         | 21/ 022 | 1.00  | UNIT |  |  |  |
| 2909 | PLUG RP8              |             |         | 21/ 023 | 1.00  | UNIT |  |  |  |
| 4001 | SWITCH TO DRWG OP8290 | /S          |         | 21/ 024 | 1.00  | UNIT |  |  |  |
| 262  | CAPACITOR 100/200 MF  |             |         | 21/ 026 | 4.00  | UNIT |  |  |  |
| 417  | CAPACITOR 60/100 MF   |             |         | 21/ 027 | 4.00  | UNIT |  |  |  |
| 392  | CAPACITOR 470 PF      |             |         | 21/ 028 | 12.00 | UNIT |  |  |  |
| 1148 | CRYSTAL OVEN G4 22B   | 1/OP5704/S  |         | 21/101  | 4.00  | UNIT |  |  |  |
| 893  | COIL OSCILLATOR EDN"F |             |         | 21/102  | 1.00  | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |        |       |      |  |  |  |
|------|-----------------------|--------------|----------|--------|-------|------|--|--|--|
| 894  | COIL OSCILLATOR EDN"G | A6170        |          | 21/103 | 1.00  | UNIT |  |  |  |
| 822  | COIL EDN"J"           |              |          | 21/104 | 1.00  | UNIT |  |  |  |
| 890  | COIL MIXER & OUTPUT   | EDN"S"       |          | 21/105 | 2.00  | UNIT |  |  |  |
| 891  | COIL MIXER & OUTPUT   | EDN"T"       |          | 21/106 | 2.00  | UNIT |  |  |  |
| 892  | COIL MIXER & OUTPUT   | EDN"W"       |          | 21/107 | 2.00  | UNIT |  |  |  |
| 4003 | SWITCH TO SPEC OP8259 | /S           |          | 21/108 | 1.00  | UNIT |  |  |  |
| 3219 | RELAY TYPE 11890      |              |          | 21/109 | 2.00  | UNIT |  |  |  |
| 3114 | RECTIFIER TYPE GA63A  |              |          | 21/110 | 2.00  | UNIT |  |  |  |
| 2616 | LAMP 6.5V 0.3A TYPE   | OS 90        |          | 21/111 | 20.00 | UNIT |  |  |  |
| 2617 | LAMP 8V 0.3A TYPE     | G529         |          | 21/112 | 2.00  | UNIT |  |  |  |
| 789  | CIRCUIT BREAKER 1P 25 | A TO SPEC    | OP8556/S | 21/113 | 1.00  | UNIT |  |  |  |
| 1858 | FILTER AIR 10"X20"X1" |              |          | 21/115 | 2.00  | UNIT |  |  |  |
| 1606 | DIODE TYPE OA 202     |              |          | 21/125 | 2.00  | UNIT |  |  |  |
| 1196 | DIODE OA 5            |              |          | 21/126 | 1.00  | UNIT |  |  |  |
| 2761 | OUTPUT COIL(LC)A6170  | EDU" "       |          | 21/127 | 1.00  | UNIT |  |  |  |
| 2754 | OSCILLATOR COIL (LA)  | A6170 EDU"A" |          | 21/128 | 1.00  | UNIT |  |  |  |
| 2760 | OUTPUT COIL(LC)       | A6170 EDU"P" |          | 21/129 | 1.00  | UNIT |  |  |  |
| 2676 | MIXER COIL (LB)       | A6170 EDU"U" |          | 21/131 | 1.00  | UNIT |  |  |  |
| 4192 | TRANSFORMER SR/T 2536 |              |          | 21/134 | 1.00  | UNIT |  |  |  |
| 4190 | TRANSFORMER SR/T 2531 |              |          | 21/135 | 1.00  | UNIT |  |  |  |
| 4193 | TRANSFORMER SR/T 2537 |              |          | 21/136 | 1.00  | UNIT |  |  |  |
| 2755 | OSCILLATOR COIL EDN B |              |          | 21/137 | 1.00  | UNIT |  |  |  |
| 2756 | OSCILLATOR COIL EDN C |              |          | 21/138 | 1.00  | UNIT |  |  |  |
| 2757 | OSCILLATOR COIL EDN H |              |          | 21/139 | 1.00  | UNIT |  |  |  |

## INDEXB

|      |                       |              |         |        |       |      |  |  |  |
|------|-----------------------|--------------|---------|--------|-------|------|--|--|--|
| 2758 | OSCILLATOR COIL END E |              |         | 21/140 | 1.00  | UNIT |  |  |  |
| 2679 | MIXER OUTPUT COIL     | END "R"      |         | 21/141 | 2.00  | UNIT |  |  |  |
| 2680 | MIXER OUTPUT COIL     | END "O"      |         | 21/142 | 2.00  | UNIT |  |  |  |
| 897  | COIL TO DRWG A6170    | EDN"Q"       |         | 21/143 | 2.00  | UNIT |  |  |  |
| 5005 | TUNING UNIT 2.25/3.6  | MHz TO DRWG  | A5644/M | 21/144 | 2.00  | UNIT |  |  |  |
| 5007 | TUNING UNIT 5.7/9.2   | MHz TO DRWG  | A5644/M | 21/145 | 2.00  | UNIT |  |  |  |
| 5008 | TUNING UNIT 9.2/14.2  | MHz TO DRWG  | A5644/M | 21/146 | 2.00  | UNIT |  |  |  |
| 4194 | TRANSFORMER SR/T 921  |              |         | 21/147 | 1.00  | UNIT |  |  |  |
| 898  | COIL TO DRWG A6170    | EDN "D"      |         | 21/148 | 1.00  | UNIT |  |  |  |
| 2535 | INDUCTOR RF TO DRWG   | 2/P18632/S   |         | 21/149 | 1.00  | UNIT |  |  |  |
| 3810 | SOCKET 6WAY TYPE      | JS-6-CCE     |         | 21/150 | 1.00  | UNIT |  |  |  |
| 4209 | TRANSFORMER TO DRWG   | SR/T 2535    |         | 21/151 | 1.00  | UNIT |  |  |  |
| 781  | CHOKE TO SPEC         | SR/T 4116    |         | 21/152 | 1.00  | UNIT |  |  |  |
| 4191 | TRANSFORMER SR/T 2533 |              |         | 21/153 | 1.00  | UNIT |  |  |  |
| 3105 | RECTIFIER DIODE OA211 |              |         | 21/154 | 1.00  | UNIT |  |  |  |
| 401  | CAPACITOR 470PF 10 KV |              |         | 21/156 | 2.00  | UNIT |  |  |  |
| 782  | CHOKE TO SPEC         | SRT/4113     |         | 21/157 | 1.00  | UNIT |  |  |  |
| 682  | CAPACITOR TYPE 715C   |              |         | 21/158 | 11.00 | UNIT |  |  |  |
| 3222 | RELAY TYPE CP-N560713 |              |         | 21/159 | 1.00  | UNIT |  |  |  |
| 306  | CAPACITOR 15000 MF 63 | VDC TYPE 106 | 38153   | 21/160 | 2.00  | UNIT |  |  |  |
| 4216 | TRANSFORMER TO SPEC   | SR/T 2734    |         | 21/161 | 1.00  | UNIT |  |  |  |
| 3213 | RELAY TO SPEC         | OP/2658/S    |         | 21/163 | 1.00  | UNIT |  |  |  |
| 3214 | RELAY TO SPEC         | OP/3566/S    |         | 21/164 | 1.00  | UNIT |  |  |  |
| 5066 | VALVE HOLDER BPE TYPE | 40211/01     |         | 21/166 | 2.00  | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |         |       |      |  |  |  |
|------|-----------------------|--------------|----------|---------|-------|------|--|--|--|
| 3766 | SEKAL CODER No 003    |              |          | 21/168A | 1.00  | UNIT |  |  |  |
| 2718 | MOTOR LEDEX M1TO SPEC | OP9201/MS/B  | 9209     | 21A/010 | 1.00  | UNIT |  |  |  |
| 1967 | FUSE SKYLOCK TYPE X   | 5344/MM      |          | 21A/012 | 6.00  | UNIT |  |  |  |
| 2628 | LAMP INDICATOR 6.5V   | 0.3 TYPE O57 | 5        | 21A/014 | 24.00 | UNIT |  |  |  |
| 938  | CONDENSER 8MF D TYPE  | T18/T        |          | 21A/015 | 2.00  | UNIT |  |  |  |
| 3217 | RELAY TO SPEC OP5638/ | S            |          | 21A/016 | 3.00  | UNIT |  |  |  |
| 4208 | TRANSFORMER TO DRG    | SRT/2205     |          | 21A/017 | 3.00  | UNIT |  |  |  |
| 3216 | RELAY TO SPEC OP5397S |              |          | 21A/018 | 1.00  | UNIT |  |  |  |
| 618  | CAPACITOR MFD TYPE M  |              |          | 21A/019 | 1.00  | UNIT |  |  |  |
| 227  | CAPACITOR 1 MF TYPE   | PMT 2R01/M10 | 0        | 21A/020 | 2.00  | UNIT |  |  |  |
| 408  | CAPACITOR 500 UF TYPE | CE 1294      |          | 21A/023 | 3.00  | UNIT |  |  |  |
| 4081 | THYRISTOR OCL TYPE    | CR 53/20 AF  |          | 21A/025 | 4.00  | UNIT |  |  |  |
| 3106 | RECTIFIER DIODE TYPE  | 1B 20K 20    |          | 21A/027 | 1.00  | UNIT |  |  |  |
| 4339 | TRANSISTOR 2N 3904    |              |          | 21A/028 | 4.00  | UNIT |  |  |  |
| 4824 | TRANSISTOR OC 28      | (7534)       |          | 21A/031 | 3.00  | UNIT |  |  |  |
| 4219 | TRANSFORMER TYPE SRT  | 751 MODIFIED | 3/2326/S | 21A/033 | 1.00  | UNIT |  |  |  |
| 4197 | TRANSFORMER SRT 923   |              |          | 21A/034 | 2.00  | UNIT |  |  |  |
| 4196 | TRANSFORMER SRT 755   |              |          | 21A/035 | 1.00  | UNIT |  |  |  |
| 358  | CAPACITOR 3.30 PF TYP | E TV/30/PCI  |          | 21A/039 | 2.00  | UNIT |  |  |  |
| 389  | CAPACITOR 470 MF +50% | -10%TYPE 017 | -17491   | 21A/040 | 2.00  | UNIT |  |  |  |
| 1003 | CONTACTOR 24V CB.60   | GA485        |          | 21A/051 | 1.00  | UNIT |  |  |  |
| 1287 | DIODE BZX 61C56       |              |          | 21A/055 | 1.00  | UNIT |  |  |  |
| 1290 | DIODE BZX 88 C6V8     |              |          | 21A/056 | 1.00  | UNIT |  |  |  |
| 1285 | DIODE BZX 61 C36      |              |          | 21A/057 | 1.00  | UNIT |  |  |  |

## INDEXB

|      |                       |              |       |         |      |      |  |  |  |
|------|-----------------------|--------------|-------|---------|------|------|--|--|--|
| 1297 | DIODE BZY 88 C15      |              |       | 21A/058 | 2.00 | UNIT |  |  |  |
| 1304 | DIODE BZY 93 C15R     |              |       | 21A/061 | 1.00 | UNIT |  |  |  |
| 2203 | IC L123TS TRA 281     |              |       | 21A/062 | 1.00 | UNIT |  |  |  |
| 3268 | RESISTOR 1 OHM 5 2.5V | W27          |       | 21A/063 | 1.00 | UNIT |  |  |  |
| 4463 | TRANSISTOR 2N5956     |              |       | 21A/065 | 2.00 | UNIT |  |  |  |
| 1337 | DIODE HG 5007 AAZ 15  |              |       | 21A/068 | 2.00 | UNIT |  |  |  |
| 1306 | DIODE BZY 96 05V      | C5V6         |       | 21A/069 | 1.00 | UNIT |  |  |  |
| 4182 | TRANSFORMER P4450Z/Z  |              |       | 21A/071 | 1.00 | UNIT |  |  |  |
| 4183 | TRANSFORMER P4453/Z   |              |       | 21A/072 | 1.00 | UNIT |  |  |  |
| 742  | CHOKE 10M-10 C11/58/  | 10/001/10    |       | 21A/073 | 1.00 | UNIT |  |  |  |
| 355  | CAPACITOR 3.29 PFD    | A15/29 TRIME | R     | 21A/074 | 1.00 | UNIT |  |  |  |
| 1261 | DIODE BFH 36-300      |              |       | 21A/079 | 2.00 | UNIT |  |  |  |
| 3433 | RESISTOR 270 OHM SW7W | E78          |       | 21A/080 | 3.00 | UNIT |  |  |  |
| 1232 | DIODE 9 WY 88 C4VT    |              |       | 21A/081 | 1.00 | UNIT |  |  |  |
| 3555 | RESISTOR 6.8 OHM 5Z   | 12W W24      |       | 21A/082 | 1.00 | UNIT |  |  |  |
| 1301 | DIODE BZY 88 C6V8     |              |       | 21A/083 | 1.00 | UNIT |  |  |  |
| 4600 | TRANSISTOR BCY 72     |              |       | 21A/085 | 1.00 | UNIT |  |  |  |
| 3502 | RESISTOR 47 OHM-5%14W | W24          |       | 21A/087 | 1.00 | UNIT |  |  |  |
| 3299 | RESISTOR 10 OHM-5%14W | W24          |       | 21A/088 | 1.00 | UNIT |  |  |  |
| 3262 | RESISTOR 1 KOHM-10%   | CLR1206/115  |       | 21A/089 | 1.00 | UNIT |  |  |  |
| 247  | CAPACITOR 10,000 MFD  | 100V 107     | 10103 | 21A/090 | 2.00 | UNIT |  |  |  |
| 1618 | DIODE VYK 30-200R     |              |       | 21A/091 | 1.00 | UNIT |  |  |  |
| 1272 | DIODE BYX 36,600      |              |       | 21A/092 | 2.00 | UNIT |  |  |  |
| 1474 | DIODE IN914 1I 4148   |              |       | 21A/093 | 1.00 | UNIT |  |  |  |

## INDEXB

|      |                       |              |        |         |      |      |  |  |  |
|------|-----------------------|--------------|--------|---------|------|------|--|--|--|
| 3146 | RELAY 24V ITT 250 AED |              |        | 21A/094 | 1.00 | UNIT |  |  |  |
| 3263 | RESISTOR 1 KOHM-10%   | 30591-1-102  |        | 21A/095 | 6.00 | UNIT |  |  |  |
| 375  | CAPACITOR 4,700 PFD-  | 1% 200V MS61 | 1F/1/R | 21A/096 | 6.00 | UNIT |  |  |  |
| 4210 | TRANSFORMER TO DWG    | P44498/M     |        | 21A/100 | 6.00 | UNIT |  |  |  |
| 4211 | TRANSFORMER TO DWG    | P44501/M     |        | 21A/101 | 6.00 | UNIT |  |  |  |
| 4212 | TRANSFORMER TO DWG    | P44500/M     |        | 21A/102 | 6.00 | UNIT |  |  |  |
| 4213 | TRANSFORMER TO DWG    | P44499/M     |        | 21A/103 | 6.00 | UNIT |  |  |  |
| 744  | CHOKE 13 MH TO DRWG   | P44346/S     |        | 21A/104 | 6.00 | UNIT |  |  |  |
| 752  | CHOKE 4.7 MH+-10% C11 | /58/10/0009/ | 10     | 21A/105 | 6.00 | UNIT |  |  |  |
| 4214 | TRANSFORMER TO DWG    | 025/6741 A/S |        | 21A/106 | 1.00 | UNIT |  |  |  |
| 4215 | TRANSFORMER TO DWG    | 013/6898 A/S |        | 21A/107 | 3.00 | UNIT |  |  |  |
| 3567 | RESISTOR 68 OHM+-5%   | 3K W22       |        | 21A/108 | 3.00 | UNIT |  |  |  |
| 3316 | RESISTOR 100 OHM+-10% | 3059J/1/101  |        | 21A/109 | 2.00 | UNIT |  |  |  |
| 319  | CAPACITOR 2.2 PFD+-0. | 1 PFD 7.50V  | NPO/A  | 21A/110 | 1.00 | UNIT |  |  |  |
| 1347 | DIODE HP5082 2800     |              |        | 21A/111 | 6.00 | UNIT |  |  |  |
| 780  | CHOKE TO DWG P44519/S |              |        | 21A/112 | 1.00 | UNIT |  |  |  |
| 3310 | RESISTOR 100 OHM +-5% | 6W W22       |        | 21A/113 | 2.00 | UNIT |  |  |  |
| 425  | CAPACITOR 8 MFD+-10%  | 250V 114-174 | -78    | 21A/114 | 1.00 | UNIT |  |  |  |
| 3919 | SWITCH 2 BANK 9 POSIT | ION P44507/8 |        | 21A/116 | 1.00 | UNIT |  |  |  |
| 3927 | SWITCH 5 BANK 10 POSI | TION P44508/ | S      | 21A/117 | 1.00 | UNIT |  |  |  |
| 3925 | SWITCH 4 BANK 11 POSI | TION P44506/ | S      | 21A/119 | 1.00 | UNIT |  |  |  |
| 4064 | THERMISTOR E220ZZ/04  |              |        | 21A/120 | 1.00 | UNIT |  |  |  |
| 2609 | LAMP 12V 0.03 AMP     | OL 3024      |        | 21A/121 | 9.00 | UNIT |  |  |  |
| 2540 | INJECTOR P44646/16    |              |        | 21A/123 | 1.00 | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |         |       |      |  |  |  |
|------|-----------------------|--------------|----------|---------|-------|------|--|--|--|
| 3399 | RESISTOR 200 OHM +-10 | % 3059L-1-20 | 1        | 21A/125 | 1.00  | UNIT |  |  |  |
| 3294 | RESISTOR 10 KOHM +-10 | % 3059L      | 1103     | 21A/126 | 1.00  | UNIT |  |  |  |
| 4529 | TRANSISTOR B5V64      |              |          | 21A/127 | 1.00  | UNIT |  |  |  |
| 1262 | DIODE BFX 71350       |              |          | 21A/129 | 1.00  | UNIT |  |  |  |
| 1294 | DIODE BZY 88 04V7     |              |          | 21A/130 | 1.00  | UNIT |  |  |  |
| 1281 | DIODE BZW 70 56       |              |          | 21A/131 | 2.00  | UNIT |  |  |  |
| 1280 | DIODE BZW 70 10       |              |          | 21A/132 | 2.00  | UNIT |  |  |  |
| 1342 | DIODE HP 5082 2900    |              |          | 21A/133 | 2.00  | UNIT |  |  |  |
| 2135 | IC CA 11002/L{IC02309 | OBSOLETS}    |          | 21A/134 | 1.00  | UNIT |  |  |  |
| 3486 | RESISTOR 4.7 OHM +-20 | % MPD 404/8/ | 02857/02 | 21A/135 | 1.00  | UNIT |  |  |  |
| 3295 | RESISTOR 10 KOHM +-20 | % MPD 404/8/ | 0L857/02 | 21A/136 | 6.00  | UNIT |  |  |  |
| 1296 | DIODE BZY 88 C10      |              |          | 21A/139 | 2.00  | UNIT |  |  |  |
| 1307 | DIODE BZY 96 C10      |              |          | 21A/140 | 2.00  | UNIT |  |  |  |
| 1283 | DIODE BZX 36 150      |              |          | 21A/141 | 2.00  | UNIT |  |  |  |
| 3583 | RESISTOR 82 OHM+-5%   | W24          |          | 21A/142 | 3.00  | UNIT |  |  |  |
| 3261 | RESISTOR 1 KOHM+-10%  | CLR 1206/115 |          | 21A/143 | 1.00  | UNIT |  |  |  |
| 1213 | DIODE 45L 20R         |              |          | 21A/144 | 2.00  | UNIT |  |  |  |
| 1271 | DIODE BYX 36 600      |              |          | 21A/145 | 3.00  | UNIT |  |  |  |
| 4195 | TRANSFORMER SR/T2739  |              |          | 21A/147 | 1.00  | UNIT |  |  |  |
| 778  | CHOKE SR/T2735        |              |          | 21A/148 | 1.00  | UNIT |  |  |  |
| 3189 | RELAY LSTR/47PE/A4X/4 |              |          | 21A/149 | 1.00  | UNIT |  |  |  |
| 3145 | RELAY 240 AEO         |              |          | 21A/150 | 1.00  | UNIT |  |  |  |
| 228  | CAPACITOR 1 MS+-10%   | 160V LAYCOM  |          | 21A/152 | 10.00 | UNIT |  |  |  |
| 4930 | TRANSISTOR TYPE BF183 |              |          | 22/ 001 | 6.00  | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |         |       |      |  |  |  |
|------|-----------------------|--------------|----------|---------|-------|------|--|--|--|
| 4926 | TRANSISTOR TYPE       | BLX 49A      |          | 22/ 002 | 2.00  | UNIT |  |  |  |
| 1613 | DIODE TYPE ZD 62      |              |          | 22/ 003 | 2.00  | UNIT |  |  |  |
| 1244 | DIODE AA119           |              |          | 22/ 012 | 2.00  | UNIT |  |  |  |
| 1624 | DIODE ZD 100          |              |          | 22/ 013 | 2.00  | UNIT |  |  |  |
| 1255 | DIODE BAY 71          |              |          | 22/ 015 | 2.00  | UNIT |  |  |  |
| 1576 | DIODE TYPE BA148      |              |          | 22/ 020 | 2.00  | UNIT |  |  |  |
| 1580 | DIODE TYPE BZ 79/C/6  |              |          | 22/ 021 | 2.00  | UNIT |  |  |  |
| 4928 | TRANSISTOR TYPE 2S324 | IAL BEACON   |          | 22/ 024 | 2.00  | UNIT |  |  |  |
| 64   | BEARING A162078       |              |          | 22/ 026 | 6     | UNIT |  |  |  |
| 2827 | PINION A162061        |              |          | 22/ 027 | 2.00  | UNIT |  |  |  |
| 2921 | POLARISING BLOCK      | A161483      |          | 22/ 028 | 3.00  | UNIT |  |  |  |
| 1799 | EDGE CONNECTOR        | A162124      |          | 22/ 029 | 3.00  | UNIT |  |  |  |
| 1800 | EDGE CONNECTOR        | A162755      |          | 22/ 030 | 1.00  | UNIT |  |  |  |
| 5089 | WASHER A148637/2      |              |          | 22/ 031 | 2.00  | UNIT |  |  |  |
| 3752 | SCREW C104924/6 Oz    | 161A         |          | 22/ 032 | 2.00  | UNIT |  |  |  |
| 3751 | SCREW C104924/02 V    | .24.1A       |          | 22/ 033 | 4.00  | UNIT |  |  |  |
| 5090 | WASHER A148637/3      |              |          | 22/ 034 | 4.00  | UNIT |  |  |  |
| 53   | BARRIER STRIP A163354 |              |          | 22/ 035 | 1     | UNIT |  |  |  |
| 3231 | REPLACEMENT FACES     | NYLON        | 547-8687 | 22/ 063 | 4.00  | UNIT |  |  |  |
| 96   | BRIDGE RECTIFIER      | SIBR 25A/50V |          | 22/105  | 5     | UNIT |  |  |  |
| 118  | BULB 6V 6W            |              |          | 22/123  | 4     | UNIT |  |  |  |
| 1436 | DIODE IN 914          |              |          | 23/ 001 | 50.00 | UNIT |  |  |  |
| 4520 | TRANSISTOR AFZ 11     |              |          | 23/ 003 | 7.00  | UNIT |  |  |  |
| 4428 | TRANSISTOR 2N 706     |              |          | 23/ 006 | 12.00 | UNIT |  |  |  |

## INDEXB

|      |                       |         |  |         |       |      |  |  |  |
|------|-----------------------|---------|--|---------|-------|------|--|--|--|
| 4710 | TRANSISTOR BSX 61     |         |  | 23/ 007 | 2.00  | UNIT |  |  |  |
| 4335 | TRANSISTOR 2N 3866    |         |  | 23/ 008 | 51.00 | UNIT |  |  |  |
| 4471 | TRANSISTOR 2S 322     |         |  | 23/ 010 | 3.00  | UNIT |  |  |  |
| 4734 | TRANSISTOR C 407      |         |  | 23/ 011 | 3.00  | UNIT |  |  |  |
| 4746 | TRANSISTOR CRS 3/30AF |         |  | 23/ 012 | 4.00  | UNIT |  |  |  |
| 4525 | TRANSISTOR ASY 27     | GET 882 |  | 23/ 013 | 13.00 | UNIT |  |  |  |
| 1524 | DIODE OAZ 243         |         |  | 23/ 014 | 2.00  | UNIT |  |  |  |
| 1526 | DIODE OAZ 245         |         |  | 23/ 015 | 2.00  | UNIT |  |  |  |
| 1314 | DIODE EA 403          |         |  | 23/ 016 | 2.00  | UNIT |  |  |  |
| 1264 | DIODE BY 126          |         |  | 23/ 017 | 16.00 | UNIT |  |  |  |
| 1308 | DIODE CG 91 H         |         |  | 23/ 018 | 10.00 | UNIT |  |  |  |
| 1389 | DIODE IN 4148 D914    |         |  | 23/ 022 | 8.00  | UNIT |  |  |  |
| 1507 | DIODE OA 200          |         |  | 23/ 023 | 67.00 | UNIT |  |  |  |
| 4820 | TRANSISTOR OC 200     |         |  | 23/ 024 | 22.00 | UNIT |  |  |  |
| 4317 | TRANSISTOR 2N 3563    |         |  | 23/ 025 | 2.00  | UNIT |  |  |  |
| 4808 | TRANSISTOR NKT 221    |         |  | 23/ 026 | 2.00  | UNIT |  |  |  |
| 1514 | DIODE OA 47           |         |  | 23/ 027 | 20.00 | UNIT |  |  |  |
| 4632 | TRANSISTOR BF 224A    |         |  | 23/ 028 | 6.00  | UNIT |  |  |  |
| 4717 | TRANSISTOR BSY 95A    |         |  | 23/ 029 | 22.00 | UNIT |  |  |  |
| 4347 | TRANSISTOR 2N 4127    |         |  | 23/ 030 | 5.00  | UNIT |  |  |  |
| 4544 | TRANSISTOR BC 118     |         |  | 23/ 031 | 54.00 | UNIT |  |  |  |
| 4703 | TRANSISTOR BSX 20     |         |  | 23/ 033 | 7.00  | UNIT |  |  |  |
| 4342 | TRANSISTOR 2N 3906    |         |  | 23/ 034 | 15.00 | UNIT |  |  |  |
| 4547 | TRANSISTOR BC 136     |         |  | 23/ 035 | 16.00 | UNIT |  |  |  |

## INDEXB

|      |                       |      |  |         |       |      |  |  |  |
|------|-----------------------|------|--|---------|-------|------|--|--|--|
| 1506 | DIODE OA 10           |      |  | 23/ 036 | 2.00  | UNIT |  |  |  |
| 4346 | TRANSISTOR 2N 4125    |      |  | 23/ 037 | 7.00  | UNIT |  |  |  |
| 4327 | TRANSISTOR 2N 3707    |      |  | 23/ 038 | 9.00  | UNIT |  |  |  |
| 4548 | TRANSISTOR BC 137     |      |  | 23/ 039 | 2.00  | UNIT |  |  |  |
| 4489 | TRANSISTOR 40310      |      |  | 23/ 040 | 12.00 | UNIT |  |  |  |
| 1518 | DIODE OA 91           |      |  | 23/ 041 | 27.00 | UNIT |  |  |  |
| 1519 | DIODE OA 95           |      |  | 23/ 043 | 6.00  | UNIT |  |  |  |
| 4542 | TRANSISTOR BC 113     |      |  | 23/ 044 | 20.00 | UNIT |  |  |  |
| 4619 | TRANSISTOR BF 152     |      |  | 23/ 045 | 26.00 | UNIT |  |  |  |
| 1671 | DIODE ZENER BZX 61    | -C18 |  | 23/ 046 | 12.00 | UNIT |  |  |  |
| 4814 | TRANSISTOR NKT 274    |      |  | 23/ 047 | 2.00  | UNIT |  |  |  |
| 4286 | TRANSISTOR 2N 2476    |      |  | 23/ 048 | 2.00  | UNIT |  |  |  |
| 4537 | TRANSISTOR BC 108A    |      |  | 23/ 049 | 19.00 | UNIT |  |  |  |
| 4517 | TRANSISTOR AF 124     |      |  | 23/ 050 | 8.00  | UNIT |  |  |  |
| 1252 | DIODE BAX 13          |      |  | 23/ 052 | 74.00 | UNIT |  |  |  |
| 4810 | TRANSISTOR NKT 223    | 223A |  | 23/ 053 | 14.00 | UNIT |  |  |  |
| 4599 | TRANSISTOR BCY 71 R.L |      |  | 23/ 054 | 15.00 | UNIT |  |  |  |
| 4534 | TRANSISTOR BC 107     |      |  | 23/ 055 | 22.00 | UNIT |  |  |  |
| 4536 | TRANSISTOR BC 108     |      |  | 23/ 056 | 50.00 | UNIT |  |  |  |
| 4546 | TRANSISTOR BC 126     |      |  | 23/ 057 | 19.00 | UNIT |  |  |  |
| 4521 | TRANSISTOR AFZ 12     |      |  | 23/ 058 | 16.00 | UNIT |  |  |  |
| 1336 | DIODE HG 5001 DK 15   |      |  | 23/ 059 | 14.00 | UNIT |  |  |  |
| 1205 | DIODE 16 FIO          |      |  | 23/ 060 | 2.00  | UNIT |  |  |  |
| 1740 | DIODE ZENER ZF 6.8    |      |  | 23/ 061 | 4.00  | UNIT |  |  |  |

## INDEXB

|      |                       |              |     |         |       |      |  |  |  |
|------|-----------------------|--------------|-----|---------|-------|------|--|--|--|
| 1278 | DIODE BZW -70-56      |              |     | 23/ 063 | 2.00  | UNIT |  |  |  |
| 1327 | DIODE FVO 5842        | RG8A 455KHz  | 1.7 | 23/ 064 | 2.00  | UNIT |  |  |  |
| 4507 | TRANSISTOR A1572      |              |     | 23/ 065 | 2.00  | UNIT |  |  |  |
| 4308 | TRANSISTOR 2N 3053    |              |     | 23/ 066 | 12.00 | UNIT |  |  |  |
| 4563 | TRANSISTOR BC 2121    |              |     | 23/ 067 | 11.00 | UNIT |  |  |  |
| 4353 | TRANSISTOR 2N 4240    |              |     | 23/ 069 | 4.00  | UNIT |  |  |  |
| 1383 | DIODE IN 4004         |              |     | 23/ 070 | 37.00 | UNIT |  |  |  |
| 4889 | TRANSISTOR SK 3025/   | 129 (2N 4033 |     | 23/ 071 | 21.00 | UNIT |  |  |  |
| 4921 | TRANSISTOR TP 41A     |              |     | 23/ 073 | 5.00  | UNIT |  |  |  |
| 4314 | TRANSISTOR 2N 3440 RL |              |     | 23/ 074 | 6.00  | UNIT |  |  |  |
| 2028 | IC 3046               |              |     | 23/ 075 | 2.00  | UNIT |  |  |  |
| 2395 | IC SN 7473N           |              |     | 23/ 076 | 22.00 | UNIT |  |  |  |
| 2389 | IC SN 74150N          |              |     | 23/ 077 | 13.00 | UNIT |  |  |  |
| 2391 | IC SN 7420N SN 7420N  |              |     | 23/ 078 | 27.00 | UNIT |  |  |  |
| 2383 | IC SN 7404N           |              |     | 23/ 079 | 22.00 | UNIT |  |  |  |
| 2387 | IC SN 7412N           |              |     | 23/ 080 | 6.00  | UNIT |  |  |  |
| 2380 | IC SN 7401N           |              |     | 23/ 083 | 21.00 | UNIT |  |  |  |
| 2398 | IC SN 74L504N         |              |     | 23/ 084 | 5.00  | UNIT |  |  |  |
| 2396 | IC SN 7486N           |              |     | 23/ 085 | 10.00 | UNIT |  |  |  |
| 2288 | IC MM 74C14N          |              |     | 23/ 088 | 11.00 | UNIT |  |  |  |
| 2226 | IC LM 305 AH          |              |     | 23/ 090 | 5.00  | UNIT |  |  |  |
| 2095 | IC 747 (2X 741)       |              |     | 23/ 092 | 2.00  | UNIT |  |  |  |
| 2097 | IC 748                |              |     | 23/ 093 | 5.00  | UNIT |  |  |  |
| 2054 | IC 556 TIMER (2X555)  |              |     | 23/ 096 | 1.00  | UNIT |  |  |  |

## INDEXB

|      |                       |              |       |         |       |      |  |  |  |
|------|-----------------------|--------------|-------|---------|-------|------|--|--|--|
| 2098 | IC 7486 (QUAD 2 INPUT | EXCL OR GATE |       | 23/100  | 4.00  | UNIT |  |  |  |
| 2064 | IC 7407 (HEX BUFFER)  |              |       | 23/103  | 4.00  | UNIT |  |  |  |
| 2381 | IC SN 7402 (QUAD 2 IN | PUT NOR GATE | TYPE) | 23/104  | 10.00 | UNIT |  |  |  |
| 2087 | IC 7432 TTL           |              |       | 23/107  | 4.00  | UNIT |  |  |  |
| 2085 | IC 74273 TTL          |              |       | 23/108  | 6.00  | UNIT |  |  |  |
| 2076 | IC 7416               |              |       | 23/109  | 4.00  | UNIT |  |  |  |
| 2038 | IC 4044B C-MOS        |              |       | 23/111  | 1.00  | UNIT |  |  |  |
| 2063 | IC 7402N              |              |       | 23/113  | 3.00  | UNIT |  |  |  |
| 2083 | IC 74175N             |              |       | 23/114  | 9.00  | UNIT |  |  |  |
| 2079 | IC 74163N             |              |       | 23/115  | 15.00 | UNIT |  |  |  |
| 2073 | IC 7413N              |              |       | 23/116  | 5.00  | UNIT |  |  |  |
| 2093 | IC 7448 MSD 101       |              |       | 23/118  | 2.00  | UNIT |  |  |  |
| 2261 | IC MC 3301 OR MC3391P |              |       | 23/119  | 3.00  | UNIT |  |  |  |
| 2429 | IC TBA 120C           |              |       | 23/121  | 2.00  | UNIT |  |  |  |
| 2020 | IC 1458 C             |              |       | 23/122  | 2.00  | UNIT |  |  |  |
| 2434 | IC TBA 810 AS         |              |       | 23/123A | 2.00  | UNIT |  |  |  |
| 2378 | IC SN 74 LS 21        |              |       | 23/124  | 2.00  | UNIT |  |  |  |
| 4699 | TRANSISTOR BRY 39     |              |       | 23/125  | 2.00  | UNIT |  |  |  |
| 4713 | TRANSISTOR BSY 44     |              |       | 23/126  | 5.00  | UNIT |  |  |  |
| 4728 | TRANSISTOR BUY 57     |              |       | 23/127  | 1.00  | UNIT |  |  |  |
| 4365 | TRANSISTOR 2N 4403    |              |       | 23/128  | 20.00 | UNIT |  |  |  |
| 4524 | TRANSISTOR ASY 26     |              |       | 23/129  | 6.00  | UNIT |  |  |  |
| 4843 | TRANSISTOR POWER      | TIP 111      |       | 23/130  | 3.00  | UNIT |  |  |  |
| 4844 | TRANSISTOR POWER      | TIP 116      |       | 23/131  | 9.00  | UNIT |  |  |  |

## INDEXB

|      |                       |             |  |        |       |      |  |  |  |
|------|-----------------------|-------------|--|--------|-------|------|--|--|--|
| 4270 | TRANSISTOR 2N 2219A   |             |  | 23/133 | 19.00 | UNIT |  |  |  |
| 4748 | TRANSISTOR D 4545     |             |  | 23/134 | 7.00  | UNIT |  |  |  |
| 4348 | TRANSISTOR 2N 4222    |             |  | 23/135 | 6.00  | UNIT |  |  |  |
| 4845 | TRANSISTOR POWER      | 2N 6282     |  | 23/136 | 5.00  | UNIT |  |  |  |
| 1240 | DIODE AA 117          |             |  | 23/137 | 5.00  | UNIT |  |  |  |
| 1257 | DIODE BAY 88          |             |  | 23/139 | 5.00  | UNIT |  |  |  |
| 4079 | THYRISTOR BTY91-100R  |             |  | 23/140 | 2.00  | UNIT |  |  |  |
| 1270 | DIODE BYX 30-200      |             |  | 23/141 | 2.00  | UNIT |  |  |  |
| 1690 | DIODE ZENER BZY 85    | C6V8        |  | 23/142 | 5.00  | UNIT |  |  |  |
| 1691 | DIODE ZENER BZY 85    | C9V1        |  | 23/143 | 5.00  | UNIT |  |  |  |
| 1242 | DIODE AA 132          |             |  | 23/145 | 5.00  | UNIT |  |  |  |
| 97   | BRIDGE RECTIFIER      | B 125-C 140 |  | 23/146 | 2     | UNIT |  |  |  |
| 4061 | THERMISTOR A53        |             |  | 23/147 | 2.00  | UNIT |  |  |  |
| 1197 | DIODE (FAST RECOVERY) | BYX-71 600  |  | 23/148 | 3.00  | UNIT |  |  |  |
| 1677 | DIODE ZENER BZX 85    | 4.7 V       |  | 23/150 | 7.00  | UNIT |  |  |  |
| 1678 | DIODE ZENER BZX 85    | 5.1 V       |  | 23/151 | 41.00 | UNIT |  |  |  |
| 1679 | DIODE ZENER BZX 85    | 5.6 V       |  | 23/152 | 18.00 | UNIT |  |  |  |
| 1680 | DIODE ZENER BZX 85    | 6.8 V       |  | 23/153 | 15.00 | UNIT |  |  |  |
| 1693 | DIODE ZENER BZY 88    | C3V3        |  | 23/154 | 36.00 | UNIT |  |  |  |
| 1694 | DIODE ZENER BZY 88    | C9V1        |  | 23/155 | 21.00 | UNIT |  |  |  |
| 1695 | DIODE ZENER BZY 88    | C12         |  | 23/156 | 16.00 | UNIT |  |  |  |
| 1696 | DIODE ZENER BZY 88    | C20         |  | 23/157 | 10.00 | UNIT |  |  |  |
| 1697 | DIODE ZENER BZY 88    | C4V7        |  | 23/158 | 36.00 | UNIT |  |  |  |
| 1698 | DIODE ZENER BZY 88    | C8V2        |  | 23/159 | 10.00 | UNIT |  |  |  |

## INDEXB

|      |                      |         |  |        |       |      |  |  |  |
|------|----------------------|---------|--|--------|-------|------|--|--|--|
| 1517 | DIODE OA 90          |         |  | 23/160 | 10.00 | UNIT |  |  |  |
| 1508 | DIODE OA 202         |         |  | 23/161 | 60.00 | UNIT |  |  |  |
| 1699 | DIODE ZENER BZY 88   | C5V6    |  | 23/162 | 39.00 | UNIT |  |  |  |
| 1700 | DIODE ZENER BZY 88   | C6V8    |  | 23/163 | 16.00 | UNIT |  |  |  |
| 1701 | DIODE ZENER BZY 88   | C6V2    |  | 23/164 | 14.00 | UNIT |  |  |  |
| 1702 | DIODE ZENER BZY 88   | C3V9    |  | 23/165 | 3.00  | UNIT |  |  |  |
| 1703 | DIODE ZENER BZY 88   | C22     |  | 23/166 | 10.00 | UNIT |  |  |  |
| 1438 | DIODE IN 916         |         |  | 23/172 | 30.00 | UNIT |  |  |  |
| 1350 | DIODE HS 1020        |         |  | 23/173 | 20.00 | UNIT |  |  |  |
| 4561 | TRANSISTOR BC 192L   |         |  | 23/174 | 10.00 | UNIT |  |  |  |
| 4259 | TRANSISTOR 2N 1613   |         |  | 23/175 | 33.00 | UNIT |  |  |  |
| 4560 | TRANSISTOR BC 184    |         |  | 23/176 | 7.00  | UNIT |  |  |  |
| 4545 | TRANSISTOR BC 119    |         |  | 23/177 | 7.00  | UNIT |  |  |  |
| 4518 | TRANSISTOR AF 126    |         |  | 23/178 | 10.00 | UNIT |  |  |  |
| 4596 | TRANSISTOR BCY 70    |         |  | 23/180 | 31.00 | UNIT |  |  |  |
| 4324 | TRANSISTOR 2N 3704   |         |  | 23/181 | 7.00  | UNIT |  |  |  |
| 4322 | TRANSISTOR 2N 3703   |         |  | 23/182 | 12.00 | UNIT |  |  |  |
| 4616 | TRANSISTOR BF 115    |         |  | 23/183 | 17.00 | UNIT |  |  |  |
| 4320 | TRANSISTOR 2N 3702   |         |  | 23/184 | 8.00  | UNIT |  |  |  |
| 4601 | TRANSISTOR BCY 72    |         |  | 23/185 | 12.00 | UNIT |  |  |  |
| 4358 | TRANSISTOR 2N 4286   |         |  | 23/187 | 17.00 | UNIT |  |  |  |
| 1425 | DIODE IN 5406        |         |  | 23/188 | 36.00 | UNIT |  |  |  |
| 4758 | TRANSISTOR F.E.T     | 2N 3819 |  | 23/189 | 9.00  | UNIT |  |  |  |
| 1542 | DIODE RECTIFIER MS2H | FVO7115 |  | 23/19  | 2.00  | UNIT |  |  |  |

## INDEXB

|      |                       |       |  |          |       |      |  |  |  |
|------|-----------------------|-------|--|----------|-------|------|--|--|--|
| 4684 | TRANSISTOR BFY 51     |       |  | 23/190   | 40.00 | UNIT |  |  |  |
| 4283 | TRANSISTOR 2N 2369A   |       |  | 23/191   | 40.00 | UNIT |  |  |  |
| 4296 | TRANSISTOR 2N 2905A   |       |  | 23/193   | 30.00 | UNIT |  |  |  |
| 4367 | TRANSISTOR 2N 4427    |       |  | 23/194   | 6.00  | UNIT |  |  |  |
| 4626 | TRANSISTOR BF 180     |       |  | 23/195   | 12.00 | UNIT |  |  |  |
| 4541 | TRANSISTOR BC 109B    |       |  | 23/197   | 26.00 | UNIT |  |  |  |
| 4538 | TRANSISTOR BC 108C    |       |  | 23/198   | 26.00 | UNIT |  |  |  |
| 4077 | THYRISTOR BTY 79-400R |       |  | 23/199   | 2.00  | UNIT |  |  |  |
| 4292 | TRANSISTOR 2N 2904    |       |  | 23A/001  | 14.00 | UNIT |  |  |  |
| 4267 | TRANSISTOR 2N 2219    |       |  | 23A/002  | 20.00 | UNIT |  |  |  |
| 4673 | TRANSISTOR BFX 85     |       |  | 23A/003  | 28.00 | UNIT |  |  |  |
| 4672 | TRANSISTOR BFX 84     |       |  | 23A/003A | 2.00  | UNIT |  |  |  |
| 4681 | TRANSISTOR BFY 50     |       |  | 23A/004  | 3.00  | UNIT |  |  |  |
| 4621 | TRANSISTOR BF 167     |       |  | 23A/006  | 8.00  | UNIT |  |  |  |
| 4540 | TRANSISTOR BC 109     |       |  | 23A/007  | 34.00 | UNIT |  |  |  |
| 4539 | TRANSISTOR BC 108C    |       |  | 23A/008  | 7.00  | UNIT |  |  |  |
| 4551 | TRANSISTOR BC 143     |       |  | 23A/009  | 8.00  | UNIT |  |  |  |
| 4568 | TRANSISTOR BC 214     |       |  | 23A/010  | 10.00 | UNIT |  |  |  |
| 4624 | TRANSISTOR BF 173     |       |  | 23A/011  | 7.00  | UNIT |  |  |  |
| 4607 | TRANSISTOR BD 175     |       |  | 23A/012  | 6.00  | UNIT |  |  |  |
| 4526 | TRANSISTOR ASZ 17     |       |  | 23A/013  | 3.00  | UNIT |  |  |  |
| 1649 | DIODE ZENER 5.6V 8W   | D815A |  | 23A/014  | 3.00  | UNIT |  |  |  |
| 1636 | DIODE ZENER 12V 8W    | D815D |  | 23A/015  | 1.00  | UNIT |  |  |  |
| 1639 | DIODE ZENER 15V       |       |  | 23A/016  | 2.00  | UNIT |  |  |  |

## INDEXB

|      |                      |              |     |         |       |      |  |  |  |
|------|----------------------|--------------|-----|---------|-------|------|--|--|--|
| 1710 | DIODE ZENER D185G    |              |     | 23A/017 | 2.00  | UNIT |  |  |  |
| 4668 | TRANSISTOR BFX 29    |              |     | 23A/018 | 13.00 | UNIT |  |  |  |
| 1245 | DIODE AAY 18         |              |     | 23A/019 | 5.00  | UNIT |  |  |  |
| 4387 | TRANSISTOR 2N 5270   |              |     | 23A/020 | 5.00  | UNIT |  |  |  |
| 4794 | TRANSISTOR MOSFET    | 40673        |     | 23A/021 | 9.00  | UNIT |  |  |  |
| 4569 | TRANSISTOR BC 237A   | BF 272       |     | 23A/022 | 2.00  | UNIT |  |  |  |
| 4331 | TRANSISTOR 2N 3773   |              |     | 23A/023 | 10.00 | UNIT |  |  |  |
| 4519 | TRANSISTOR AF 127    | RS 293-937   |     | 23A/024 | 10.00 | UNIT |  |  |  |
| 4747 | TRANSISTOR D 40C4    |              |     | 23A/028 | 12.00 | UNIT |  |  |  |
| 4340 | TRANSISTOR 2N 3904   |              |     | 23A/029 | 22.00 | UNIT |  |  |  |
| 4427 | TRANSISTOR 2N 697    |              |     | 23A/030 | 12.00 | UNIT |  |  |  |
| 1276 | DIODE BYX 55/600     |              |     | 23A/031 | 5.00  | UNIT |  |  |  |
| 1377 | DIODE IN 3890        |              |     | 23A/032 | 3.00  | UNIT |  |  |  |
| 1725 | DIODE ZENER LR 56C   | EQUIV BZX79C | 5V6 | 23A/033 | 1.00  | UNIT |  |  |  |
| 1724 | DIODE ZENER LR 15C   | EQUIV BZY88C | 7V5 | 23A/034 | 0.00  | UNIT |  |  |  |
| 1741 | DIODE ZENER ZVR 13E  | EQUIV BZY 95 | C13 | 23A/035 | 1.00  | UNIT |  |  |  |
| 1206 | DIODE 20 GR 20       |              |     | 23A/036 | 1.00  | UNIT |  |  |  |
| 1212 | DIODE 40 HFR 10      |              |     | 23A/037 | 0.00  | UNIT |  |  |  |
| 4401 | TRANSISTOR 2N 5459   |              |     | 23A/044 | 2.00  | UNIT |  |  |  |
| 4640 | TRANSISTOR BF 256 LA |              |     | 23A/045 | 2.00  | UNIT |  |  |  |
| 4345 | TRANSISTOR 2N 4073   |              |     | 23A/046 | 2.00  | UNIT |  |  |  |
| 4380 | TRANSISTOR 2N 5109   |              |     | 23A/047 | 2.00  | UNIT |  |  |  |
| 4391 | TRANSISTOR 2N 5370   |              |     | 23A/049 | 6.00  | UNIT |  |  |  |
| 4687 | TRANSISTOR BFY 90    |              |     | 23A/05  | 3.00  | UNIT |  |  |  |

## INDEXB

|      |                       |     |  |          |      |      |  |  |  |
|------|-----------------------|-----|--|----------|------|------|--|--|--|
| 4857 | TRANSISTOR POWER TIP  | 111 |  | 23A/050  | 8.00 | UNIT |  |  |  |
| 4679 | TRANSISTOR BFX 89     |     |  | 23A/052  | 4.00 | UNIT |  |  |  |
| 4770 | TRANSISTOR IN 3704    |     |  | 23A/053  | 6.00 | UNIT |  |  |  |
| 4700 | TRANSISTOR BRY 39     |     |  | 23A/054  | 1.00 | UNIT |  |  |  |
| 4762 | TRANSISTOR FET BFW 10 |     |  | 23A/056  | 2.00 | UNIT |  |  |  |
| 4671 | TRANSISTOR BFX 48     |     |  | 23A/057  | 3.00 | UNIT |  |  |  |
| 4254 | TRANSISTOR 2C 444     |     |  | 23A/058  | 1.00 | UNIT |  |  |  |
| 4362 | TRANSISTOR 2N 4338    |     |  | 23A/059  | 1.00 | UNIT |  |  |  |
| 4363 | TRANSISTOR 2N 4392    |     |  | 23A/060  | 1.00 | UNIT |  |  |  |
| 4753 | TRANSISTOR D5K2       |     |  | 23A/061  | 1.00 | UNIT |  |  |  |
| 4492 | TRANSISTOR 40319      |     |  | 23A/063  | 3.00 | UNIT |  |  |  |
| 4301 | TRANSISTOR 2N 2907    |     |  | 23A/065  | 6.00 | UNIT |  |  |  |
| 4303 | TRANSISTOR 2N 2907A   |     |  | 23A/065A | 3.00 | UNIT |  |  |  |
| 4433 | TRANSISTOR 2N 930A    |     |  | 23A/066  | 3.00 | UNIT |  |  |  |
| 4280 | TRANSISTOR 2N 2368    |     |  | 23A/068  | 1.00 | UNIT |  |  |  |
| 4409 | TRANSISTOR 2N 5591    |     |  | 23A/069  | 2.00 | UNIT |  |  |  |
| 4431 | TRANSISTOR 2N 918     |     |  | 23A/070  | 5.00 | UNIT |  |  |  |
| 4788 | TRANSISTOR MJE 340    |     |  | 23A/071  | 3.00 | UNIT |  |  |  |
| 4554 | TRANSISTOR BC 177B    |     |  | 23A/072  | 2.00 | UNIT |  |  |  |
| 4543 | TRANSISTOR BC 113     |     |  | 23A/075  | 9.00 | UNIT |  |  |  |
| 4786 | TRANSISTOR MJ 3000    |     |  | 23A/076  | 2.00 | UNIT |  |  |  |
| 4630 | TRANSISTOR BF 199     |     |  | 23A/077  | 1.00 | UNIT |  |  |  |
| 4646 | TRANSISTOR BF 450     |     |  | 23A/078  | 2.00 | UNIT |  |  |  |
| 4407 | TRANSISTOR 2N 5589    |     |  | 23A/079  | 2.00 | UNIT |  |  |  |

## INDEXB

|      |                       |          |  |          |       |      |  |  |  |
|------|-----------------------|----------|--|----------|-------|------|--|--|--|
| 4408 | TRANSISTOR 2N 5590    |          |  | 23A/080  | 2.00  | UNIT |  |  |  |
| 4896 | TRANSISTOR TIP 125    |          |  | 23A/081  | 6.00  | UNIT |  |  |  |
| 4330 | TRANSISTOR 2N 3771    |          |  | 23A/082  | 6.00  | UNIT |  |  |  |
| 4888 | TRANSISTOR SJ 7336    |          |  | 23A/083  | 6.00  | UNIT |  |  |  |
| 4329 | TRANSISTOR 2N 3738    |          |  | 23A/084  | 6.00  | UNIT |  |  |  |
| 4424 | TRANSISTOR 2N 6285    |          |  | 23A/085  | 6.00  | UNIT |  |  |  |
| 4234 | TRANSISTOR 2444 PNP   | T 0220   |  | 23A/086  | 6.00  | UNIT |  |  |  |
| 4572 | TRANSISTOR BC 337     |          |  | 23A/087  | 15.00 | UNIT |  |  |  |
| 4644 | TRANSISTOR BF 337     |          |  | 23A/088  | 15.00 | UNIT |  |  |  |
| 4677 | TRANSISTOR BFX 88     |          |  | 23A/089  | 13.00 | UNIT |  |  |  |
| 4764 | TRANSISTOR GED 34H5   | OR D44H5 |  | 23A/091  | 3.00  | UNIT |  |  |  |
| 4819 | TRANSISTOR NPN 1502   |          |  | 23A/092  | 6.00  | UNIT |  |  |  |
| 4637 | TRANSISTOR BF 245B    |          |  | 23A/093  | 2.00  | UNIT |  |  |  |
| 4579 | TRANSISTOR BC 547     |          |  | 23A/094  | 2.00  | UNIT |  |  |  |
| 4580 | TRANSISTOR BC 547B    |          |  | 23A/095  | 2.00  | UNIT |  |  |  |
| 4571 | TRANSISTOR BC 327     |          |  | 23A/096  | 2.00  | UNIT |  |  |  |
| 4405 | TRANSISTOR 2N 5486    |          |  | 23A/097  | 2.00  | UNIT |  |  |  |
| 4906 | TRANSISTOR TIP 32 W/I | N        |  | 23A/099  | 2.00  | UNIT |  |  |  |
| 2677 | MIXER DOUBLE BALANCE  | CMI-HF   |  | 23A/127  | 2.00  | UNIT |  |  |  |
| 1267 | DIODE BYW 77-100      |          |  | 23B/001  | 2.00  | UNIT |  |  |  |
| 1407 | DIODE IN 4933         |          |  | 23B/001A | 2.00  | UNIT |  |  |  |
| 1268 | DIODE BYW 92-150      |          |  | 23B/002  | 3.00  | UNIT |  |  |  |
| 1528 | DIODE PIN HP 82-3080  |          |  | 23B/003B | 1.00  | UNIT |  |  |  |
| 1720 | DIODE ZENER IN 702    |          |  | 23B/003C | 1.00  | UNIT |  |  |  |

## INDEXB

|      |                       |            |  |          |      |      |  |  |  |
|------|-----------------------|------------|--|----------|------|------|--|--|--|
| 1681 | DIODE ZENER BZX 85    | 8.2 V      |  | 23B/004  | 2.00 | UNIT |  |  |  |
| 1373 | DIODE IN 3070         |            |  | 23B/004C | 2.00 | UNIT |  |  |  |
| 1430 | DIODE IN 5826         |            |  | 23B/004C | 2.00 | UNIT |  |  |  |
| 1426 | DIODE IN 5417         |            |  | 23B/006  | 3.00 | UNIT |  |  |  |
| 1659 | DIODE ZENER BYV28/200 |            |  | 23B/006C | 2.00 | UNIT |  |  |  |
| 1687 | DIODE ZENER BZX 85C-  | 10 V       |  | 23B/007  | 2.00 | UNIT |  |  |  |
| 1688 | DIODE ZENER BZX 85C-  | 5V6        |  | 23B/007B | 2.00 | UNIT |  |  |  |
| 1666 | DIODE ZENER BZX 46C   | 2V7        |  | 23B/008B | 2.00 | UNIT |  |  |  |
| 1354 | DIODE ICT 5           |            |  | 23B/008C | 2.00 | UNIT |  |  |  |
| 1378 | DIODE IN 3913         |            |  | 23B/009  | 2.00 | UNIT |  |  |  |
| 1325 | DIODE FR 501          |            |  | 23B/009A | 2.00 | UNIT |  |  |  |
| 1686 | DIODE ZENER BZX 85C   | 3V3        |  | 23B/009B | 4.00 | UNIT |  |  |  |
| 1676 | DIODE ZENER BZX 79C   | 9V1        |  | 23B/009C | 3.00 | UNIT |  |  |  |
| 1665 | DIODE ZENER BZX 46-   | C18V       |  | 23B/010  | 1.00 | UNIT |  |  |  |
| 1669 | DIODE ZENER BZX 55-   | C8V        |  | 23B/011  | 3.00 | UNIT |  |  |  |
| 1269 | DIODE BYW 92-150      |            |  | 23B/011A | 3.00 | UNIT |  |  |  |
| 1667 | DIODE ZENER BZX 46C   | 5V1        |  | 23B/011B | 2.00 | UNIT |  |  |  |
| 1685 | DIODE ZENER BZX 85-   | C15V       |  | 23B/013  | 3.00 | UNIT |  |  |  |
| 1689 | DIODE ZENER BZX 85C-  | 33V        |  | 23B/014  | 3.00 | UNIT |  |  |  |
| 1208 | DIODE 25B 18          |            |  | 23B/015  | 5.00 | UNIT |  |  |  |
| 1670 | DIODE ZENER BZX 55C18 | BZY 88C 18 |  | 23B/017  | 5.00 | UNIT |  |  |  |
| 1437 | DIODE IN 914          |            |  | 23B/038  | 1.00 | UNIT |  |  |  |
| 1403 | DIODE IN 4752         |            |  | 23B/039  | 1.00 | UNIT |  |  |  |
| 4701 | TRANSISTOR BSD 213    |            |  | 23B/041A | 5.00 | UNIT |  |  |  |

## INDEXB

|      |                       |       |  |          |      |      |  |  |  |
|------|-----------------------|-------|--|----------|------|------|--|--|--|
| 4413 | TRANSISTOR 2N 5647    |       |  | 23B/041B | 3.00 | UNIT |  |  |  |
| 4725 | TRANSISTOR BUX 54     |       |  | 23B/042  | 2.00 | UNIT |  |  |  |
| 4645 | TRANSISTOR BF 410B/   | T 018 |  | 23B/042A | 5.00 | UNIT |  |  |  |
| 4755 | TRANSISTOR DTC 143 XS |       |  | 23B/042B | 5.00 | UNIT |  |  |  |
| 4839 | TRANSISTOR PN 4258    |       |  | 23B/043A | 5.00 | UNIT |  |  |  |
| 4754 | TRANSISTOR DTC 134 ES |       |  | 23B/043B | 5.00 | UNIT |  |  |  |
| 4249 | TRANSISTOR 25C 945    |       |  | 23B/044A | 3.00 | UNIT |  |  |  |
| 4242 | TRANSISTOR 25C 2230A  |       |  | 23B/044B | 4.00 | UNIT |  |  |  |
| 4246 | TRANSISTOR 25C 3318S  |       |  | 23B/044C | 4.00 | UNIT |  |  |  |
| 4244 | TRANSISTOR 25C 2901   |       |  | 23B/045A | 4.00 | UNIT |  |  |  |
| 4243 | TRANSISTOR 25C 2785   |       |  | 23B/045B | 6.00 | UNIT |  |  |  |
| 4247 | TRANSISTOR 25C 3355   |       |  | 23B/045C | 5.00 | UNIT |  |  |  |
| 4245 | TRANSISTOR 25C 3260   |       |  | 23B/046A | 6.00 | UNIT |  |  |  |
| 4239 | TRANSISTOR 25B 734    |       |  | 23B/046B | 4.00 | UNIT |  |  |  |
| 4241 | TRANSISTOR 25B 940P   |       |  | 23B/046C | 4.00 | UNIT |  |  |  |
| 4240 | TRANSISTOR 25B 740    |       |  | 23B/047A | 4.00 | UNIT |  |  |  |
| 4237 | TRANSISTOR 25A 1015   |       |  | 23B/047B | 3.00 | UNIT |  |  |  |
| 4238 | TRANSISTOR 25A 1175   |       |  | 23B/047C | 8.00 | UNIT |  |  |  |
| 4236 | TRANSISTOR 25A 1005L  |       |  | 23B/048A | 4.00 | UNIT |  |  |  |
| 4253 | TRANSISTOR 25D 774    |       |  | 23B/048B | 4.00 | UNIT |  |  |  |
| 4250 | TRANSISTOR 25D 1134   |       |  | 23B/048C | 4.00 | UNIT |  |  |  |
| 4761 | TRANSISTOR FET BF245A |       |  | 23B/049  | 6.00 | UNIT |  |  |  |
| 4252 | TRANSISTOR 25D 1887CA |       |  | 23B/049A | 4.00 | UNIT |  |  |  |
| 4251 | TRANSISTOR 25D 1264P  |       |  | 23B/049B | 4.00 | UNIT |  |  |  |

## INDEXB

|      |                       |   |  |          |       |      |  |  |  |
|------|-----------------------|---|--|----------|-------|------|--|--|--|
| 4704 | TRANSISTOR BSX 20     |   |  | 23B/050A | 3.00  | UNIT |  |  |  |
| 4709 | TRANSISTOR BSX 60     |   |  | 23B/050B | 3.00  | UNIT |  |  |  |
| 4708 | TRANSISTOR BSX 52A    |   |  | 23B/050C | 0.00  | UNIT |  |  |  |
| 4535 | TRANSISTOR BC 107     |   |  | 23B/051B | 10.00 | UNIT |  |  |  |
| 4555 | TRANSISTOR BC 177B    |   |  | 23B/052  | 6.00  | UNIT |  |  |  |
| 4638 | TRANSISTOR BF 247A    |   |  | 23B/053A | 3.00  | UNIT |  |  |  |
| 4343 | TRANSISTOR 2N 4033    |   |  | 23B/054  | 5.00  | UNIT |  |  |  |
| 4724 | TRANSISTOR BUX 49     |   |  | 23B/054A | 4.00  | UNIT |  |  |  |
| 4934 | TRANSISTOR UPTA 530   |   |  | 23B/054B | 3.00  | UNIT |  |  |  |
| 4800 | TRANSISTOR MPSA 17    |   |  | 23B/054C | 3.00  | UNIT |  |  |  |
| 4354 | TRANSISTOR 2N 4240    |   |  | 23B/055  | 5.00  | UNIT |  |  |  |
| 4899 | TRANSISTOR TIP 29C    |   |  | 23B/055A | 3.00  | UNIT |  |  |  |
| 4919 | TRANSISTOR TL 430     |   |  | 23B/056A | 6.00  | UNIT |  |  |  |
| 4948 | TRANSISTOR ZTX 450    |   |  | 23B/056B | 3.00  | UNIT |  |  |  |
| 4950 | TRANSISTOR ZTX 550    |   |  | 23B/056C | 3.00  | UNIT |  |  |  |
| 4581 | TRANSISTOR BC 547B    |   |  | 23B/057  | 5.00  | UNIT |  |  |  |
| 4783 | TRANSISTOR MJ 10023   |   |  | 23B/057A | 4.00  | UNIT |  |  |  |
| 4760 | TRANSISTOR FET BF 244 | B |  | 23B/058  | 5.00  | UNIT |  |  |  |
| 4793 | TRANSISTOR MM 5416    |   |  | 23B/058A | 4.00  | UNIT |  |  |  |
| 4795 | TRANSISTOR MPS 918    |   |  | 23B/059  | 8.00  | UNIT |  |  |  |
| 4442 | TRANSISTOR 2N3459     |   |  | 23B/059A | 4.00  | UNIT |  |  |  |
| 4455 | TRANSISTOR 2N4858     |   |  | 23B/059B | 4.00  | UNIT |  |  |  |
| 4905 | TRANSISTOR TIP 32     |   |  | 23B/060  | 20.00 | UNIT |  |  |  |
| 4264 | TRANSISTOR 2N 1893    |   |  | 23B/060A | 4.00  | UNIT |  |  |  |

## INDEXB

|      |                      |  |  |          |       |      |  |  |  |
|------|----------------------|--|--|----------|-------|------|--|--|--|
| 4774 | TRANSISTOR J 309     |  |  | 23B/061  | 5.00  | UNIT |  |  |  |
| 4256 | TRANSISTOR 2N 1003   |  |  | 23B/062  | 5.00  | UNIT |  |  |  |
| 4659 | TRANSISTOR BFR41 T05 |  |  | 23B/063  | 3.00  | UNIT |  |  |  |
| 4375 | TRANSISTOR 2N 4906   |  |  | 23B/063A | 2.00  | UNIT |  |  |  |
| 4299 | TRANSISTOR 2N 2906   |  |  | 23B/063B | 3.00  | UNIT |  |  |  |
| 4263 | TRANSISTOR 2N 1724   |  |  | 23B/063C | 3.00  | UNIT |  |  |  |
| 4435 | TRANSISTOR 2N 956    |  |  | 23B/064B | 3.00  | UNIT |  |  |  |
| 4372 | TRANSISTOR 2N 4889   |  |  | 23B/065  | 3.00  | UNIT |  |  |  |
| 4617 | TRANSISTOR BF 115    |  |  | 23B/066  | 4.00  | UNIT |  |  |  |
| 4288 | TRANSISTOR 2N 2857   |  |  | 23B/066A | 2.00  | UNIT |  |  |  |
| 4403 | TRANSISTOR 2N 5461   |  |  | 23B/066C | 4.00  | UNIT |  |  |  |
| 4481 | TRANSISTOR 3N 187    |  |  | 23B/067A | 4.00  | UNIT |  |  |  |
| 4501 | TRANSISTOR 630 IRF   |  |  | 23B/068C | 3.00  | UNIT |  |  |  |
| 4397 | TRANSISTOR 2N 5447   |  |  | 23B/069  | 3.00  | UNIT |  |  |  |
| 4502 | TRANSISTOR 850 IRF   |  |  | 23B/069A | 3.00  | UNIT |  |  |  |
| 4564 | TRANSISTOR BC 212L   |  |  | 23B/069B | 2.00  | UNIT |  |  |  |
| 4271 | TRANSISTOR 2N 2219A  |  |  | 23B/070A | 2.00  | UNIT |  |  |  |
| 4312 | TRANSISTOR 2N 3440   |  |  | 23B/070B | 2.00  | UNIT |  |  |  |
| 4907 | TRANSISTOR TIP 32A   |  |  | 23B/070C | 12.00 | UNIT |  |  |  |
| 4911 | TRANSISTOR TIP 41A   |  |  | 23B/072A | 5.00  | UNIT |  |  |  |
| 4908 | TRANSISTOR TIP 33A   |  |  | 23B/072B | 10.00 | UNIT |  |  |  |
| 4674 | TRANSISTOR BFX 85    |  |  | 23B/072C | 6.00  | UNIT |  |  |  |
| 4402 | TRANSISTOR 2N 5459   |  |  | 23B/073  | 3.00  | UNIT |  |  |  |
| 4682 | TRANSISTOR BFY 50    |  |  | 23B/073A | 6.00  | UNIT |  |  |  |

## INDEXB

|      |                       |  |  |          |      |      |  |  |  |
|------|-----------------------|--|--|----------|------|------|--|--|--|
| 4355 | TRANSISTOR 2N 4240    |  |  | 23B/073B | 6.00 | UNIT |  |  |  |
| 4941 | TRANSISTOR ZT 310     |  |  | 23B/075  | 4.00 | UNIT |  |  |  |
| 4289 | TRANSISTOR 2N 2891    |  |  | 23B/075B | 2.00 | UNIT |  |  |  |
| 4610 | TRANSISTOR BDY 58     |  |  | 23B/075C | 2.00 | UNIT |  |  |  |
| 4944 | TRANSISTOR ZTX 312    |  |  | 23B/076  | 4.00 | UNIT |  |  |  |
| 4723 | TRANSISTOR BUX 41N    |  |  | 23B/076A | 4.00 | UNIT |  |  |  |
| 4383 | TRANSISTOR 2N 5191    |  |  | 23B/076C | 3.00 | UNIT |  |  |  |
| 4775 | TRANSISTOR J 310      |  |  | 23B/077  | 8.00 | UNIT |  |  |  |
| 4384 | TRANSISTOR 2N 5194    |  |  | 23B/077A | 3.00 | UNIT |  |  |  |
| 4801 | TRANSISTOR MPSA 42    |  |  | 23B/077B | 6.00 | UNIT |  |  |  |
| 4642 | TRANSISTOR BF 256B    |  |  | 23B/078  | 3.00 | UNIT |  |  |  |
| 4802 | TRANSISTOR MPSA 92    |  |  | 23B/078A | 6.00 | UNIT |  |  |  |
| 4799 | TRANSISTOR MPSA 13    |  |  | 23B/078B | 6.00 | UNIT |  |  |  |
| 4834 | TRANSISTOR PBC 108    |  |  | 23B/079A | 3.00 | UNIT |  |  |  |
| 4837 | TRANSISTOR PBC 108B   |  |  | 23B/079B | 6.00 | UNIT |  |  |  |
| 4636 | TRANSISTOR BF 244B    |  |  | 23B/079C | 6.00 | UNIT |  |  |  |
| 4368 | TRANSISTOR 2N 4427    |  |  | 23B/080  | 3.00 | UNIT |  |  |  |
| 4398 | TRANSISTOR 2N 5447    |  |  | 23B/080A | 6.00 | UNIT |  |  |  |
| 4946 | TRANSISTOR ZTX 327    |  |  | 23B/080B | 6.00 | UNIT |  |  |  |
| 4302 | TRANSISTOR 2N 2907    |  |  | 23B/081B | 6.00 | UNIT |  |  |  |
| 4273 | TRANSISTOR 2N 2221A   |  |  | 23B/081C | 3.00 | UNIT |  |  |  |
| 4419 | TRANSISTOR 2N 6109    |  |  | 23B/082  | 2.00 | UNIT |  |  |  |
| 4719 | TRANSISTOR BU 407     |  |  | 23B/082B | 6.00 | UNIT |  |  |  |
| 4796 | TRANSISTOR MPS 918-18 |  |  | 23B/083A | 6.00 | UNIT |  |  |  |

## INDEXB

|      |                    |  |  |          |       |      |  |  |  |
|------|--------------------|--|--|----------|-------|------|--|--|--|
| 4914 | TRANSISTOR TIS 88  |  |  | 23B/083B | 6.00  | UNIT |  |  |  |
| 4773 | TRANSISTOR J 109   |  |  | 23B/084A | 6.00  | UNIT |  |  |  |
| 4913 | TRANSISTOR TIS 43  |  |  | 23B/084B | 6.00  | UNIT |  |  |  |
| 4260 | TRANSISTOR 2N 1617 |  |  | 23B/085A | 36.00 | UNIT |  |  |  |
| 4562 | TRANSISTOR BC 197B |  |  | 23B/085B | 10.00 | UNIT |  |  |  |
| 4378 | TRANSISTOR 2N 5051 |  |  | 23B/086A | 48.00 | UNIT |  |  |  |
| 4565 | TRANSISTOR BC 212L |  |  | 23B/087  | 6.00  | UNIT |  |  |  |
| 4920 | TRANSISTOR TP 2314 |  |  | 23B/087A | 6.00  | UNIT |  |  |  |
| 4622 | TRANSISTOR BF 167  |  |  | 23B/090  | 2.00  | UNIT |  |  |  |
| 4627 | TRANSISTOR BF 180  |  |  | 23B/091  | 2.00  | UNIT |  |  |  |
| 4374 | TRANSISTOR 2N 4901 |  |  | 23B/092  | 2.00  | UNIT |  |  |  |
| 4705 | TRANSISTOR BSX 20  |  |  | 23B/093  | 2.00  | UNIT |  |  |  |
| 4406 | TRANSISTOR 2N 5551 |  |  | 23B/098  | 6.00  | UNIT |  |  |  |
| 4897 | TRANSISTOR TIP 125 |  |  | 23B/099  | 5.00  | UNIT |  |  |  |
| 4423 | TRANSISTOR 2N 6282 |  |  | 23B/100  | 4.00  | UNIT |  |  |  |
| 4895 | TRANSISTOR TIP 116 |  |  | 23B/101  | 6.00  | UNIT |  |  |  |
| 4894 | TRANSISTOR TIP 111 |  |  | 23B/102  | 3.00  | UNIT |  |  |  |
| 4575 | TRANSISTOR BC 447  |  |  | 23B/109  | 15.00 | UNIT |  |  |  |
| 1422 | DIODE IN 5359B     |  |  | 23B/10B  | 10.00 | UNIT |  |  |  |
| 4678 | TRANSISTOR BFX 88  |  |  | 23B/110  | 5.00  | UNIT |  |  |  |
| 4665 | TRANSISTOR BFW 16A |  |  | 23B/111  | 5.00  | UNIT |  |  |  |
| 4336 | TRANSISTOR 2N 3866 |  |  | 23B/113  | 5.00  | UNIT |  |  |  |
| 4315 | TRANSISTOR 2N 3553 |  |  | 23B/114  | 3.00  | UNIT |  |  |  |
| 4490 | TRANSISTOR 40314   |  |  | 23B/115  | 5.00  | UNIT |  |  |  |

## INDEXB

|      |                    |          |  |          |      |      |  |  |  |
|------|--------------------|----------|--|----------|------|------|--|--|--|
| 4493 | TRANSISTOR 40319   |          |  | 23B/116  | 5.00 | UNIT |  |  |  |
| 4410 | TRANSISTOR 2N 5630 |          |  | 23B/118  | 3.00 | UNIT |  |  |  |
| 4268 | TRANSISTOR 2N 2219 |          |  | 23B/120  | 2.00 | UNIT |  |  |  |
| 4349 | TRANSISTOR 2N 4222 |          |  | 23B/121  | 6.00 | UNIT |  |  |  |
| 4293 | TRANSISTOR 2N 2904 |          |  | 23B/123  | 3.00 | UNIT |  |  |  |
| 2128 | IC AN 5753         |          |  | 23B/125A | 3.00 | UNIT |  |  |  |
| 2436 | IC TDA 1170N       |          |  | 23B/125B | 3.00 | UNIT |  |  |  |
| 2440 | IC TLO 74CN        |          |  | 23B/126A | 4.00 | UNIT |  |  |  |
| 2235 | IC LM 393N         |          |  | 23B/126B | 4.00 | UNIT |  |  |  |
| 2435 | IC TBBO 747A       | UA 747DM |  | 23B/127  | 6.00 | UNIT |  |  |  |
| 2250 | IC MC 14056BCL     |          |  | 23B/127C | 3.00 | UNIT |  |  |  |
| 2221 | IC LM 13080N       |          |  | 23B/128  | 2.00 | UNIT |  |  |  |
| 2254 | IC MC 14511BCL     |          |  | 23B/128A | 5.00 | UNIT |  |  |  |
| 2505 | IC UPC 4558C       |          |  | 23B/128B | 4.00 | UNIT |  |  |  |
| 2244 | IC MA 741          |          |  | 23B/129A | 5.00 | UNIT |  |  |  |
| 2194 | IC HD 14538BP      |          |  | 23B/129B | 4.00 | UNIT |  |  |  |
| 2117 | IC 74LS08          |          |  | 23B/130  | 4.00 | UNIT |  |  |  |
| 2426 | IC SP 863 O        |          |  | 23B/130C | 3.00 | UNIT |  |  |  |
| 2255 | IC MC 14516BCP     |          |  | 23B/131A | 4.00 | UNIT |  |  |  |
| 2188 | IC F 4019DC        |          |  | 23B/131C | 4.00 | UNIT |  |  |  |
| 2230 | IC LM 340T15       |          |  | 23B/132  | 8.00 | UNIT |  |  |  |
| 2189 | IC F 95H90DC       |          |  | 23B/132A | 3.00 | UNIT |  |  |  |
| 2195 | IC HEF 4029BD      |          |  | 23B/132B | 3.00 | UNIT |  |  |  |
| 2503 | IC UGH 7812393     |          |  | 23B/133A | 3.00 | UNIT |  |  |  |

## INDEXB

|      |               |        |  |          |      |      |  |  |  |
|------|---------------|--------|--|----------|------|------|--|--|--|
| 2345 | IC SN 5402    |        |  | 23B/134  | 2.00 | UNIT |  |  |  |
| 2173 | IC D 8253C/5A |        |  | 23B/134C | 2.00 | UNIT |  |  |  |
| 2346 | IC SN 5404    | [3404] |  | 23B/135  | 2.00 | UNIT |  |  |  |
| 2131 | IC BGY 23     |        |  | 23B/135A | 2.00 | UNIT |  |  |  |
| 2172 | IC D 8085AHC  |        |  | 23B/135B | 2.00 | UNIT |  |  |  |
| 2348 | IC SN 5407    |        |  | 23B/136  | 3.00 | UNIT |  |  |  |
| 2155 | IC CD 4042AE  |        |  | 23B/136A | 3.00 | UNIT |  |  |  |
| 2150 | IC CD 4013AE  |        |  | 23B/136B | 5.00 | UNIT |  |  |  |
| 2350 | IC SN 5410    | [3410] |  | 23B/137  | 2.00 | UNIT |  |  |  |
| 2147 | IC CD 4012AE  |        |  | 23B/137A | 3.00 | UNIT |  |  |  |
| 2358 | IC SN 5413    |        |  | 23B/138  | 2.00 | UNIT |  |  |  |
| 2109 | IC 74LS125    |        |  | 23B/138B | 3.00 | UNIT |  |  |  |
| 2049 | IC 54LS112    |        |  | 23B/138C | 4.00 | UNIT |  |  |  |
| 2050 | IC 54LS163    |        |  | 23B/139A | 6.00 | UNIT |  |  |  |
| 2415 | IC SN 84551N  |        |  | 23B/140A | 2.00 | UNIT |  |  |  |
| 2414 | IC SN 845112N |        |  | 23B/140B | 3.00 | UNIT |  |  |  |
| 2347 | IC SN 5404    |        |  | 23B/140C | 7.00 | UNIT |  |  |  |
| 2357 | IC SN 5412N   |        |  | 23B/141A | 2.00 | UNIT |  |  |  |
| 2344 | IC SN 5400N   |        |  | 23B/141B | 2.00 | UNIT |  |  |  |
| 2364 | IC SN 5442    |        |  | 23B/141C | 5.00 | UNIT |  |  |  |
| 2366 | IC SN 5473    |        |  | 23B/142A | 5.00 | UNIT |  |  |  |
| 2368 | IC SN 5473N   |        |  | 23B/142B | 2.00 | UNIT |  |  |  |
| 2369 | IC SN 5474    |        |  | 23B/142C | 5.00 | UNIT |  |  |  |
| 2370 | IC SN 5484    |        |  | 23B/143  | 3.00 | UNIT |  |  |  |

## INDEXB

|      |              |          |  |          |       |      |  |  |  |
|------|--------------|----------|--|----------|-------|------|--|--|--|
| 2371 | IC SN 5486   |          |  | 23B/143A | 3.00  | UNIT |  |  |  |
| 2373 | IC SN 5490   |          |  | 23B/143B | 5.00  | UNIT |  |  |  |
| 2372 | IC SN 5486   |          |  | 23B/144  | 2.00  | UNIT |  |  |  |
| 2354 | IC SN 54123  |          |  | 23B/144A | 5.00  | UNIT |  |  |  |
| 2360 | IC SN 54145N |          |  | 23B/144B | 2.00  | UNIT |  |  |  |
| 2365 | IC SN 5445N  |          |  | 23B/144C | 2.00  | UNIT |  |  |  |
| 2374 | IC SN 5493N  |          |  | 23B/145A | 2.00  | UNIT |  |  |  |
| 2361 | IC SN 5420N  |          |  | 23B/145B | 2.00  | UNIT |  |  |  |
| 2367 | IC SN 5473   |          |  | 23B/145C | 2.00  | UNIT |  |  |  |
| 2362 | IC SN 5422N  |          |  | 23B/145D | 2.00  | UNIT |  |  |  |
| 2351 | IC SN 54121  |          |  | 23B/146  | 2.00  | UNIT |  |  |  |
| 2207 | IC LF 355N   |          |  | 23B/146A | 3.00  | UNIT |  |  |  |
| 2206 | IC LF 347N   |          |  | 23B/146B | 3.00  | UNIT |  |  |  |
| 2355 | IC SN 54123  |          |  | 23B/147  | 2.00  | UNIT |  |  |  |
| 2298 | IC NE 555    |          |  | 23B/147A | 12.00 | UNIT |  |  |  |
| 2154 | IC CD 4042   |          |  | 23B/147B | 3.00  | UNIT |  |  |  |
| 2148 | IC CD 4013   |          |  | 23B/148A | 5.00  | UNIT |  |  |  |
| 2158 | IC CD 4093   |          |  | 23B/148B | 3.00  | UNIT |  |  |  |
| 2152 | IC CD 4017   |          |  | 23B/148C | 2.00  | UNIT |  |  |  |
| 2258 | IC MC 1710   | [710 PC] |  | 23B/149  | 3.00  | UNIT |  |  |  |
| 2159 | IC CD 4532   |          |  | 23B/149B | 3.00  | UNIT |  |  |  |
| 2114 | IC 74LS245   |          |  | 23B/149C | 3.00  | UNIT |  |  |  |
| 2111 | IC 74LS139   |          |  | 23B/150A | 3.00  | UNIT |  |  |  |
| 2108 | IC 74LS10    |          |  | 23B/150B | 2.00  | UNIT |  |  |  |

## INDEXB

|      |                  |              |   |          |       |      |  |  |  |
|------|------------------|--------------|---|----------|-------|------|--|--|--|
| 2107 | IC 74LS08        |              |   | 23B/150C | 3.00  | UNIT |  |  |  |
| 2115 | IC 74LS26        |              |   | 23B/150D | 3.00  | UNIT |  |  |  |
| 2110 | IC 74LS125       |              |   | 23B/151A | 3.00  | UNIT |  |  |  |
| 2199 | IC ICM 7218B     |              |   | 23B/151B | 3.00  | UNIT |  |  |  |
| 2044 | IC 4702          |              |   | 23B/151C | 3.00  | UNIT |  |  |  |
| 2508 | IC Z80 ACP3      |              |   | 23B/151D | 2.00  | UNIT |  |  |  |
| 2509 | IC Z80 S10/0     |              |   | 23B/152A | 2.00  | UNIT |  |  |  |
| 2118 | IC 7912CT        |              |   | 23B/152B | 3.00  | UNIT |  |  |  |
| 3120 | REGULATOR 7905CT |              |   | 23B/153A | 2.00  | UNIT |  |  |  |
| 2018 | IC 10115         |              |   | 23B/153C | 1.00  | UNIT |  |  |  |
| 2121 | IC 8284          |              |   | 23B/155  | 12.00 | UNIT |  |  |  |
| 2431 | IC TBA 790 LS    |              |   | 23B/155B | 3.00  | UNIT |  |  |  |
| 2091 | IC 74390         |              |   | 23B/156  | 9.00  | UNIT |  |  |  |
| 2441 | IC TLO 82CP      |              |   | 23B/156A | 4.00  | UNIT |  |  |  |
| 2231 | IC LM 35 OK      |              |   | 23B/156B | 6.00  | UNIT |  |  |  |
| 2081 | IC 7416N         |              |   | 23B/157  | 9.00  | UNIT |  |  |  |
| 2224 | IC LM 244H       |              |   | 23B/157A | 4.00  | UNIT |  |  |  |
| 2340 | IC SL 640        |              |   | 23B/157B | 2.00  | UNIT |  |  |  |
| 2092 | IC 74393N        |              |   | 23B/158  | 3.00  | UNIT |  |  |  |
| 2140 | IC CB 4011AD     |              |   | 23B/158A | 4.00  | UNIT |  |  |  |
| 2141 | IC CB 4017AD     |              |   | 23B/158B | 2.00  | UNIT |  |  |  |
| 2024 | IC 2101A         | [MJL 2101AP- | 4 | 23B/159  | 12.00 | UNIT |  |  |  |
| 2090 | IC 7437N         |              |   | 23B/160  | 9.00  | UNIT |  |  |  |
| 2113 | IC 74LS193N      |              |   | 23B/161  | 3.00  | UNIT |  |  |  |

## INDEXB

|      |                       |              |      |          |       |      |  |  |  |
|------|-----------------------|--------------|------|----------|-------|------|--|--|--|
| 2084 | IC 74195N             |              |      | 23B/162  | 9.00  | UNIT |  |  |  |
| 2100 | IC 7497N              |              |      | 23B/163  | 3.00  | UNIT |  |  |  |
| 2120 | IC 8216               |              |      | 23B/164  | 12.00 | UNIT |  |  |  |
| 2094 | IC 7451               |              |      | 23B/165  | 3.00  | UNIT |  |  |  |
| 2080 | IC 74166N             |              |      | 23B/166  | 9.00  | UNIT |  |  |  |
| 2290 | IC MMJ 5307AW         | MMJ 5307DQX/ | N    | 23B/167  | 6.00  | UNIT |  |  |  |
| 2022 | IC 2017               |              |      | 23B/168  | 6.00  | UNIT |  |  |  |
| 2058 | IC 6810               |              |      | 23B/170  | 6.00  | UNIT |  |  |  |
| 2116 | IC 74LS86N            |              |      | 23B/171  | 3.00  | UNIT |  |  |  |
| 2096 | IC 747CN              | UA 747DM     |      | 23B/179  | 1.00  | UNIT |  |  |  |
| 1729 | DIODE ZENER V332 X    |              |      | 23B/18   | 12.00 | UNIT |  |  |  |
| 2104 | IC 74HC14N            |              |      | 23B/181  | 4.00  | UNIT |  |  |  |
| 2105 | IC 74HC85N            |              |      | 23B/182  | 4.00  | UNIT |  |  |  |
| 2112 | IC 74LS192N           |              |      | 23B/183  | 2.00  | UNIT |  |  |  |
| 2032 | IC 4001B              |              |      | 23B/184  | 3.00  | UNIT |  |  |  |
| 2133 | IC BLX 13             |              |      | 23B/185  | 12.00 | UNIT |  |  |  |
| 2236 | IC LM 723             |              |      | 23B/186E | 1.00  | UNIT |  |  |  |
| 2197 | IC HOLDER 16 PIN      |              |      | 23B/187A | 7.00  | UNIT |  |  |  |
| 2196 | IC HOLDER 14 PIN      |              |      | 23B/189  | 3.00  | UNIT |  |  |  |
| 5084 | VOLTAGE REGULATOR     | 305-888      | 7805 | 23B/190  | 8.00  | UNIT |  |  |  |
| 100  | BRIDGE RECTIFIER 6A/  | 200V 262-078 |      | 23B/191  | 4     | UNIT |  |  |  |
| 2151 | IC CD 4013BE          |              |      | 23B/192  | 5.00  | UNIT |  |  |  |
| 4903 | TRANSISTOR TIP 31A    |              |      | 23C/001  | 10.00 | UNIT |  |  |  |
| 4248 | TRANSISTOR 25C 4035P3 |              |      | 23C/001A | 10.00 | UNIT |  |  |  |

## INDEXB

|      |                       |     |  |          |       |      |  |  |  |
|------|-----------------------|-----|--|----------|-------|------|--|--|--|
| 2003 | HEXFET IRF 630        |     |  | 23C/002  | 2.00  | UNIT |  |  |  |
| 2004 | HEXFET IRF 830        |     |  | 23C/003  | 5.00  | UNIT |  |  |  |
| 4276 | TRANSISTOR 2N 2222A   |     |  | 23C/004  | 10.00 | UNIT |  |  |  |
| 4784 | TRANSISTOR MJ 10023   |     |  | 23C/005A | 10.00 | UNIT |  |  |  |
| 4364 | TRANSISTOR 2N 4402    |     |  | 23C/006  | 10.00 | UNIT |  |  |  |
| 4940 | TRANSISTOR WN 1003    |     |  | 23C/006A | 10.00 | UNIT |  |  |  |
| 4566 | TRANSISTOR BC 212L    |     |  | 23C/007  | 10.00 | UNIT |  |  |  |
| 4341 | TRANSISTOR 2N 3904    |     |  | 23C/008  | 10.00 | UNIT |  |  |  |
| 4325 | TRANSISTOR 2N 3704    |     |  | 23C/009  | 10.00 | UNIT |  |  |  |
| 4557 | TRANSISTOR BC 182L    |     |  | 23C/010  | 10.00 | UNIT |  |  |  |
| 395  | CAPACITOR 470 UF 200V |     |  | 23C/012  | 2.00  | UNIT |  |  |  |
| 248  | CAPACITOR 10,000 UF   | 16V |  | 23C/013  | 3.00  | UNIT |  |  |  |
| 421  | CAPACITOR 680 UF 200V |     |  | 23C/014  | 3.00  | UNIT |  |  |  |
| 338  | CAPACITOR 22,000 UF   | 25V |  | 23C/015  | 2.00  | UNIT |  |  |  |
| 531  | CAPACITOR ELEC 6.8 UF |     |  | 23C/017  | 5.00  | UNIT |  |  |  |
| 530  | CAPACITOR ELEC 47 UF  |     |  | 23C/018  | 5.00  | UNIT |  |  |  |
| 524  | CAPACITOR ELEC 22 UF  |     |  | 23C/019  | 5.00  | UNIT |  |  |  |
| 528  | CAPACITOR ELEC 33 UF  |     |  | 23C/020  | 5.00  | UNIT |  |  |  |
| 519  | CAPACITOR ELEC 10 UF  |     |  | 23C/021  | 5.00  | UNIT |  |  |  |
| 3776 | SIL BRIDGE 0.9A 400V  |     |  | 23C/022  | 5.00  | UNIT |  |  |  |
| 3780 | SIL BRIDGE 2A 600V    |     |  | 23C/023  | 4.00  | UNIT |  |  |  |
| 1558 | DIODE SILICON IN 5404 |     |  | 23C/024  | 10.00 | UNIT |  |  |  |
| 1552 | DIODE SILICON 6A 600V |     |  | 23C/025  | 5.00  | UNIT |  |  |  |
| 1554 | DIODE SILICON BY 127  |     |  | 23C/026  | 10.00 | UNIT |  |  |  |

## INDEXB

|      |                       |      |  |          |       |      |  |  |  |
|------|-----------------------|------|--|----------|-------|------|--|--|--|
| 1557 | DIODE SILICON IN 4004 |      |  | 23C/027  | 0.00  | UNIT |  |  |  |
| 1555 | DIODE SILICON BY 229- | 600  |  | 23C/028  | 4.00  | UNIT |  |  |  |
| 3107 | RECTIFIER FAST UF 400 | 4    |  | 23C/029  | 6.00  | UNIT |  |  |  |
| 3108 | RECTIFIER FAST UF 540 | 4    |  | 23C/030  | 0.00  | UNIT |  |  |  |
| 1556 | DIODE SILICON BY 713  |      |  | 23C/031  | 4.00  | UNIT |  |  |  |
| 1673 | DIODE ZENER BZX 79-   | C5V1 |  | 23C/032  | 5.00  | UNIT |  |  |  |
| 1334 | DIODE GZ 18AR         |      |  | 23C/032A | 10.00 | UNIT |  |  |  |
| 1674 | DIODE ZENER BZX 79-   | C12V |  | 23C/033  | 5.00  | UNIT |  |  |  |
| 1201 | DIODE 110A4           |      |  | 23C/033A | 10.00 | UNIT |  |  |  |
| 1675 | DIODE ZENER BZX 79-   | C15V |  | 23C/034  | 3.00  | UNIT |  |  |  |
| 1254 | DIODE BAX 85          |      |  | 23C/034A | 10.00 | UNIT |  |  |  |
| 1682 | DIODE ZENER BZX 85    | 5.1V |  | 23C/035  | 1.00  | UNIT |  |  |  |
| 1683 | DIODE ZENER BZX 85    | 12V  |  | 23C/036  | 1.00  | UNIT |  |  |  |
| 1684 | DIODE ZENER BZX 85    | 15V  |  | 23C/037  | 1.00  | UNIT |  |  |  |
| 1717 | DIODE ZENER IN 5339B  |      |  | 23C/038  | 4.00  | UNIT |  |  |  |
| 1718 | DIODE ZENER IN 5349B  |      |  | 23C/039  | 4.00  | UNIT |  |  |  |
| 1719 | DIODE ZENER IN 5352B  |      |  | 23C/040  | 4.00  | UNIT |  |  |  |
| 1722 | DIODE ZENER IN 821    |      |  | 23C/041  | 4.00  | UNIT |  |  |  |
| 1723 | DIODE ZENER IN 827    |      |  | 23C/042  | 4.00  | UNIT |  |  |  |
| 2263 | IC MC 78T 05CT        |      |  | 23C/043  | 4.00  | UNIT |  |  |  |
| 2264 | IC MC 78T 12CT        |      |  | 23C/044  | 2.00  | UNIT |  |  |  |
| 2442 | IC TMS 6011NC         |      |  | 23C/044A | 10.00 | UNIT |  |  |  |
| 2299 | IC OP AMP 3130E       |      |  | 23C/045  | 4.00  | UNIT |  |  |  |
| 2243 | IC MA 531PD           |      |  | 23C/045A | 12.00 | UNIT |  |  |  |

## INDEXB

|      |                    |  |  |          |       |      |  |  |  |
|------|--------------------|--|--|----------|-------|------|--|--|--|
| 2405 | IC SN 74LS 240N    |  |  | 23C/046  | 6.00  | UNIT |  |  |  |
| 2425 | IC SP 8601         |  |  | 23C/046A | 0.00  | UNIT |  |  |  |
| 2400 | IC SN 74LS 00N     |  |  | 23C/047  | 3.00  | UNIT |  |  |  |
| 2334 | IC SFF 24023BJV    |  |  | 23C/047A | 5.00  | UNIT |  |  |  |
| 2342 | IC SN 47LS 86N     |  |  | 23C/048  | 4.00  | UNIT |  |  |  |
| 2336 | IC SFF 24027BJV    |  |  | 23C/048A | 5.00  | UNIT |  |  |  |
| 2403 | IC SN 74LS 157N    |  |  | 23C/049  | 4.00  | UNIT |  |  |  |
| 2333 | IC SFF 24013NJV    |  |  | 23C/049A | 5.00  | UNIT |  |  |  |
| 2410 | IC SN 74LS 373N    |  |  | 23C/050  | 4.00  | UNIT |  |  |  |
| 2332 | IC SFF 240049BJV   |  |  | 23C/050A | 5.00  | UNIT |  |  |  |
| 2409 | IC SN 74LS 27N     |  |  | 23C/051  | 4.00  | UNIT |  |  |  |
| 2337 | IC SFF 4162LSEM    |  |  | 23C/051A | 5.00  | UNIT |  |  |  |
| 2408 | IC SN 74LS 273N    |  |  | 23C/052  | 4.00  | UNIT |  |  |  |
| 2335 | IC SFF 24025BJV    |  |  | 23C/052A | 5.00  | UNIT |  |  |  |
| 2407 | IC SN 74LS 245N    |  |  | 23C/053  | 4.00  | UNIT |  |  |  |
| 2331 | IC SESM 1350PT     |  |  | 23C/053A | 10.00 | UNIT |  |  |  |
| 2406 | IC SN 74LS 244N    |  |  | 23C/054  | 0.00  | UNIT |  |  |  |
| 2359 | IC SN 5413         |  |  | 23C/054A | 5.00  | UNIT |  |  |  |
| 2411 | IC SN 74LS 374N    |  |  | 23C/055  | 4.00  | UNIT |  |  |  |
| 2119 | IC 8143H 11-5043-3 |  |  | 23C/055A | 10.00 | UNIT |  |  |  |
| 2101 | IC 74ALS TTL       |  |  | 23C/056  | 4.00  | UNIT |  |  |  |
| 2427 | IC SP 8630B        |  |  | 23C/056A | 0.00  | UNIT |  |  |  |
| 2412 | IC SN 74LS 74AN    |  |  | 23C/057  | 4.00  | UNIT |  |  |  |
| 2052 | IC 5516EAM         |  |  | 23C/057A | 0.00  | UNIT |  |  |  |

## INDEXB

|      |                       |     |  |          |       |      |  |  |  |
|------|-----------------------|-----|--|----------|-------|------|--|--|--|
| 2402 | IC SN 74LS 04N        |     |  | 23C/058  | 3.00  | UNIT |  |  |  |
| 2198 | IC IBA 810            |     |  | 23C/058A | 10.00 | UNIT |  |  |  |
| 2404 | IC SN 74LS 191N       |     |  | 23C/059  | 4.00  | UNIT |  |  |  |
| 2046 | IC 4751               |     |  | 23C/059A | 0.00  | UNIT |  |  |  |
| 2401 | IC SN 74LS 02N        |     |  | 23C/060  | 4.00  | UNIT |  |  |  |
| 2045 | IC 4750               |     |  | 23C/060A | 0.00  | UNIT |  |  |  |
| 2287 | IC MEMORY 4164-15     |     |  | 23C/061  | 0.00  | UNIT |  |  |  |
| 2438 | IC TIMER 555          |     |  | 23C/062  | 2.00  | UNIT |  |  |  |
| 3781 | SINGLE LOW NOISE OP   | AMP |  | 23C/063  | 4.00  | UNIT |  |  |  |
| 2262 | IC MC 7812CT          |     |  | 23C/064  | 0.00  | UNIT |  |  |  |
| 2265 | IC MC 7912CT          |     |  | 23C/065  | 0.00  | UNIT |  |  |  |
| 5085 | VOLTAGE REGULATOR 338 | K   |  | 23C/066  | 1.00  | UNIT |  |  |  |
| 2029 | IC 339 QUAD COMPARATO | R   |  | 23C/067  | 4.00  | UNIT |  |  |  |
| 2496 | IC TYPE SP 8630       |     |  | 23C/068  | 0.00  | UNIT |  |  |  |
| 2495 | IC TYPE SP 8601M      |     |  | 23C/069  | 0.00  | UNIT |  |  |  |
| 2497 | IC TYPE SP 8760M      |     |  | 23C/070  | 0.00  | UNIT |  |  |  |
| 2103 | IC 74HC 244           |     |  | 23C/071  | 0.00  | UNIT |  |  |  |
| 2102 | IC 74HC 154           |     |  | 23C/072  | 0.00  | UNIT |  |  |  |
| 2422 | IC SOCKET 20 PIN      |     |  | 23C/073  | 0.00  | UNIT |  |  |  |
| 2423 | IC SOCKET 24 PIN      |     |  | 23C/074  | 0.00  | UNIT |  |  |  |
| 2237 | IC LM 723             |     |  | 23C/075  | 0.00  | UNIT |  |  |  |
| 2439 | IC TL 084             |     |  | 23C/076  | 0.00  | UNIT |  |  |  |
| 2233 | IC LM 380             |     |  | 23C/077  | 0.00  | UNIT |  |  |  |
| 4086 | TIP 146F              |     |  | 23C/078  | 0.00  | UNIT |  |  |  |

## INDEXB

|      |                       |         |        |         |        |      |  |  |  |
|------|-----------------------|---------|--------|---------|--------|------|--|--|--|
| 4085 | TIP 141F              |         |        | 23C/079 | 0.00   | UNIT |  |  |  |
| 1563 | DIODE SN 5404         |         |        | 23C/080 | 0.00   | UNIT |  |  |  |
| 2143 | IC CD 40106           |         |        | 23C/081 | 3.00   | UNIT |  |  |  |
| 3594 | RESISTOR ASST         |         |        | 24/ 001 | 242.00 | UNIT |  |  |  |
| 3007 | POTENTIOMETER ASST    |         |        | 24/ 003 | 44.00  | UNIT |  |  |  |
| 3772 | SHELL JUNCTION 912683 |         |        | 24/ 004 | 1.00   | UNIT |  |  |  |
| 3712 | RETAINER 914244       |         |        | 24/ 005 | 1.00   | UNIT |  |  |  |
| 2875 | PLUG BN1/5            |         |        | 24/ 006 | 1.00   | UNIT |  |  |  |
| 2558 | JACK LINK CONNECTOR   | 918034  |        | 24/ 007 | 1.00   | UNIT |  |  |  |
| 2661 | LENS AMBER 914255     |         |        | 24/ 008 | 1.00   | UNIT |  |  |  |
| 2912 | PLUG SHORTING 915558  |         |        | 24/ 009 | 1.00   | UNIT |  |  |  |
| 2664 | LENS RED 915364       |         |        | 24/ 010 | 1.00   | UNIT |  |  |  |
| 2663 | LENS CLEAR 915959     |         |        | 24/ 011 | 1.00   | UNIT |  |  |  |
| 2584 | KNOB BLACK 914256     |         |        | 24/ 012 | 2.00   | UNIT |  |  |  |
| 4041 | TERMINAL STRIP 44/79  | 593/10M | 920734 | 24/ 013 | 1.00   | UNIT |  |  |  |
| 1837 | FERROX CUBE HEAD      | FX 2431 | 906751 | 24/ 014 | 1.00   | UNIT |  |  |  |
| 1838 | FERROX CUBE HEAD      | FX 1115 | 900461 | 24/ 015 | 6.00   | UNIT |  |  |  |
| 1839 | FERROX CUBE HEAD      | FX 1242 | 907488 | 24/ 016 | 2.00   | UNIT |  |  |  |
| 4016 | SWITCH S5             | 912063  |        | 24/ 017 | 1.00   | UNIT |  |  |  |
| 2904 | PLUG R41101           | 921449  |        | 24/ 018 | 1.00   | UNIT |  |  |  |
| 2586 | KNOB BR71008/A        |         |        | 24/ 019 | 1.00   | UNIT |  |  |  |
| 1118 | CRYSTAL AD75885       |         |        | 24/ 020 | 1.00   | UNIT |  |  |  |
| 3800 | SOCKET 3 WAY          | 919694  |        | 24/ 021 | 1.00   | UNIT |  |  |  |
| 795  | CLAMP CABLE 919696    |         |        | 24/ 022 | 1.00   | UNIT |  |  |  |

## INDEXB

|      |                       |              |      |         |        |      |  |  |  |
|------|-----------------------|--------------|------|---------|--------|------|--|--|--|
| 2848 | PLUG 15 WAY           | 909729       |      | 24/ 023 | 1.00   | UNIT |  |  |  |
| 1753 | DIODES ASSORTED       |              |      | 24/ 024 | 24.00  | UNIT |  |  |  |
| 2552 | INTEGRATED CIRCUIT    | ASSORTED     |      | 24/ 025 | 14.00  | UNIT |  |  |  |
| 4522 | TRANSISTOR ASSORTED   |              |      | 24/ 026 | 10.00  | UNIT |  |  |  |
| 4832 | TRANSISTOR PADS       |              |      | 24/ 027 | 26.00  | UNIT |  |  |  |
| 3094 | RECTIFIER             |              |      | 24/ 028 | 2.00   | UNIT |  |  |  |
| 2644 | LAMPS 12 VOLTS        | 910188       |      | 24/ 029 | 18.00  | UNIT |  |  |  |
| 1962 | FUSE LINKS L6932A     | 905169       |      | 24/ 030 | 4.00   | UNIT |  |  |  |
| 1963 | FUSE LINKS TDC134/1A  | 912052       |      | 24/ 031 | 4.00   | UNIT |  |  |  |
| 3167 | RELAY 921195          |              |      | 24/ 032 | 8.00   | UNIT |  |  |  |
| 435  | CAPACITOR ASST        |              |      | 24/ 034 | 140.00 | UNIT |  |  |  |
| 1204 | DIODE 15940YPE        |              |      | 24/ 077 | 3.00   | UNIT |  |  |  |
| 1273 | DIODE BYX 36-150      |              |      | 24/ 078 | 6.00   | UNIT |  |  |  |
| 1250 | DIODE BA182           |              |      | 24/ 079 | 2.00   | UNIT |  |  |  |
| 1496 | DIODE MR750           |              |      | 24/ 080 | 2.00   | UNIT |  |  |  |
| 1259 | DIODE BB139           |              |      | 24/ 081 | 7.00   | UNIT |  |  |  |
| 1007 | CONTACTOR R26-402     | S516         |      | 25A/002 | 3.00   | UNIT |  |  |  |
| 296  | CAPACITOR 150 PF 350V | 640          |      | 25A/003 | 4.00   | UNIT |  |  |  |
| 309  | CAPACITOR 160 PF 350V | K641         |      | 25A/004 | 4.00   | UNIT |  |  |  |
| 336  | CAPACITOR 22 PF 350V  | K642         |      | 25A/005 | 2.00   | UNIT |  |  |  |
| 191  | CAPACITOR .33 MF 250V | K646 330 MF  | 250V | 25A/006 | 5.00   | UNIT |  |  |  |
| 194  | CAPACITOR 0.0022 MF   | 250V K648    |      | 25A/008 | 4.00   | UNIT |  |  |  |
| 207  | CAPACITOR 0.1 MF 100V | 100 MF 160V  | K649 | 25A/009 | 4.00   | UNIT |  |  |  |
| 196  | CAPACITOR 0.0047,4.7  | MF 160V K650 |      | 25A/010 | 14.00  | UNIT |  |  |  |

## INDEXB

|      |                       |              |  |         |       |      |  |  |  |
|------|-----------------------|--------------|--|---------|-------|------|--|--|--|
| 195  | CAPACITOR 0.0022,22MF | 160V K651    |  | 25A/011 | 15.00 | UNIT |  |  |  |
| 225  | CAPACITOR 1 MF 40V    | K652         |  | 25A/012 | 7.00  | UNIT |  |  |  |
| 377  | CAPACITOR 4.7 MF 60V  | K653         |  | 25A/013 | 14.00 | UNIT |  |  |  |
| 203  | CAPACITOR 0.033,33 MF | 160V K654    |  | 25A/014 | 13.00 | UNIT |  |  |  |
| 339  | CAPACITOR 22,220 MF   | 160V K659    |  | 25A/015 | 12.00 | UNIT |  |  |  |
| 366  | CAPACITOR 3300 PF 3.3 | MF 160V K661 |  | 25A/016 | 2.00  | UNIT |  |  |  |
| 206  | CAPACITOR 0.047 MF    | 160V K662    |  | 25A/017 | 12.00 | UNIT |  |  |  |
| 214  | CAPACITOR 0.18,180 MF | 63V K663     |  | 25A/018 | 2.00  | UNIT |  |  |  |
| 330  | CAPACITOR 2100 MF 150 | V K665       |  | 25A/019 | 4.00  | UNIT |  |  |  |
| 290  | CAPACITOR 15 MF 200V  | K717         |  | 25A/021 | 1.00  | UNIT |  |  |  |
| 197  | CAPACITOR 0.01 MF     | K667         |  | 25A/022 | 1.00  | UNIT |  |  |  |
| 3827 | SOCKET CANNON 3 W     | P666         |  | 25A/023 | 1.00  | UNIT |  |  |  |
| 3825 | SOCKET CANNON 11 W    | P667         |  | 25A/024 | 1.00  | UNIT |  |  |  |
| 2882 | PLUG COAXIAL N TYPE   | GREE P715    |  | 25A/025 | 1.00  | UNIT |  |  |  |
| 356  | CAPACITOR 3.3 MF 330V | A.C K670     |  | 25A/027 | 2.00  | UNIT |  |  |  |
| 1477 | DIODE IS 132 V 421    |              |  | 25A/028 | 42.00 | UNIT |  |  |  |
| 1374 | DIODE IN 3070 V 532   |              |  | 25A/029 | 12.00 | UNIT |  |  |  |
| 1711 | DIODE ZENER IN 2983B  | V535         |  | 25A/031 | 7.00  | UNIT |  |  |  |
| 1712 | DIODE ZENER IN 3008B  | 120V V536    |  | 25A/032 | 2.00  | UNIT |  |  |  |
| 1376 | DIODE IN 3495 V 538   |              |  | 25A/033 | 5.00  | UNIT |  |  |  |
| 4379 | TRANSISTOR 2N 5051    | T 066 V540   |  | 25A/034 | 0.00  | UNIT |  |  |  |
| 4792 | TRANSISTOR MM 3906    | V542         |  | 25A/035 | 6.00  | UNIT |  |  |  |
| 4082 | THYRISTOR PN PN 2N 23 | 22 V543      |  | 25A/036 | 5.00  | UNIT |  |  |  |
| 1495 | DIODE MR 832 V 544    |              |  | 25A/037 | 20.00 | UNIT |  |  |  |

## INDEXB

|      |                       |              |         |         |       |      |  |  |  |
|------|-----------------------|--------------|---------|---------|-------|------|--|--|--|
| 4275 | TRANSISTOR 2N 2222    |              |         | 25A/038 | 5.00  | UNIT |  |  |  |
| 4328 | TRANSISTOR 2N 3714 TO | -3 V549      |         | 25A/042 | 4.00  | UNIT |  |  |  |
| 4198 | TRANSFORMER T 7 Q 211 | HYBRID COMBI | NER     | 25A/043 | 1.00  | UNIT |  |  |  |
| 4199 | TRANSFORMER T 8 Q 210 | HYBRID COMBI | NER     | 25A/044 | 1.00  | UNIT |  |  |  |
| 1721 | DIODE ZENER IN 759 12 | V V551       |         | 25A/045 | 4.00  | UNIT |  |  |  |
| 4071 | THYRISTOR 2N 2324     |              |         | 25A/046 | 3.00  | UNIT |  |  |  |
| 4332 | TRANSISTOR 2N 3773    |              |         | 25A/050 | 10.00 | UNIT |  |  |  |
| 3425 | RESISTOR 27 E 1 W     |              |         | 25A/051 | 6.00  | UNIT |  |  |  |
| 3456 | RESISTOR 33 E 1 W     |              |         | 25A/052 | 6.00  | UNIT |  |  |  |
| 3390 | RESISTOR 2.7 E 0.5 W  |              |         | 25A/053 | 6.00  | UNIT |  |  |  |
| 710  | CAPASISTOR C 25.22 MF | 100V         |         | 25A/054 | 10.00 | UNIT |  |  |  |
| 3248 | RESISTOR 0.22 E 2 W   |              |         | 25A/055 | 6.00  | UNIT |  |  |  |
| 3276 | RESISTOR 1.5 E 2 W    |              |         | 25A/056 | 6.00  | UNIT |  |  |  |
| 4791 | TRANSISTOR MM 3006    | V556         |         | 25B/001 | 4.00  | UNIT |  |  |  |
| 4434 | TRANSISTOR 2N 930A    | V557         |         | 25B/002 | 14.00 | UNIT |  |  |  |
| 103  | BRIDGE RECTIFIER MD   | 9426 MDA 990 | /5 V558 | 25B/003 | 3     | UNIT |  |  |  |
| 2146 | IC CD 4011D CD 4017D  | V567 V658    |         | 25B/004 | 2.00  | UNIT |  |  |  |
| 1428 | DIODE IN 5654         | V569         |         | 25B/005 | 2.00  | UNIT |  |  |  |
| 5086 | VOLTS CLIPPER 5SY5P   | V570         |         | 25B/006 | 10.00 | UNIT |  |  |  |
| 2521 | INDUCTOR 10,680,1 MH  | Q191-2-3     |         | 25B/007 | 21.00 | UNIT |  |  |  |
| 1832 | FERRITE BEAD Q206,236 |              |         | 25B/008 | 39.00 | UNIT |  |  |  |
| 43   | ARCOELECTRIC RED LAMP | HOLDER L550  |         | 25B/009 | 1     | UNIT |  |  |  |
| 2615 | LAMP 50V 50 MA        |              |         | 25B/010 | 4.00  | UNIT |  |  |  |
| 74   | BELLING LEA NEON L574 |              |         | 25B/011 | 2     | UNIT |  |  |  |

## INDEXB

|      |                       |              |  |         |       |      |  |  |  |
|------|-----------------------|--------------|--|---------|-------|------|--|--|--|
| 776  | CHOKE R.F IMH U360    |              |  | 25B/012 | 1.00  | UNIT |  |  |  |
| 1529 | DIODE PLUG [DIODE PIN | EXCITER]P670 |  | 25B/013 | 5.00  | UNIT |  |  |  |
| 1793 | EARTH CONTACT         |              |  | 25B/016 | 10.00 | UNIT |  |  |  |
| 3907 | SWICTCH PUSH BUTTON   | S474         |  | 25B/017 | 1.00  | UNIT |  |  |  |
| 3908 | SWICTCH SPST S475     |              |  | 25B/018 | 2.00  | UNIT |  |  |  |
| 2671 | LOCKING RING S476     |              |  | 25B/019 | 6.00  | UNIT |  |  |  |
| 2594 | KNURLED RING S477     |              |  | 25B/020 | 6.00  | UNIT |  |  |  |
| 3935 | SWITCH DPDT S484      |              |  | 25B/021 | 1.00  | UNIT |  |  |  |
| 4004 | SWITCH TPDT S490      |              |  | 25B/022 | 1.00  | UNIT |  |  |  |
| 1840 | FET 2N 4093           |              |  | 25B/023 | 1.00  | UNIT |  |  |  |
| 3959 | SWITCH MICRO LIMIT    | S438         |  | 25B/026 | 1.00  | UNIT |  |  |  |
| 3920 | SWITCH 2 POLE 5 POSIT | ION S478     |  | 25B/028 | 1.00  | UNIT |  |  |  |
| 2879 | PLUG CANNON 3 W P665  |              |  | 25B/029 | 1.00  | UNIT |  |  |  |
| 3828 | SOCKET CANNON 4 W P66 | 4            |  | 25B/030 | 1.00  | UNIT |  |  |  |
| 2878 | PLUG CANNON 11 W P661 |              |  | 25B/031 | 1.00  | UNIT |  |  |  |
| 3826 | SOCKET CANNON 2 W     |              |  | 25B/032 | 1.00  | UNIT |  |  |  |
| 2880 | PLUG CANNON 4 W P663  |              |  | 25B/033 | 5.00  | UNIT |  |  |  |
| 200  | CAPACITOR 0.01 UF 2KV | 10 NF 2KV 2% |  | 25B/034 | 5.00  | UNIT |  |  |  |
| 3844 | SOCKET PC MOUNTING 50 | OHM P823     |  | 25B/036 | 1.00  | UNIT |  |  |  |
| 3851 | SOCKET TYPE N PANEL   | P690         |  | 25B/037 | 1.00  | UNIT |  |  |  |
| 409  | CAPACITOR 5000 PF 350 | V K943       |  | 25B/038 | 3.00  | UNIT |  |  |  |
| 332  | CAPACITOR 22 MF 16 V  | K656         |  | 25B/039 | 7.00  | UNIT |  |  |  |
| 253  | CAPACITOR 100 MF 10 V | K657         |  | 25B/040 | 6.00  | UNIT |  |  |  |
| 357  | CAPACITOR 3.3 MF 75 V | K658         |  | 25B/041 | 6.00  | UNIT |  |  |  |

## INDEXB

|      |                       |              |      |         |       |      |  |  |  |
|------|-----------------------|--------------|------|---------|-------|------|--|--|--|
| 677  | CAPACITOR TRIMMER 5.8 | -150 BF K472 |      | 25B/042 | 3.00  | UNIT |  |  |  |
| 4201 | TRANSFORMER T1 Q213   |              |      | 25B/043 | 1.00  | UNIT |  |  |  |
| 4202 | TRANSFORMER T2 Q214   |              |      | 25B/044 | 1.00  | UNIT |  |  |  |
| 4203 | TRANSFORMER T3 Q215   |              |      | 25B/045 | 1.00  | UNIT |  |  |  |
| 4205 | TRANSFORMER T4 Q216   |              |      | 25B/046 | 1.00  | UNIT |  |  |  |
| 4206 | TRANSFORMER T6 Q217   |              |      | 25B/047 | 1.00  | UNIT |  |  |  |
| 4174 | TRANSFORMER HYBRID CO | MBINER T1 T2 |      | 25B/048 | 1.00  | UNIT |  |  |  |
| 4175 | TRANSFORMER HYBRID CO | MBINER T3    | Q208 | 25B/049 | 1.00  | UNIT |  |  |  |
| 876  | COIL CURRENT PROBE    | Q209         |      | 25B/050 | 1.00  | UNIT |  |  |  |
| 4176 | TRANSFORMER HYBRID CO | MBINER T4    |      | 25B/051 | 1.00  | UNIT |  |  |  |
| 4185 | TRANSFORMER POWER SUP | PLY MAIN     | U353 | 25B/052 | 2.00  | UNIT |  |  |  |
| 775  | CHOKE POWER SUPPLY    | PA POWER SUP | U354 | 25B/053 | 5.00  | UNIT |  |  |  |
| 4171 | TRANSFORMER EXCITER   | AUDIO U356   |      | 25B/054 | 4.00  | UNIT |  |  |  |
| 4172 | TRANSFORMER EXICETER  | MAIN U357    |      | 25B/055 | 2.00  | UNIT |  |  |  |
| 4169 | TRANSFORMER DISTRIBUT | OR UNIT V358 | V359 | 25B/056 | 2.00  | UNIT |  |  |  |
| 2687 | MODULE P.A T101-2-3   | Q210-223-212 |      | 25B/057 | 18.00 | UNIT |  |  |  |
| 3906 | SURGE SUPPRESSOR Q224 | -225-226     |      | 25B/058 | 4.00  | UNIT |  |  |  |
| 1153 | CRYSTAL SOCKET P406   |              |      | 25B/059 | 1.00  | UNIT |  |  |  |
| 2896 | PLUG MOUTING 2WAY     | CHASSIS      |      | 25B/060 | 1.00  | UNIT |  |  |  |
| 3840 | SOCKET MOUNTING 2WAY  | CHASSIS      | P511 | 25B/061 | 1.00  | UNIT |  |  |  |
| 2897 | PLUG MOUTING 4WAY     | CHASSIS      | P514 | 25B/062 | 1.00  | UNIT |  |  |  |
| 3842 | SOCKET MOUTING 4WAY   | CHASSIS      | P515 | 25B/063 | 1.00  | UNIT |  |  |  |
| 83   | BOARD MATRIX P669     |              |      | 25B/064 | 1     | UNIT |  |  |  |
| 2905 | PLUG RANGE 24 WAY RS  | CHASSIS MOUN | TING | 25B/065 | 4.00  | UNIT |  |  |  |

## INDEXB

|      |                       |           |       |         |       |      |  |  |  |
|------|-----------------------|-----------|-------|---------|-------|------|--|--|--|
| 2873 | PLUG ANGLE TYPE N     | P 692     |       | 25B/066 | 1.00  | UNIT |  |  |  |
| 3798 | SOCKET 24 WAY FREE    | RED RANGE | P 699 | 25B/067 | 1.00  | UNIT |  |  |  |
| 2844 | PLUG 12 WAY CHASSIS   | MOUNTING  | P 708 | 25B/068 | 3.00  | UNIT |  |  |  |
| 2857 | PLUG 24 WAY CHASSIS   | MOUNTING  | P 709 | 25B/069 | 1.00  | UNIT |  |  |  |
| 3809 | SOCKET 6 WAY CASSIS   | MOUNTING  | P 710 | 25B/070 | 1.00  | UNIT |  |  |  |
| 2852 | PLUG 18 WAY FREE      | P 814     |       | 25B/071 | 1.00  | UNIT |  |  |  |
| 3799 | SOCKET 24 WAY FREE    | P 815     |       | 25B/072 | 1.00  | UNIT |  |  |  |
| 2858 | PLUG 24 WAY FREE      | P 816     |       | 25B/073 | 1.00  | UNIT |  |  |  |
| 3796 | SOCKET 18 WAY CHASSIS | MOUNTING  | P 830 | 25B/074 | 1.00  | UNIT |  |  |  |
| 3790 | SOCKET 12 WAY FREE    | P 836     |       | 25B/075 | 1.00  | UNIT |  |  |  |
| 3984 | SWITCH ROTARY 6 POSIT | ION       |       | 25B/078 | 1.00  | UNIT |  |  |  |
| 3154 | RELAY 48 V3 C/O       | {CONTROL} |       | 25B/079 | 3.00  | UNIT |  |  |  |
| 3209 | RELAY SOCKET 11 PIN   | S 481     |       | 25B/080 | 4.00  | UNIT |  |  |  |
| 3153 | RELAY 48 V 2 C/O      | S 482     |       | 25B/081 | 14.00 | UNIT |  |  |  |
| 3210 | RELAY SOCKET 8 PIN    | S 483     |       | 25B/082 | 4.00  | UNIT |  |  |  |
| 3942 | SWITCH KEY 2 A MD REL | AY S491   |       | 25B/083 | 1.00  | UNIT |  |  |  |
| 3172 | RELAY BASE S 492      |           |       | 25B/084 | 1.00  | UNIT |  |  |  |
| 2551 | INSULATOR STAND-OFF   |           |       | 25B/085 | 6.00  | UNIT |  |  |  |
| 2995 | POTENTIOMETER 50 KOHM | R 1458    |       | 25B/086 | 3.00  | UNIT |  |  |  |
| 2983 | POTENTIOMETER 4 K 7   | R 1371    |       | 25B/087 | 5.00  | UNIT |  |  |  |
| 2976 | POTENTIOMETER 22 K    | R 1372    |       | 25B/088 | 5.00  | UNIT |  |  |  |
| 2943 | POTENTIOMETER 1 K     | R 1373    |       | 25B/089 | 1.00  | UNIT |  |  |  |
| 2944 | POTENTIOMETER 1 K LOG | R 1379    |       | 25B/090 | 1.00  | UNIT |  |  |  |
| 2969 | POTENTIOMETER 2 K 2   | R 1381    |       | 25B/091 | 7.00  | UNIT |  |  |  |

## INDEXB

|      |                       |              |        |         |       |      |  |  |  |
|------|-----------------------|--------------|--------|---------|-------|------|--|--|--|
| 2966 | POTENTIOMETER 15 K    |              |        | 25B/092 | 1.00  | UNIT |  |  |  |
| 3279 | RESISTOR 1.5 OHM 1.5W |              |        | 25B/093 | 8.00  | UNIT |  |  |  |
| 3252 | RESISTOR 0.27 OHM 1.5 | W R 1366     |        | 25B/094 | 3.00  | UNIT |  |  |  |
| 3516 | RESISTOR 5 K 6 PAINTO | N 306 A      |        | 25B/095 | 1.00  | UNIT |  |  |  |
| 3415 | RESISTOR 220 OHM 306  | A R 1127     |        | 25B/096 | 0.00  | UNIT |  |  |  |
| 3481 | RESISTOR 4 K 7 5 W    | R 1488       |        | 25B/097 | 1.00  | UNIT |  |  |  |
| 3432 | RESISTOR 270 OHM MULL | ARD CR 125   | R 1228 | 25B/098 | 2.00  | UNIT |  |  |  |
| 3265 | RESISTOR 1 M OHM MULL | ARD CR 25    | R 1275 | 25B/099 | 2.00  | UNIT |  |  |  |
| 3393 | RESISTOR 2.9 KOHM +1% | R 1362       |        | 25B/100 | 1.00  | UNIT |  |  |  |
| 3475 | RESISTOR 39.2 K +1%   | R 1361       |        | 25B/101 | 1.00  | UNIT |  |  |  |
| 3344 | RESISTOR 14 KOHM +1%  |              |        | 25B/102 | 1.00  | UNIT |  |  |  |
| 3422 | RESISTOR 25 OHM 80 W  | R 1412       |        | 25B/103 | 5.00  | UNIT |  |  |  |
| 3335 | RESISTOR 12.5 OHM 120 | W R 1413     |        | 25B/104 | 4.00  | UNIT |  |  |  |
| 3525 | RESISTOR 500 OHM 25 W | R 1416       |        | 25B/105 | 1.00  | UNIT |  |  |  |
| 3400 | RESISTOR 200 OHM 50 W | R 1417       |        | 25B/106 | 3.00  | UNIT |  |  |  |
| 4952 | TRANSISTR OC 83 VX 13 |              |        | 25B/107 | 2.00  | UNIT |  |  |  |
| 3832 | SOCKET DIL 14 PIN     | P 683        |        | 25B/108 | 3.00  | UNIT |  |  |  |
| 3833 | SOCKET DIL 16 PIN     | P 684        |        | 25B/109 | 4.00  | UNIT |  |  |  |
| 240  | CAPACITOR 10 MF 35 V  | {10 MF 30 V} |        | 25B/110 | 12.00 | UNIT |  |  |  |
| 317  | CAPACITOR 2.2 MF 400V |              |        | 25B/111 | 8.00  | UNIT |  |  |  |
| 3312 | RESISTOR 100 OHM 2%   | 5 W          |        | 25B/112 | 12.00 | UNIT |  |  |  |
| 1009 | CONTRACTOR R 1020     |              |        | 25B/113 | 1.00  | UNIT |  |  |  |
| 378  | CAPACITOR 4.7 MF K653 |              |        | 25B/114 | 6.00  | UNIT |  |  |  |
| 239  | CAPACITOR 10 MF 30 V  | K 665        |        | 25B/115 | 2.00  | UNIT |  |  |  |

## INDEXB

|      |                       |              |  |          |       |      |  |  |  |
|------|-----------------------|--------------|--|----------|-------|------|--|--|--|
| 1221 | DIODE 50M 6423 V 559  |              |  | 25B/116  | 6.00  | UNIT |  |  |  |
| 3259 | RESISTOR 1 K 5 R 1203 |              |  | 25B/117  | 40.00 | UNIT |  |  |  |
| 3378 | RESISTOR 2 K 2 R 1247 |              |  | 25B/118  | 40.00 | UNIT |  |  |  |
| 3427 | RESISTOR 27 OHM R1312 |              |  | 25B/119  | 13.00 | UNIT |  |  |  |
| 3563 | RESISTOR 68 6 R 1375  |              |  | 25B/120  | 2.00  | UNIT |  |  |  |
| 3379 | RESISTOR 2 K 7 OHM    | R 1376       |  | 25B/121  | 2.00  | UNIT |  |  |  |
| 3547 | RESISTOR 6 R 8 R 1377 |              |  | 25B/122  | 2.00  | UNIT |  |  |  |
| 3350 | RESISTOR 15 OHM       |              |  | 25B/123  | 10.00 | UNIT |  |  |  |
| 3269 | RESISTOR 1 R 5        |              |  | 25B/124  | 30.00 | UNIT |  |  |  |
| 3380 | RESISTOR 2 R 5 R 1364 |              |  | 25B/125  | 20.00 | UNIT |  |  |  |
| 3191 | RELAY OVER VACCUUM    | CHANGE S 487 |  | 25B/126  | 1.00  | UNIT |  |  |  |
| 3307 | RESISTOR 100 K OHM    | R 1404       |  | 25B/127  | 10.00 | UNIT |  |  |  |
| 1427 | DIODE IN 5624 V 582   |              |  | 25B/128  | 4.00  | UNIT |  |  |  |
| 241  | CAPACITOR 10 MF K 587 | K665         |  | 25B/129  | 10.00 | UNIT |  |  |  |
| 242  | CAPACITOR 10 MF K 589 |              |  | 25B/129A | 1.00  | UNIT |  |  |  |
| 2636 | LAMP NEON INDICATOR   | L577         |  | 25B/130  | 4.00  | UNIT |  |  |  |
| 4110 | TOROID Q 234          |              |  | 25B/131  | 2.00  | UNIT |  |  |  |
| 895  | COIL Q 220            |              |  | 25B/132  | 2.00  | UNIT |  |  |  |
| 4411 | TRANSISTOR 2N 5630    |              |  | 25B/134  | 4.00  | UNIT |  |  |  |
| 4350 | TRANSISTOR 2N 4222    |              |  | 25B/135  | 6.00  | UNIT |  |  |  |
| 4720 | TRANSISTOR BUSH P760  |              |  | 25B/15   | 6.00  | UNIT |  |  |  |
| 4377 | TRANSISTOR 2N 4959    |              |  | 26/ 001  | 1.00  | UNIT |  |  |  |
| 867  | COIL ASSY FT 06440    |              |  | 26/ 005A | 1.00  | UNIT |  |  |  |
| 2591 | KNOB ON & OFF         | BT 3746      |  | 26/ 006  | 1.00  | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |         |      |      |  |  |  |
|------|-----------------------|--------------|----------|---------|------|------|--|--|--|
| 2620 | LAMP HOLDER           | FT 16772     |          | 26/ 007 | 1.00 | UNIT |  |  |  |
| 3968 | SWITCH ON & OFF       | FS 07344     |          | 26/ 008 | 1.00 | UNIT |  |  |  |
| 3806 | SOCKET 5 WAY 8-6972   | FS 47512     |          | 26/ 009 | 1.00 | UNIT |  |  |  |
| 3822 | SOCKET BNC            | FS 43877     |          | 26/ 010 | 1.00 | UNIT |  |  |  |
| 2926 | POT 100 R LIN         | PL 06645     |          | 26/ 011 | 1.00 | UNIT |  |  |  |
| 2930 | POT CERMET SK C/W KW  | PL 01232     |          | 26/ 012 | 1.00 | UNIT |  |  |  |
| 555  | CAPACITOR ELECT 410MF | 16V PS 99416 |          | 26/ 014 | 1.00 | UNIT |  |  |  |
| 547  | CAPACITOR ELECT 2.2MF | 100V PS      | 99456    | 26/ 015 | 2.00 | UNIT |  |  |  |
| 690  | CAPACITOR VAR 30-140  | PF PV 99022  |          | 26/ 016 | 1.00 | UNIT |  |  |  |
| 692  | CAPACITOR VAR 60-180  | PF PV 99023  |          | 26/ 017 | 1.00 | UNIT |  |  |  |
| 573  | CAPACITOR FDTHR IN    | 100-0%       | PN 26628 | 26/ 018 | 1.00 | UNIT |  |  |  |
| 633  | CAPACITOR PLATE 100PF | 2% PN 99580  |          | 26/ 019 | 1.00 | UNIT |  |  |  |
| 463  | CAPACITOR CER PLATE   | 3.9 PF OP 25 | PN 99754 | 26/ 020 | 1.00 | UNIT |  |  |  |
| 464  | CAPACITOR CER PLATE   | 18 PF        | PN 99762 | 26/ 021 | 1.00 | UNIT |  |  |  |
| 465  | CAPACITOR CER PLATE   | 150 PF       | PN 99773 | 26/ 022 | 1.00 | UNIT |  |  |  |
| 466  | CAPACITOR CER PLATE   | 170 PF 2%    | PN 99776 | 26/ 023 | 1.00 | UNIT |  |  |  |
| 1001 | CONTACT PIN           | FT 10685     |          | 26/ 027 | 2.00 | UNIT |  |  |  |
| 747  | CHOKE 22 UH           |              |          | 26/ 028 | 1.00 | UNIT |  |  |  |
| 467  | CAPACITOR CER PLATE   | 2.2 PF 2%    |          | 26/ 029 | 1.00 | UNIT |  |  |  |
| 468  | CAPACITOR CER PLATE   | 4.7 PF 63V   |          | 26/ 030 | 2.00 | UNIT |  |  |  |
| 2751 | OSC MULT PWB ASSY     | AT 27756     |          | 26/ 079 | 5.00 | UNIT |  |  |  |
| 2576 | KNOB ASSY             | AT 25827     |          | 26/ 080 | 5.00 | UNIT |  |  |  |
| 1286 | DIODE BZX 61 C7V5     | FVO 5534     |          | 26/ 081 | 2.00 | UNIT |  |  |  |
| 1128 | CRYSTAL FILTER 25 KHz | FCO 3289     |          | 26/ 082 | 2.00 | UNIT |  |  |  |

## INDEXB

|      |                       |              |         |         |      |      |  |  |  |
|------|-----------------------|--------------|---------|---------|------|------|--|--|--|
| 4116 | TRANSDUCER            | FM 03649     |         | 26/ 083 | 2.00 | UNIT |  |  |  |
| 4153 | TRANSFORMER ASSY      | AT 13231     |         | 26/ 084 | 3.00 | UNIT |  |  |  |
| 47   | AUDIO AMP TX PWB ASSY | AT 27757     |         | 26/ 085 | 4    | UNIT |  |  |  |
| 1013 | CONVERTER PWB ASSY    | AT 27755     |         | 26/ 086 | 5.00 | UNIT |  |  |  |
| 4953 | TRANSMIT BUTTON       | AT 12913     |         | 26/ 089 | 5.00 | UNIT |  |  |  |
| 1850 | FILM THICK            | FVO 0545     |         | 26/ 090 | 5.00 | UNIT |  |  |  |
| 1851 | FILM THICK AI AMP     | FVO 0540/2   |         | 26/ 091 | 3.00 | UNIT |  |  |  |
| 1853 | FILM THICK CIRCUIT PS | D FVO 0542   |         | 26/ 092 | 2.00 | UNIT |  |  |  |
| 1854 | FILM THICK CIRCUIT V  | FVO 0541     |         | 26/ 093 | 2.00 | UNIT |  |  |  |
| 1852 | FILM THICK CIRCUIT IF | AMP FVO 0543 |         | 26/ 094 | 4.00 | UNIT |  |  |  |
| 1233 | DIODE 9.N             | FVO 5869     | BZX 97C | 26/ 095 | 2.00 | UNIT |  |  |  |
| 4782 | TRANSISTOR MFR 604    | FVO 8955     |         | 26/ 096 | 2.00 | UNIT |  |  |  |
| 4400 | TRANSISTOR 2N 5448    | FVO 5829     |         | 26/ 097 | 3.00 | UNIT |  |  |  |
| 1265 | DIODE BY 210-400      | FVO 5521     |         | 26/ 098 | 2.00 | UNIT |  |  |  |
| 4533 | TRANSISTOR BB 105B    | FVO 5469     |         | 26/ 099 | 4.00 | UNIT |  |  |  |
| 4945 | TRANSISTOR ZTX 313    | FVO 7688     |         | 26/100  | 3.00 | UNIT |  |  |  |
| 3089 | RECHARGEABLE BATTERIE | PF 8,70      |         | 26/101  | 5.00 | UNIT |  |  |  |
| 2673 | LOUD SPEAKER          | FS 11060     |         | 26/103  | 5.00 | UNIT |  |  |  |
| 1162 | CRYTAL FILTER         | FCO 3244     |         | 26/104  | 2.00 | UNIT |  |  |  |
| 3740 | RX 1 ST IF AMP PCB    | ASSEMBLY AT  | 27159/1 | 26/106  | 2.00 | UNIT |  |  |  |
| 3082 | REC 2ND MIX P/C BRD   | ASSEMBLY AT  | 27162/1 | 26/107  | 2.00 | UNIT |  |  |  |
| 3083 | REC 2ND MIX P/C BRD   | ASSEMBLY AT  | 27163/1 | 26/110  | 1.00 | UNIT |  |  |  |
| 1798 | ECONOMISER P/C BRD    | ASSEMBLY AT  | 27399   | 26/111  | 4.00 | UNIT |  |  |  |
| 3084 | REC 2ND MIX P/C BRD   | ASSEMBLY AT  | 27162/1 | 26/112  | 1.00 | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |        |       |      |  |  |  |
|------|-----------------------|--------------|----------|--------|-------|------|--|--|--|
| 5019 | TX MOD AF1 P/C ASSY   | AT 27151/2   |          | 26/113 | 2.00  | UNIT |  |  |  |
| 5020 | TX MOD AF2 ASSY       | AT 27202/18  |          | 26/114 | 2.00  | UNIT |  |  |  |
| 5021 | TX MOD AF3 ASSY       | AT 27204/2   |          | 26/115 | 2.00  | UNIT |  |  |  |
| 4935 | TRANSISTOR USC BRD    | ASSY AT 2715 | 6        | 26/116 | 1.00  | UNIT |  |  |  |
| 4360 | TRANSISTOR 2N 4292    | FVO 9208     |          | 26/118 | 10.00 | UNIT |  |  |  |
| 4862 | TRANSISTOR PT 3536+BE | /OX FVO 9242 |          | 26/119 | 1.00  | UNIT |  |  |  |
| 1343 | DIODE HP 5082/2835    | FVO 9529     |          | 26/120 | 8.00  | UNIT |  |  |  |
| 503  | CAPACITOR COMP 1N 100 | V 10% PN     | 99600    | 26/122 | 16.00 | UNIT |  |  |  |
| 511  | CAPACITOR DISC 2.2 NF | 20+80% PN    | 34302    | 26/123 | 6.00  | UNIT |  |  |  |
| 490  | CAPACITOR CERM DISC   | 1.8 PF0.25P  | PN 99560 | 26/124 | 5.00  | UNIT |  |  |  |
| 696  | CAPACITOR VARIABLE    | 2-10 PF FVO  | 7253     | 26/125 | 10.00 | UNIT |  |  |  |
| 489  | CAPACITOR CERM 8.2PF+ | 0.25PF PN    | 99567    | 26/126 | 7.00  | UNIT |  |  |  |
| 480  | CAPACITOR CERM 10 PF  | 63V PN 99568 |          | 26/127 | 8.00  | UNIT |  |  |  |
| 482  | CAPACITOR CERM 15 PF+ | 2% PN 99570  |          | 26/128 | 10.00 | UNIT |  |  |  |
| 337  | CAPACITOR 22 PF+2%    | PN 99572     |          | 26/129 | 8.00  | UNIT |  |  |  |
| 551  | CAPACITOR ELECT 33 MF | 35V PS 99429 |          | 26/13  | 1.00  | UNIT |  |  |  |
| 350  | CAPACITOR 27 PF+2%    | PN 99573     |          | 26/130 | 12.00 | UNIT |  |  |  |
| 512  | CAPACITOR DISC 47 PF+ | 2% PN 99576  |          | 26/131 | 12.00 | UNIT |  |  |  |
| 483  | CAPACITOR CERM 18 PF+ | 2% PN 99571  |          | 26/132 | 6.00  | UNIT |  |  |  |
| 516  | CAPACITOR DISC 82 PF+ | 2% PN 99579  |          | 26/133 | 6.00  | UNIT |  |  |  |
| 514  | CAPACITOR DISC 68 PF+ | 2% PN 99578  |          | 26/134 | 6.00  | UNIT |  |  |  |
| 509  | CAPACITOR DISC 120PF+ | 2% PN 99581  |          | 26/135 | 6.00  | UNIT |  |  |  |
| 504  | CAPACITOR COMP 2.2 MF | 15V PS 99566 |          | 26/136 | 6.00  | UNIT |  |  |  |
| 3709 | RESISTORR COMP 680 OH | M 5% PL 9976 | 7        | 26/137 | 5.00  | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |        |       |      |  |  |  |
|------|-----------------------|--------------|----------|--------|-------|------|--|--|--|
| 3707 | RESISTORR COMP 2.7 KO | HM 5%        | PL 99774 | 26/138 | 5.00  | UNIT |  |  |  |
| 3708 | RESISTORR COMP 3.3    | KOHM 5%      | PL 99775 | 26/139 | 5.00  | UNIT |  |  |  |
| 487  | CAPACITOR CERM 6.8 PF | +0.25PF      |          | 26/140 | 6.00  | UNIT |  |  |  |
| 1138 | CRYSTAL METAL CAN     | FCO 3038     |          | 26/141 | 12.00 | UNIT |  |  |  |
| 3599 | RESISTOR COMP 1 KOHM  | 5% PL 99769  |          | 26/143 | 19.00 | UNIT |  |  |  |
| 484  | CAPACITOR CERM 2.2 PF | +0 PN 99561  |          | 26/144 | 6.00  | UNIT |  |  |  |
| 3603 | RESISTOR COMP 3.3KOHM | 5% PL 99786  |          | 26/145 | 19.00 | UNIT |  |  |  |
| 3601 | RESISTOR COMP 1.8KOHM | 5% PL 99772  |          | 26/146 | 15.00 | UNIT |  |  |  |
| 3605 | RESISTOR COMP 56 KOHM | 5% PL 99789  |          | 26/147 | 20.00 | UNIT |  |  |  |
| 3602 | RESISTOR COMP 10 KOHM | 5% PL 99750  |          | 26/148 | 10.00 | UNIT |  |  |  |
| 4359 | TRANSISTOR 2N 4286    | FVO 9230     |          | 26/149 | 5.00  | UNIT |  |  |  |
| 3595 | RESISTOR AUD AMP P/C  | BRD AT 27165 | /1       | 26/150 | 2.00  | UNIT |  |  |  |
| 3604 | RESISTOR COMP 39 KOHM | 5% PL 99776  |          | 26/151 | 15.00 | UNIT |  |  |  |
| 3606 | RESISTOR COMP 820KOHM | 5% PL 99768  |          | 26/152 | 10.00 | UNIT |  |  |  |
| 3600 | RESISTOR COMP 1.5KOHM | 5% PL 99771  |          | 26/153 | 4.00  | UNIT |  |  |  |
| 363  | CAPACITOR 33 PF+2%    | PN 99574     |          | 26/154 | 10.00 | UNIT |  |  |  |
| 2730 | MULT ASSY 1ST PWB TX  | AT 27361/22  |          | 26/158 | 1.00  | UNIT |  |  |  |
| 4467 | TRANSISTOR 2ND MULT P | /C 8 AT      | 27155    | 26/159 | 1.00  | UNIT |  |  |  |
| 619  | CAPACITOR MICA 68P 1% | 350V PP 9921 | 7        | 26/160 | 5.00  | UNIT |  |  |  |
| 495  | CAPACITOR CERM TVB 82 | PF 5% PN1611 | 1        | 26/161 | 5.00  | UNIT |  |  |  |
| 651  | CAPACITOR S MICA 220  | PF 2% PP1011 | 5        | 26/162 | 5.00  | UNIT |  |  |  |
| 513  | CAPACITOR DISC 470 PF | +20% PN 2240 | 1        | 26/163 | 5.00  | UNIT |  |  |  |
| 492  | CAPACITOR CERM IN 20+ | PP 99610     |          | 26/164 | 5.00  | UNIT |  |  |  |
| 486  | CAPACITOR CERM 2.2N-  | 20-80%       | PN 99611 | 26/165 | 5.00  | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |        |       |      |  |  |  |
|------|-----------------------|--------------|----------|--------|-------|------|--|--|--|
| 599  | CAPACITOR FOIL 0.1 MF | 10% 1        | PQ 99501 | 26/166 | 5.00  | UNIT |  |  |  |
| 485  | CAPACITOR CERM 2.2 PF | +-.5P        | PN 01073 | 26/167 | 5.00  | UNIT |  |  |  |
| 702  | CAPACITOR VARIABLE 3- | 14.5P        | PVO 5157 | 26/168 | 10.00 | UNIT |  |  |  |
| 488  | CAPACITOR CERM 6.8 PF | 8-.5P        | PN 05127 | 26/169 | 5.00  | UNIT |  |  |  |
| 574  | CAPACITOR FEED THRV   | 400 PF       | PN 26604 | 26/170 | 10.00 | UNIT |  |  |  |
| 695  | CAPACITOR VAR TRONSER | PVO 5140     |          | 26/171 | 2.00  | UNIT |  |  |  |
| 3764 | SEAL METAL CLASS 0.5  | EA 70001     |          | 26/172 | 5.00  | UNIT |  |  |  |
| 652  | CAPACITOR S MICA 8P2  | PP 03523     |          | 26/173 | 5.00  | UNIT |  |  |  |
| 255  | CAPACITOR 100 MF 25V  | PS 38229     |          | 26/174 | 5.00  | UNIT |  |  |  |
| 647  | CAPACITOR POLYSTY     | 1500 PF +    | PQ 15514 | 26/175 | 5.00  | UNIT |  |  |  |
| 679  | CAPACITOR TUBULAR     | .0022 MF PRO | 05007    | 26/176 | 5.00  | UNIT |  |  |  |
| 680  | CAPACITOR TUBULAR     | 0.0033 MF    | PRO 7015 | 26/177 | 5.00  | UNIT |  |  |  |
| 648  | CAPACITOR POLYSTY     | 5000 PF+     | PQ 21014 | 26/178 | 5.00  | UNIT |  |  |  |
| 505  | CAPACITOR COMP 47 MF  | 25V PS       | 99533    | 26/179 | 5.00  | UNIT |  |  |  |
| 681  | CAPACITOR TUBULAR     | 0.047 MF 25  | PR 18484 | 26/180 | 5.00  | UNIT |  |  |  |
| 543  | CAPACITOR ELECT 15 MF | 10V PS       | 99506    | 26/181 | 6.00  | UNIT |  |  |  |
| 548  | CAPACITOR ELECT 22 MF | 16V PS       | 99507    | 26/182 | 5.00  | UNIT |  |  |  |
| 386  | CAPACITOR 47 MF 6.3V  | PS 99509     |          | 26/183 | 10.00 | UNIT |  |  |  |
| 538  | CAPACITOR ELECT 1000  | MF 16V PS    | 51131    | 26/184 | 5.00  | UNIT |  |  |  |
| 3931 | SWITCH ASSY           | AT 12914     |          | 26/185 | 3.00  | UNIT |  |  |  |
| 2953 | POTENTIOMETER 10 K    | PL 60002     |          | 26/186 | 2.00  | UNIT |  |  |  |
| 4869 | TRANSISTOR SF 173     | FVO 8384     |          | 26/187 | 5.00  | UNIT |  |  |  |
| 2971 | POTENTIOMETER 2 KOHM  | PL 65802     | PL 60001 | 26/188 | 4.00  | UNIT |  |  |  |
| 2650 | LED MV 50 A           | FV 38709     |          | 26/189 | 2.00  | UNIT |  |  |  |

## INDEXB

|      |                       |             |       |         |      |      |  |  |  |
|------|-----------------------|-------------|-------|---------|------|------|--|--|--|
| 5111 | ZTX 327               | FVO 7471    |       | 26/190  | 2.00 | UNIT |  |  |  |
| 4698 | TRANSISTOR BRF 38     | FVO 7510    |       | 26/191  | 3.00 | UNIT |  |  |  |
| 4230 | TRANSISTOR 16602      | FVO 8455    |       | 26/192  | 2.00 | UNIT |  |  |  |
| 1249 | DIODE BA 182          | FVO 5515    |       | 26/193  | 2.00 | UNIT |  |  |  |
| 3048 | POWER AMP             | AT 27878/23 |       | 26/193A | 1.00 | UNIT |  |  |  |
| 1282 | DIODE BZX 12          | FVO 5468    |       | 26/194  | 2.00 | UNIT |  |  |  |
| 1288 | DIODE BZX 79 5.6V     | FVO 5510    |       | 26/195  | 2.00 | UNIT |  |  |  |
| 3128 | REGULATOR P/C ASSY    | AT 26852    |       | 26A/001 | 1.00 | UNIT |  |  |  |
| 2683 | MODULATOR P/C BOARD   | ASSY AT     | 27002 | 26A/002 | 1.00 | UNIT |  |  |  |
| 28   | AMODE DETECTOR BRD    | ASSY AT     | 27054 | 26A/004 | 1    | UNIT |  |  |  |
| 4641 | TRANSISTOR BF 256 LB  | FVO 5724    |       | 26A/006 | 5.00 | UNIT |  |  |  |
| 4835 | TRANSISTOR PBC 108 B  | FVO 5802    |       | 26A/007 | 9.00 | UNIT |  |  |  |
| 4592 | TRANSISTOR BCY 31     | FVO 5803    |       | 26A/009 | 5.00 | UNIT |  |  |  |
| 4633 | TRANSISTOR BF 244 B   | FVO 5827    |       | 26A/010 | 4.00 | UNIT |  |  |  |
| 1746 | DIODE ZF 3.3          | FVO 7997    |       | 26A/015 | 3.00 | UNIT |  |  |  |
| 4130 | TRANSFORMER           | AL 21363    |       | 26A/018 | 1.00 | UNIT |  |  |  |
| 737  | CHOKE                 | AL 51050    |       | 26A/019 | 2.00 | UNIT |  |  |  |
| 4007 | SWITCH WAFER          | FSO 7095    |       | 26A/020 | 1.00 | UNIT |  |  |  |
| 4131 | TRANSFORMER           | AL 213000   |       | 26A/022 | 2.00 | UNIT |  |  |  |
| 1331 | DIODE GERMENIUM       | FVO 5818    |       | 26A/023 | 7.00 | UNIT |  |  |  |
| 1509 | DIODE OA 202          | FVO 9009    |       | 26A/025 | 6.00 | UNIT |  |  |  |
| 762  | CHOKE B 10471         | AL 51092    |       | 26A/026 | 1.00 | UNIT |  |  |  |
| 1136 | CRYSTAL METAL 39366.6 | 6 119.1 MHz |       | 26A/028 | 5.00 | UNIT |  |  |  |
| 1527 | DIODE PD 05           | FVO 8366    |       | 26A/029 | 1.00 | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |          |      |      |  |  |  |
|------|-----------------------|--------------|----------|----------|------|------|--|--|--|
| 4639 | TRANSISTOR BF 256     | FVO 8235     |          | 26A/030  | 7.00 | UNIT |  |  |  |
| 4648 | TRANSISTOR BF 528     | FVO 5323     | H 7814   | 26A/031  | 7.00 | UNIT |  |  |  |
| 2707 | MODULE/ASSY TX AF2    | AT 27202/4   |          | 26A/032  | 2.00 | UNIT |  |  |  |
| 2706 | MODULE/ASSY TX A83    | AT 27204/2   |          | 26A/033  | 2.00 | UNIT |  |  |  |
| 2689 | MODULE PWB TX MULTI   | AT 27155/26  |          | 26A/034  | 2.00 | UNIT |  |  |  |
| 2695 | MODULE RX 1ST IF AMP  | PCB ASSY AT  | 27159/1  | 26A/035  | 2.00 | UNIT |  |  |  |
| 2702 | MODULE TX PHASE MOD   | P/C BRD ASSY |          | 26A/036  | 2.00 | UNIT |  |  |  |
| 3081 | REC 2 ND MIX BRD ASSY |              |          | 26A/037A | 2.00 | UNIT |  |  |  |
| 2688 | MODULE PWB RX 2nd IF  | AMP ASSY     |          | 26A/038  | 2.00 | UNIT |  |  |  |
| 2692 | MODULE REC 2MP OSC    | P/C BRD ASSY |          | 26A/040  | 2.00 | UNIT |  |  |  |
| 2694 | MODULE REC SQUELCH    | P/C BRD ASSY |          | 26A/041  | 2.00 | UNIT |  |  |  |
| 2700 | MODULE TX MOD AF1     | P/C BRD ASSY |          | 26A/042  | 2.00 | UNIT |  |  |  |
| 2691 | MODULE PWD TX OSC ASY |              |          | 26A/043  | 2.00 | UNIT |  |  |  |
| 2701 | MODULE TX MULTR P/C   | BRD ASSY     |          | 26A/044  | 2.00 | UNIT |  |  |  |
| 2693 | MODULE REC AUD AMP    | P/C BRD ASSY | AT 72165 | 26A/045  | 1.00 | UNIT |  |  |  |
| 1131 | CRYSTAL GLASS 9.925   |              |          | 26A/046  | 1.00 | UNIT |  |  |  |
| 2696 | MODULE RX DISCR ASSY  | AT 27421/1   |          | 26A/047  | 2.00 | UNIT |  |  |  |
| 2690 | MODULE PWD RF ASSY    | AT 27632     |          | 26A/048  | 2.00 | UNIT |  |  |  |
| 1139 | CRYSTAL METAL CAN 6CO | 3.38/23.00MH | Z/11.55M | 26A/049  | 5.00 | UNIT |  |  |  |
| 2204 | IC L14171 (R/403)     |              |          | 26A/050  | 2.00 | UNIT |  |  |  |
| 2697 | MODULE RX SWITCHING   | R/403        |          | 26A/051  | 1.00 | UNIT |  |  |  |
| 2686 | MODULE KC/S BLOCK     | FILTER AT    | 10752/2  | 26A/052  | 2.00 | UNIT |  |  |  |
| 753  | CHOKE 470 YH FT 99007 |              |          | 26A/053  | 1.00 | UNIT |  |  |  |
| 3049 | PRESET IF COIL        | AT 31758/13  |          | 26A/054  | 1.00 | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |         |      |      |  |  |  |
|------|-----------------------|--------------|----------|---------|------|------|--|--|--|
| 3053 | PRESET IF COIL/A 10.7 | MC/S AMP COL | AT31661/ | 26A/055 | 1.00 | UNIT |  |  |  |
| 3370 | RESISTOR 169 OHM +2%  | PL 42651     |          | 26A/056 | 5.00 | UNIT |  |  |  |
| 3001 | POTENTIOMETER 5K OHM  | LOG PL07525  |          | 26A/057 | 2.00 | UNIT |  |  |  |
| 3345 | RESISTOR 140 OHM 2%   | PL42646      |          | 26A/058 | 5.00 | UNIT |  |  |  |
| 544  | CAPACITOR ELECT 15 UF | 10V PS99506  |          | 26A/059 | 2.00 | UNIT |  |  |  |
| 3346 | RESISTOR 147 +2%      | PL41710      |          | 26A/060 | 5.00 | UNIT |  |  |  |
| 3839 | SOCKET MAIN 3 PIN     | L1436/S      |          | 26A/061 | 1.00 | UNIT |  |  |  |
| 4549 | TRANSISTOR BC 137     | FVO5826      |          | 26A/062 | 4.00 | UNIT |  |  |  |
| 4060 | THERMISTOR 47K OHM    | PL23057      | B3250    | 26A/063 | 1.00 | UNIT |  |  |  |
| 3051 | PRESET IF COIL FINAL  | TUNE CCT     | AT31751  | 26A/064 | 1.00 | UNIT |  |  |  |
| 745  | CHOKE 15 UH FT 99004  |              |          | 26A/065 | 2.00 | UNIT |  |  |  |
| 3343 | RESISTOR 133 OHM 2%   | PL 41709     |          | 26A/066 | 5.00 | UNIT |  |  |  |
| 3249 | RESISTOR 0.25 OHM +10 | % PL 21149   |          | 26A/067 | 5.00 | UNIT |  |  |  |
| 3052 | PRESET IF COIL MULTI  | AT 31751/11  |          | 26A/068 | 1.00 | UNIT |  |  |  |
| 3096 | RECTIFIER 16F10       | FVO9728      |          | 26A/072 | 6.00 | UNIT |  |  |  |
| 2704 | MODULE/ASSY 1st MIXER | DUAL & GATE  | AT 27128 | 26A/074 | 1.00 | UNIT |  |  |  |
| 697  | CAPACITOR VARIABLE    | COMP PV99001 |          | 26A/075 | 1.00 | UNIT |  |  |  |
| 701  | CAPACITOR VARIABLE 2- | 11 PF C32-01 | PVO 5005 | 26A/076 | 1.00 | UNIT |  |  |  |
| 1127 | CRYSTAL FILTER 10.7MC | 455Mhz       | FCO3200  | 26A/077 | 2.00 | UNIT |  |  |  |
| 3054 | PRESET IF COIL/A TN   | CCT TO 10.7  | MC/S     | 26A/078 | 1.00 | UNIT |  |  |  |
| 750  | CHOKE 2ndRF AMP INPUT | 279051       |          | 26A/079 | 1.00 | UNIT |  |  |  |
| 4057 | THERMISTOR 15 OHM     | 5 WATT       | PL23058  | 26A/080 | 2.00 | UNIT |  |  |  |
| 2705 | MODULE/ASSY AUDIO     | FILTER P/C   | BRD      | 26A/081 | 1.00 | UNIT |  |  |  |
| 4059 | THERMISTOR 1K3 VA1038 | PL 23078     |          | 26A/082 | 1.00 | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |         |       |      |  |  |  |
|------|-----------------------|--------------|----------|---------|-------|------|--|--|--|
| 3144 | RELAY 230 OHM FR99000 |              |          | 26A/083 | 3.00  | UNIT |  |  |  |
| 2861 | PLUG 3 WAY FIXED MASE | 13 FP 16400  |          | 26A/084 | 1.00  | UNIT |  |  |  |
| 2948 | POTENTIOMETER 1&5 K   | OHM LIN /LOG |          | 26A/085 | 5.00  | UNIT |  |  |  |
| 3688 | RESISTOR VARIABLE 470 | OHM LIN PL   | 09603/0  | 26A/086 | 3.00  | UNIT |  |  |  |
| 3686 | RESISTOR VARIABLE 150 | OHM PL05624  |          | 26A/087 | 3.00  | UNIT |  |  |  |
| 3340 | RESISTOR 124/154 OHM  | +2% PL 41711 | 41708    | 26A/088 | 10.00 | UNIT |  |  |  |
| 2684 | MODULE /ASSY CASCODE  | AMP P/C BRD  | AT27053  | 26A/089 | 1.00  | UNIT |  |  |  |
| 4838 | TRANSISTOR PLASTIC    | TRANSIPAD    | 600 OHM  | 26A/090 | 1.00  | UNIT |  |  |  |
| 4448 | TRANSISTOR 2N4289     | FVO9235      |          | 26A/091 | 2.00  | UNIT |  |  |  |
| 230  | CAPACITOR 1 UF 100 V  | 3W           |          | 26A/092 | 2.00  | UNIT |  |  |  |
| 380  | CAPACITOR 4.7 UF 25 V | 2.2 UF 35 V  |          | 26A/093 | 2.00  | UNIT |  |  |  |
| 3050 | PRESET IF COIL 278578 | /2           |          | 26A/094 | 2.00  | UNIT |  |  |  |
| 257  | CAPACITOR 100 UF      | 10-40 V      |          | 26A/095 | 2.00  | UNIT |  |  |  |
| 2979 | POTENTIOMETER 22K LOG | 22K LIN      |          | 26A/096 | 2.00  | UNIT |  |  |  |
| 3685 | RESISTOR VARIABLE     | 3.3 K OHM    | PL05622  | 26A/097 | 1.00  | UNIT |  |  |  |
| 4655 | TRANSISTOR BFR 41     | R403         | FV05712  | 26A/098 | 1.00  | UNIT |  |  |  |
| 2139 | IC CA3086             | R403         | FV09114  | 26A/099 | 1.00  | UNIT |  |  |  |
| 2242 | IC LS045T 97922       | R403         | FV014002 | 26A/100 | 1.00  | UNIT |  |  |  |
| 1744 | DIODE ZF 18           | FVO8050      |          | 26A/103 | 2.00  | UNIT |  |  |  |
| 1652 | DIODE ZENER 6.8V      | AT 5MA       | FV05813  | 26A/105 | 7.00  | UNIT |  |  |  |
| 2205 | IC L141T1             | FVO9648      |          | 26A/106 | 2.00  | UNIT |  |  |  |
| 4144 | TRANSFORMER AL 21402  |              |          | 26A/109 | 1.00  | UNIT |  |  |  |
| 501  | CAPACITOR COMP 150 UF | PS99525      |          | 26A/111 | 5.00  | UNIT |  |  |  |
| 600  | CAPACITOR FOIL 1.0 UF | 10% 100V     | PQ99501  | 26A/112 | 2.00  | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |         |      |      |  |  |  |
|------|-----------------------|--------------|----------|---------|------|------|--|--|--|
| 182  | CAPACITOR (ELECT)     | 500 UF 70 V  | PS 46104 | 26A/113 | 2.00 | UNIT |  |  |  |
| 183  | CAPACITOR (ELECT)COMP | 680 UF 40V   |          | 26A/118 | 5.00 | UNIT |  |  |  |
| 4909 | TRANSISTOR TIP 34     | DIST BOARD   | FVO5701  | 26A/121 | 2.00 | UNIT |  |  |  |
| 2245 | IC MC 1350 P          | FVO7668      |          | 26A/122 | 1.00 | UNIT |  |  |  |
| 2067 | IC 741                | FVO99073     |          | 26A/123 | 1.00 | UNIT |  |  |  |
| 4657 | TRANSISTOR BFR 81     | FVO5711      |          | 26A/124 | 2.00 | UNIT |  |  |  |
| 364  | CAPACITOR 33 UF 10V   | PS99508      |          | 26A/126 | 1.00 | UNIT |  |  |  |
| 4399 | TRANSISTOR 2N 5447    | FVO5828      |          | 26A/127 | 2.00 | UNIT |  |  |  |
| 1501 | DIODE MV 833          | FVO9295      |          | 26A/128 | 2.00 | UNIT |  |  |  |
| 4892 | TRANSISTOR SMALL SIG  | AMP BF 152   | FVO5893  | 26A/129 | 2.00 | UNIT |  |  |  |
| 2433 | IC TBA 810            | FV99091      |          | 26A/130 | 1.00 | UNIT |  |  |  |
| 4361 | TRANSISTOR 2N 4292    | FVO9208      |          | 26A/131 | 2.00 | UNIT |  |  |  |
| 1638 | DIODE ZENER 13V 500MW | FVO5816      |          | 26A/133 | 2.00 | UNIT |  |  |  |
| 4900 | TRANSISTOR TIP 30     | FVO8231      |          | 26A/134 | 2.00 | UNIT |  |  |  |
| 1672 | DIODE ZENER BZX 79    | C5V1 FVO5517 |          | 26A/136 | 2.00 | UNIT |  |  |  |
| 1122 | CRYSTAL FILTER        | FV00544      |          | 26A/137 | 2.00 | UNIT |  |  |  |
| 4154 | TRANSFORMER ASSY      | AT32322      |          | 26A/138 | 1.00 | UNIT |  |  |  |
| 1228 | DIODE 6FR10           | FVO8256      |          | 26A/139 | 1.00 | UNIT |  |  |  |
| 4898 | TRANSISTOR TIP 29     | FVO8247      |          | 26A/140 | 2.00 | UNIT |  |  |  |
| 4797 | TRANSISTOR MPS V05    | FVO8943      |          | 26A/141 | 2.00 | UNIT |  |  |  |
| 1499 | DIODE MV 1642         | FVO8916      |          | 26A/142 | 2.00 | UNIT |  |  |  |
| 1647 | DIODE ZENER 5.6V      | FV05812      |          | 26A/143 | 2.00 | UNIT |  |  |  |
| 873  | COIL AT 32250/2       | RG-8A        |          | 26A/144 | 2.00 | UNIT |  |  |  |
| 1123 | CRYSTAL FILTER        | MODULE       | FO99000  | 26A/145 | 1.00 | UNIT |  |  |  |

## INDEXB

|      |                       |              |         |         |       |      |  |  |  |
|------|-----------------------|--------------|---------|---------|-------|------|--|--|--|
| 3221 | RELAY TYPE 24 CO2C    | FR22625      | R403    | 26A/146 | 1.00  | UNIT |  |  |  |
| 2703 | MODULE/ASSEMBLY       | PWB AUDIO    | R453    | 26A/147 | 1.00  | UNIT |  |  |  |
| 4151 | TRANSFORMER AL21429   | R403 TI,600  |         | 26A/148 | 1.00  | UNIT |  |  |  |
| 4180 | TRANSFORMER MAINS     | R403 AL21443 |         | 26A/149 | 1.00  | UNIT |  |  |  |
| 4008 | SWITCH WAFER          | FS07095      |         | 26A/150 | 1.00  | UNIT |  |  |  |
| 4009 | SWITCH WAFER          | FS07095      |         | 26A/150 | 1.00  | UNIT |  |  |  |
| 4780 | TRANSISTOR MFE 132    | FV037818     | RG8A    | 26A/151 | 4.00  | UNIT |  |  |  |
| 4806 | TRANSISTOR MULTI-C-CC | T V19668     | R403    | 26A/152 | 1.00  | UNIT |  |  |  |
| 2013 | I/C SN64121N          | R403         |         | 26A/153 | 1.00  | UNIT |  |  |  |
| 367  | CAPACITOR 3300N-10+50 | ELECTROLYTIC | PS55602 | 26A/154 | 1.00  | UNIT |  |  |  |
| 675  | CAPACITOR TANTALUM    | PS31986      | 47VF    | 26A/155 | 1.00  | UNIT |  |  |  |
| 1804 | ELECTRONIC CONTROL    | WEIGHING     | CONSOLE | 26A/156 | 20.00 | UNIT |  |  |  |
| 1762 | DISPLAY UNIT WEIGHING | CONSOLE      |         | 26A/157 | 20.00 | UNIT |  |  |  |
| 834  | COIL ASSY             | AT32155/2    |         | 26B/001 | 1.00  | UNIT |  |  |  |
| 4155 | TRANSFORMER ASSY      | AT323222     |         | 26B/010 | 1.00  | UNIT |  |  |  |
| 1970 | FUSEHOLDER FH02873    |              |         | 26B/102 | 1.00  | UNIT |  |  |  |
| 42   | APPLIANCE INLET PLC   | FF99010      |         | 26B/103 | 1     | UNIT |  |  |  |
| 1229 | DIODE 6FR10           | FVO8256      |         | 26B/104 | 1.00  | UNIT |  |  |  |
| 552  | CAPACITOR ELECT 3300U | F -10+ 50%   | PS55602 | 26B/105 | 1.00  | UNIT |  |  |  |
| 51   | BAFFLE BT 36471       |              |         | 26B/106 | 5     | UNIT |  |  |  |
| 2583 | KNOB ASSY PRINTED     | BJ30584      |         | 26B/011 | 1.00  | UNIT |  |  |  |
| 132  | BUTTON PRINTED        | SQUELCH      | BJ30654 | 26B/012 | 1     | UNIT |  |  |  |
| 3786 | SOCKET                | FC00778      |         | 26B/013 | 5.00  | UNIT |  |  |  |
| 2922 | POLARIZING PLUG       | FC00798      |         | 26B/014 | 1.00  | UNIT |  |  |  |

## INDEXB

|      |                       |             |         |         |      |      |  |  |  |
|------|-----------------------|-------------|---------|---------|------|------|--|--|--|
| 2007 | HOUSING SINGLE        | FC00820/27  | 27 WAY  | 26B/015 | 1.00 | UNIT |  |  |  |
| 3088 | RECEPTABLE MINI       | FC00821/8   | 8 WAY   | 26B/016 | 1.00 | UNIT |  |  |  |
| 1000 | CONNECTOR JACK        | FS42585     | 42584   | 26B/017 | 2.00 | UNIT |  |  |  |
| 3812 | SOCKET 7 WAY 5 WAY    | FS44448     | 44449   | 26B/018 | 4.00 | UNIT |  |  |  |
| 3821 | SOCKET B2 WAY 14 WAY  | FS99145     | 44460   | 26B/019 | 3.00 | UNIT |  |  |  |
| 5077 | VOLTAGE CONTROL OSC   | AT12473/1   |         | 26B/002 | 2.00 | UNIT |  |  |  |
| 3922 | SWITCH 2 POLE MINI    | FS55602     | 55610   | 26B/020 | 2.00 | UNIT |  |  |  |
| 769  | CHOKE COMP 15UH 1.5UH | FS99004     | 99002   | 26B/021 | 2.00 | UNIT |  |  |  |
| 4040 | TERMINAL PV MINI      | FC00787     |         | 26B/022 | 5.00 | UNIT |  |  |  |
| 2012 | I/C L141T1            | FU09648     |         | 26B/023 | 1.00 | UNIT |  |  |  |
| 2011 | I/C CA3054            | FU14000     |         | 26B/024 | 1.00 | UNIT |  |  |  |
| 4805 | TRANSISTOR MULTI      | 19668 C-CCT | FU00521 | 26B/025 | 1.00 | UNIT |  |  |  |
| 1289 | DIODE BZX 79 C5V1     | FV05517     |         | 26B/026 | 1.00 | UNIT |  |  |  |
| 4910 | TRANSISTOR TIP 34     | FV05701     |         | 26B/027 | 1.00 | UNIT |  |  |  |
| 4658 | TRANSISTOR BFR 81     | FV05711     |         | 26B/028 | 1.00 | UNIT |  |  |  |
| 1648 | DIODE ZENER 5.6V      | FV05812     |         | 26B/029 | 1.00 | UNIT |  |  |  |
| 1763 | DISTRIBUTION ASSY RX  | AT13079     |         | 26B/003 | 1.00 | UNIT |  |  |  |
| 1645 | DIODE ZENER 4V7       | FV05811     |         | 26B/033 | 1.00 | UNIT |  |  |  |
| 1653 | DIODE ZENER 6.8V      | FV05813     | AT 5MA  | 26B/034 | 1.00 | UNIT |  |  |  |
| 4458 | TRANSISTOR 2N5447     | FV05828     |         | 26B/037 | 1.00 | UNIT |  |  |  |
| 1640 | DIODE ZENER 15V       | FV05817     | AT5MA   | 26B/038 | 1.00 | UNIT |  |  |  |
| 4901 | TRANSISTOR TIP 30     | FV08231     |         | 26B/039 | 1.00 | UNIT |  |  |  |
| 48   | AUDIO PWB AMP         | AT27742     |         | 26B/004 | 1    | UNIT |  |  |  |
| 4912 | TRANSISTOR TIP29+INS  | FV08247     |         | 26B/041 | 1.00 | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |         |      |      |  |  |  |
|------|-----------------------|--------------|----------|---------|------|------|--|--|--|
| 4452 | TRANSISTOR 2N4292     | FV09208      |          | 26B/042 | 1.00 | UNIT |  |  |  |
| 4449 | TRANSISTOR 2N4289 PNP | FV09235      |          | 26B/043 | 1.00 | UNIT |  |  |  |
| 4781 | TRANSISTOR MFE 132    | FV37818      |          | 26B/044 | 1.00 | UNIT |  |  |  |
| 4484 | TRANSISTOR 3N201      | FV37848      |          | 26B/045 | 1.00 | UNIT |  |  |  |
| 3016 | POTENTIOMETER BOURNS  | 4.7K OHM     | PL01486  | 26B/046 | 1.00 | UNIT |  |  |  |
| 2967 | POTENTIOMETER 1K OHM  | 2.2K OHM+20% | PL01533  | 26B/047 | 2.00 | UNIT |  |  |  |
| 2977 | POTENTIOMETER 22-25   | OMH PL01536  | PL07525  | 26B/048 | 2.00 | UNIT |  |  |  |
| 3607 | RESISTOR COMPT 1.8 OM | 2%PL99157    | PL99162  | 26B/049 | 4.00 | UNIT |  |  |  |
| 1862 | FILTER ASSY PWB       | AT27865/1    | TR/RX    | 26B/005 | 1.00 | UNIT |  |  |  |
| 3411 | RESISTOR 22-39-56 OMH | PL99170/3/5  |          | 26B/050 | 3.00 | UNIT |  |  |  |
| 450  | CAPACITOR CER DISC    | ION 40V PN50 | 339      | 26B/051 | 2.00 | UNIT |  |  |  |
| 631  | CAPACITOR PL2.2/3.9/  | 5.6/3.3 0.25 | PF       | 26B/052 | 7.00 | UNIT |  |  |  |
| 603  | CAPACITOR IN -20 +80% | 750V PN26615 | PN26627  | 26B/053 | 2.00 | UNIT |  |  |  |
| 454  | CAPACITOR cer pl47/68 | /82PF+2%63V  | PN99767/ | 26B/054 | 5.00 | UNIT |  |  |  |
| 452  | CAPACITOR CER PL 100/ | 180 PF 63 V  |          | 26B/055 | 4.00 | UNIT |  |  |  |
| 453  | CAPACITOR CER PL 18/  | 27/47//22 PF | 63 V +2% | 26B/056 | 4.00 | UNIT |  |  |  |
| 638  | CAPACITOR POLY 220 PF | 125V         |          | 26B/057 | 1.00 | UNIT |  |  |  |
| 641  | CAPACITOR POLY 3.3N   | +2% 125V     |          | 26B/058 | 1.00 | UNIT |  |  |  |
| 563  | CAPACITOR ELECT/TANT  | 1/4.7/2U2    | 35/25V   | 26B/059 | 3.00 | UNIT |  |  |  |
| 2698 | MODULE SWITCHING TX   | AT27842      |          | 26B/6   | 1.00 | UNIT |  |  |  |
| 564  | CAPACITOR ELECT/TANT  | 15/22/33/47U | F 16/10/ | 26B/60  | 5.00 | UNIT |  |  |  |
| 668  | CAPACITOR TANT 6.8UF  | 35V          |          | 26B/61  | 2.00 | UNIT |  |  |  |
| 540  | CAPACITOR ELECT 100UF | 10V          |          | 26B/62  | 1.00 | UNIT |  |  |  |
| 565  | CAPACITOR ELECT/TANT  | 0.47UF 35V   |          | 26B/63  | 2.00 | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |        |      |      |  |  |  |
|------|-----------------------|--------------|----------|--------|------|------|--|--|--|
| 541  | CAPACITOR ELECT 10UF  | 20V          |          | 26B/64 | 1.00 | UNIT |  |  |  |
| 553  | CAPACITOR ELECT 33PF  |              |          | 26B/65 | 1.00 | UNIT |  |  |  |
| 1500 | DIODE MV 1642         | FVO 8916     |          | 26B/67 | 1.00 | UNIT |  |  |  |
| 447  | CAPACITOR CER 33/22PF | 2% 63V       |          | 26B/68 | 3.00 | UNIT |  |  |  |
| 698  | CAPACITOR VARIABLE    | 1-10 PF      |          | 26B/69 | 1.00 | UNIT |  |  |  |
| 3123 | REGULATOR ASSY PWB    | AT27874      | TR/RX    | 26B/7  | 1.00 | UNIT |  |  |  |
| 469  | CAPACITOR CER PLATE   | 330P 63V     |          | 26B/70 | 1.00 | UNIT |  |  |  |
| 4146 | TRANSFORMER AL 21429/ | 33/43/32     |          | 26B/71 | 6.00 | UNIT |  |  |  |
| 85   | BOARD PWB 600 OHM     | AUDIO ASSY   | AT 27558 | 26B/72 | 1    | UNIT |  |  |  |
| 91   | BOARD PWB T/T DC SWIT | CHING ASSY   | AT27558/ | 26B/73 | 1    | UNIT |  |  |  |
| 90   | BOARD PWB T/T AND     | SWITCH       | AT27565/ | 26B/74 | 1    | UNIT |  |  |  |
| 87   | BOARD PWB CONTROL     | MODULE/ASSY  | AT27955/ | 26B/75 | 1    | UNIT |  |  |  |
| 2842 | PLUG 11 WAY BRKT ASSY | AT 13510/2   |          | 26B/76 | 1.00 | UNIT |  |  |  |
| 130  | BUTTON (T/T) (REMOTE) | (LOCAL) BJ30 | 583/6/4/ | 26B/77 | 3    | UNIT |  |  |  |
| 3202 | RELAY REED DIL 48V    | FR18726      |          | 26B/78 | 1.00 | UNIT |  |  |  |
| 3940 | SWITCH FSO7148        |              |          | 26B/79 | 1.00 | UNIT |  |  |  |
| 738  | CHOKE                 | AT31191/3    |          | 26B/8  | 1.00 | UNIT |  |  |  |
| 1498 | DIODE MULTI-CHIP      | FV00522      | V19672   | 26B/80 | 1.00 | UNIT |  |  |  |
| 2241 | IC LS045T             | FV14002      |          | 26B/81 | 1.00 | UNIT |  |  |  |
| 1637 | DIODE ZENER 13V 500MN | FV05816      |          | 26B/82 | 1.00 | UNIT |  |  |  |
| 4803 | TRANSISTOR MPSV05     | FV08943      |          | 26B/83 | 1.00 | UNIT |  |  |  |
| 3429 | RESISTOR 27/68/120/   | 180 OHM 2%   |          | 26B/84 | 4.00 | UNIT |  |  |  |
| 3419 | RESISTOR 220/270/390/ | 560 OHM 2%   |          | 26B/85 | 4.00 | UNIT |  |  |  |
| 3375 | RESISTOR 1K2/2.7K/3.9 | KOHM 2%      |          | 26B/86 | 3.00 | UNIT |  |  |  |

## INDEXB

|      |                       |              |         |         |      |      |  |  |  |
|------|-----------------------|--------------|---------|---------|------|------|--|--|--|
| 642  | CAPACITOR POLY 3.3UF  | 20% 160V     |         | 26B/87  | 1.00 | UNIT |  |  |  |
| 545  | CAPACITOR ELECT 150UF | 16V          |         | 26B/88  | 1.00 | UNIT |  |  |  |
| 1124 | CRYSTAL FILTER        | FC99000      |         | 26B/89  | 1.00 | UNIT |  |  |  |
| 835  | COIL ASSY             | AT32076/7    |         | 26B/9   | 1.00 | UNIT |  |  |  |
| 89   | BOARD PWB RX MULTIPLI | ER ASSY AT   | 27775/1 | 26B/90  | 1    | UNIT |  |  |  |
| 759  | CHOKE ASSY AT30155/2  |              |         | 26B/91  | 1.00 | UNIT |  |  |  |
| 856  | COIL ASSY AT31368/1/2 | /5/6         |         | 26B/92  | 4.00 | UNIT |  |  |  |
| 842  | COIL ASSY (EST)       | AT31368/33/3 | 4       | 26B/93  | 2.00 | UNIT |  |  |  |
| 865  | COIL ASSY AT32402/2   | 32418/2 30/1 |         | 26B/94  | 3.00 | UNIT |  |  |  |
| 4474 | TRANSISTOR 2TX 32S    | FVO7489      |         | 26B/95  | 1.00 | UNIT |  |  |  |
| 4652 | TRANSISTOR BF 960     | FV40834      |         | 26B/96  | 1.00 | UNIT |  |  |  |
| 4706 | TRANSISTOR BSX 20     | FV05822      |         | 26B/97  | 1.00 | UNIT |  |  |  |
| 88   | BOARD PWB OSCILL      | AT27861/2    |         | 26B/98  | 1    | UNIT |  |  |  |
| 86   | BOARD PWB 600 OHM TER | M AT27562/3  |         | 26B/99  | 1    | UNIT |  |  |  |
| 878  | COIL DISCRIMINATOR    | AL03156      | PF2FMB  | 26C/1   | 2.00 | UNIT |  |  |  |
| 2767 | P/C BRD ASSY ECONOMIS | ER AT27399/  | 50      | 26C/10  | 2.00 | UNIT |  |  |  |
| 437  | CAPACITOR ASSY        | AT12049      |         | 26C/101 | 1.00 | UNIT |  |  |  |
| 3706 | RESISTOR/CAP POTTED   | ASSY         |         | 26C/102 | 1.00 | UNIT |  |  |  |
| 3624 | RESISTOR FUSE ASSY    | AT12708      |         | 26C/103 | 1.00 | UNIT |  |  |  |
| 3915 | SWITCH FSO7142        |              |         | 26C/104 | 1.00 | UNIT |  |  |  |
| 1633 | DIODE ZENER 10V AT5MA |              |         | 26C/105 | 1.00 | UNIT |  |  |  |
| 4476 | TRANSISTOR 2TX313     |              |         | 26C/106 | 1.00 | UNIT |  |  |  |
| 3487 | RESISTOR 4.7 OHM 5%   | C3A          |         | 26C/107 | 1.00 | UNIT |  |  |  |
| 626  | CAPACITOR PL 56PF 2%  | 63V          |         | 26C/108 | 1.00 | UNIT |  |  |  |

## INDEXB

|      |                       |              |         |         |       |      |  |  |  |
|------|-----------------------|--------------|---------|---------|-------|------|--|--|--|
| 527  | CAPACITOR ELEC 2V2    | 15V          |         | 26C/109 | 1.00  | UNIT |  |  |  |
| 4109 | TOROID CHOKE 30025/1  |              |         | 26C/11  | 2.00  | UNIT |  |  |  |
| 840  | COIL ASSY             |              |         | 26C/110 | 2.00  | UNIT |  |  |  |
| 841  | COIL ASSY             |              |         | 26C/111 | 3.00  | UNIT |  |  |  |
| 137  | CABLE 4 WAY           | FC08872      |         | 26C/113 | 1     | UNIT |  |  |  |
| 1015 | CORD AND PLUG ASSY    | FC11056      |         | 26C/114 | 1.00  | UNIT |  |  |  |
| 3510 | RESISTOR 470 OHM +2%  |              |         | 26C/117 | 1.00  | UNIT |  |  |  |
| 2868 | PLUG 5 WAY            |              |         | 26C/118 | 1.00  | UNIT |  |  |  |
| 2588 | KNOB BT18055          |              |         | 26C/119 | 1.00  | UNIT |  |  |  |
| 836  | COIL ASSY             | AT30028/2    |         | 26C/12  | 2.00  | UNIT |  |  |  |
| 3958 | SWITCH MICRO 11-SMI-T |              |         | 26C/120 | 1.00  | UNIT |  |  |  |
| 3868 | SPEAKER FS11060       |              |         | 26C/121 | 1.00  | UNIT |  |  |  |
| 2563 | JACK SOCKET 9200/22   |              |         | 26C/122 | 1.00  | UNIT |  |  |  |
| 2587 | KNOB BT 18050 PRINTED | BJ18050      |         | 26C/13  | 2.00  | UNIT |  |  |  |
| 1836 | FERROX CUBE           | FC02103      |         | 26C/14  | 10.00 | UNIT |  |  |  |
| 1020 | CORE SHELL            | FC02388      |         | 26C/15  | 5.00  | UNIT |  |  |  |
| 3753 | SCREW CORE            | FC36120      | FC02898 | 26C/16  | 15.00 | UNIT |  |  |  |
| 3970 | SWITCH PF2FMB/CHANNEL | /TRANSIT FSO | 7103/04 | 26C/17  | 4.00  | UNIT |  |  |  |
| 3835 | SOCKET FS46103/40878  |              |         | 26C/18  | 4.00  | UNIT |  |  |  |
| 3836 | SOCKET GE95812/X TO   | PCT DRG      | FS43842 | 26C/19  | 2.00  | UNIT |  |  |  |
| 3818 | SOCKET ASSY           | AT12168      | PF2FMBE | 26C/2   | 2.00  | UNIT |  |  |  |
| 4692 | TRANSISTOR BFY90      | FVO5173      |         | 26C/20  | 2.00  | UNIT |  |  |  |
| 751  | CHOKE 3.3,470,33UH    | C20M FTO5704 | /5/6    | 26C/21  | 6.00  | UNIT |  |  |  |
| 2699 | MODULE T/F FVO0154/1  |              |         | 26C/22  | 2.00  | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |        |       |      |  |  |  |
|------|-----------------------|--------------|----------|--------|-------|------|--|--|--|
| 4447 | TRANSISTOR 2N4286     |              |          | 26C/24 | 2.00  | UNIT |  |  |  |
| 1634 | DIODE ZENER 11V       | 152110A      |          | 26C/25 | 2.00  | UNIT |  |  |  |
| 4917 | TRANSISTOR TIS60M     | FVO8212      |          | 26C/26 | 2.00  | UNIT |  |  |  |
| 4870 | TRANSISTOR SF173      |              |          | 26C/27 | 2.00  | UNIT |  |  |  |
| 4865 | TRANSISTOR PT4537 +   | BE/OX        |          | 26C/28 | 2.00  | UNIT |  |  |  |
| 4453 | TRANSISTOR 2N4292     |              |          | 26C/29 | 2.00  | UNIT |  |  |  |
| 2577 | KNOB ASSY             | AT25817      |          | 26C/3  | 2.00  | UNIT |  |  |  |
| 4444 | TRANSISTOR 2N3794 NPN |              |          | 26C/30 | 2.00  | UNIT |  |  |  |
| 4450 | TRANSISTOR 2N4289 PNP |              |          | 26C/31 | 2.00  | UNIT |  |  |  |
| 1348 | DIODE HP5082/2835     |              |          | 26C/32 | 2.00  | UNIT |  |  |  |
| 2962 | POTENTIOMETER 100K    | LOG C/W NUT  | PLO9188N | 26C/33 | 2.00  | UNIT |  |  |  |
| 476  | CAPACITOR CER TUB     | 0.51 PF +3.1 | PF       | 26C/34 | 2.00  | UNIT |  |  |  |
| 508  | CAPACITOR DISC 0.1UF  | HIK/8152     |          | 26C/35 | 2.00  | UNIT |  |  |  |
| 491  | CAPACITOR CERM DISC   | 1.8 PF 0.25P |          | 26C/36 | 3.00  | UNIT |  |  |  |
| 627  | CAPACITOR PL 6.8 PF   | 0.25PF       |          | 26C/37 | 2.00  | UNIT |  |  |  |
| 625  | CAPACITOR PL 22/38/47 | /68PF +2%    |          | 26C/38 | 8.00  | UNIT |  |  |  |
| 645  | CAPACITOR POLY 47 PF  | 30V HS       |          | 26C/39 | 2.00  | UNIT |  |  |  |
| 4955 | TRANSMITTER MODULE    | AF1 P/C BRD  | ASSY     | 26C/4  | 2.00  | UNIT |  |  |  |
| 637  | CAPACITOR POLY 150/   | 180/220/330P | F 2.5%HS | 26C/40 | 8.00  | UNIT |  |  |  |
| 646  | CAPACITOR POLY 470/   | 560/820/1200 | PF       | 26C/41 | 7.00  | UNIT |  |  |  |
| 557  | CAPACITOR ELECT 47UF  | 20V V214A    |          | 26C/42 | 1.00  | UNIT |  |  |  |
| 667  | CAPACITOR TANT 47 F   | 35/25V       |          | 26C/43 | 4.00  | UNIT |  |  |  |
| 520  | CAPACITOR ELEC 10/22N | 68N 35V      |          | 26C/44 | 10.00 | UNIT |  |  |  |
| 523  | CAPACITOR ELEC 1V25V  | 1V5 20V      |          | 26C/45 | 4.00  | UNIT |  |  |  |

## INDEXB

|      |                       |              |       |        |       |      |  |  |  |
|------|-----------------------|--------------|-------|--------|-------|------|--|--|--|
| 529  | CAPACITOR ELEC 3U3 10 | V 10U 2V     |       | 26C/46 | 5.00  | UNIT |  |  |  |
| 521  | CAPACITOR ELEC 10U10  | V 22U4V      |       | 26C/47 | 4.00  | UNIT |  |  |  |
| 689  | CAPACITOR VAR 3.5-10  | PF           |       | 26C/48 | 2.00  | UNIT |  |  |  |
| 1125 | CRYSTAL FILTER        | FCO3260      |       | 26C/49 | 2.00  | UNIT |  |  |  |
| 4956 | TRANSMITTER OSC BRD   | ASSY AT27156 | /50/7 | 26C/5  | 2.00  | UNIT |  |  |  |
| 4954 | TRANSMITTER MOD AF2   | P/C BRD ASSY |       | 26C/50 | 2.00  | UNIT |  |  |  |
| 4957 | TRANSMITTER PHASE MOD | P/C BRD ASSY |       | 26C/51 | 2.00  | UNIT |  |  |  |
| 2766 | P/C BRD ASSY 1st      | MULTR A      |       | 26C/52 | 2.00  | UNIT |  |  |  |
| 837  | COIL ASSY             |              |       | 26C/53 | 10.00 | UNIT |  |  |  |
| 628  | CAPACITOR PL 8.2 PF   | 0.25PF       |       | 26C/54 | 2.00  | UNIT |  |  |  |
| 629  | CAPACITOR PL/DISC 10/ | 12/82 PF 63V | +2%   | 26C/55 | 8.00  | UNIT |  |  |  |
| 3091 | RECIEVER AUD AMP P/C  | BRD ASSY     |       | 26C/56 | 2.00  | UNIT |  |  |  |
| 3092 | RECIEVER SQUELCH P/C  | BRD ASSY     |       | 26C/57 | 2.00  | UNIT |  |  |  |
| 3741 | RX 1st OSC MULTIPLIER | BRD          |       | 26C/58 | 2.00  | UNIT |  |  |  |
| 3713 | RF AMPLIFIER P/C BRD  | ASSY         |       | 26C/59 | 2.00  | UNIT |  |  |  |
| 3085 | REC 2nd MIX P/C BRD   | ASSY AT27162 | /1/50 | 26C/6  | 2.00  | UNIT |  |  |  |
| 3742 | RX DISC ASSY          |              |       | 26C/60 | 2.00  | UNIT |  |  |  |
| 838  | COIL ASSY             |              |       | 26C/61 | 8.00  | UNIT |  |  |  |
| 839  | COIL ASSY             |              |       | 26C/62 | 4.00  | UNIT |  |  |  |
| 1253 | DIODE BAX 13          |              |       | 26C/63 | 3.00  | UNIT |  |  |  |
| 184  | CAPACITOR (PECOIL)    | 1.0 PF + 0.1 | PF    | 26C/64 | 3.00  | UNIT |  |  |  |
| 624  | CAPACITOR PL 15/22/   | 120 PF2% 63V |       | 26C/65 | 5.00  | UNIT |  |  |  |
| 4918 | TRANSISTOR TIS61M     |              |       | 26C/66 | 2.00  | UNIT |  |  |  |
| 4620 | TRANSISTOR BF 166     |              |       | 26C/67 | 2.00  | UNIT |  |  |  |

## INDEXB

|      |                       |              |         |         |      |      |  |  |  |
|------|-----------------------|--------------|---------|---------|------|------|--|--|--|
| 4743 | TRANSISTOR COMPT      | BSX20        |         | 26C/68  | 2.00 | UNIT |  |  |  |
| 3132 | RELAY FR 17501        |              |         | 26C/69  | 2.00 | UNIT |  |  |  |
| 3086 | REC 2nd OSC P/C BRD   | ASSY AT27163 | /50     | 26C/7   | 2.00 | UNIT |  |  |  |
| 131  | BUTTON BT36441        |              |         | 26C/70  | 1    | UNIT |  |  |  |
| 473  | CAPACITOR CER PLATED  | IN +10% 63V  |         | 26C/71  | 2.00 | UNIT |  |  |  |
| 318  | CAPACITOR 2.2 N 20%   | 100V         |         | 26C/72  | 2.00 | UNIT |  |  |  |
| 5018 | TX 2nd MULTIPLIER P/C | BRD ASSY     |         | 26C/73  | 2.00 | UNIT |  |  |  |
| 1    | 1st IF AMP P/C BRD    | ASSY AT27170 | /50/2   | 26C/8   | 2    | UNIT |  |  |  |
| 5022 | TX MOD AF3 P/C BOARD  | ASSY AT27204 | /50     | 26C/9   | 2.00 | UNIT |  |  |  |
| 26   | ALTIMETER SETTING     | INDICATOR    |         | 28/1    | 6    | UNIT |  |  |  |
| 3212 | RELAY THERMIQUE       |              |         | 28/102  | 1.00 | UNIT |  |  |  |
| 717  | CARTE ALARMES TYPE 12 |              |         | 28/102A | 2.00 | UNIT |  |  |  |
| 718  | CARTE ALARMES TYPE 22 |              |         | 28/103  | 2.00 | UNIT |  |  |  |
| 3220 | RELAY TYPE 12301      | 831100       |         | 28/103A | 2.00 | UNIT |  |  |  |
| 2026 | IC 258/68 S256 AP     |              |         | 28/106  | 1.00 | UNIT |  |  |  |
| 1619 | DIODE WOZ 264 PONT DE |              |         | 28/106A | 5.00 | UNIT |  |  |  |
| 1623 | DIODE Z (207/39)15V   | 1.3 W        |         | 28/107  | 5.00 | UNIT |  |  |  |
| 4137 | TRANSFORMER 2000/25   | OH (206/17). |         | 28/107A | 2.00 | UNIT |  |  |  |
| 150  | CABLE RETRACTILE A CO | NDUCTEUR GRI | MR10495 | 28/109  | 5    | UNIT |  |  |  |
| 1004 | CONTACTOR BLOCK 2S319 | (LEM)        |         | 28/109A | 5.00 | UNIT |  |  |  |
| 3711 | RESSORT DE RAPPEL     | RE249        |         | 28/109B | 7.00 | UNIT |  |  |  |
| 4037 | TELERUPTEUR 21.02     | (SEE)        |         | 28/110  | 4.00 | UNIT |  |  |  |
| 3149 | RELAY 2RT V23         | (SEE)        |         | 28/110A | 5.00 | UNIT |  |  |  |
| 2749 | OPTOCOUPLER MCT 210   |              |         | 28/111  | 0.00 | UNIT |  |  |  |

## INDEXB

|      |                       |           |  |         |       |      |  |  |  |
|------|-----------------------|-----------|--|---------|-------|------|--|--|--|
| 4963 | TRASNFORMER T1087     | (SEEE)    |  | 28/111A | 5.00  | UNIT |  |  |  |
| 2925 | PONT REDRESSEUR 110BZ |           |  | 28/112  | 3.00  | UNIT |  |  |  |
| 3074 | QUARTZ 6LHGZ          |           |  | 28/112A | 2.00  | UNIT |  |  |  |
| 1658 | DIODE ZENER BXZ 553V  |           |  | 28/113  | 5.00  | UNIT |  |  |  |
| 3207 | RELAY S224V           |           |  | 28/113A | 10.00 | UNIT |  |  |  |
| 3211 | RELAY SUZU V          | SEEE      |  | 28/114  | 5.00  | UNIT |  |  |  |
| 4042 | TERMISTANCE CPT       | 67298001  |  | 28/114A | 2.00  | UNIT |  |  |  |
| 2633 | LAMP MIDGET GROOVED   | 28V 40MA  |  | 28/115  | 20.00 | UNIT |  |  |  |
| 4142 | TRANSFORMER 4460      | SEEE      |  | 28/116  | 2.00  | UNIT |  |  |  |
| 60   | BATTERY MEMOGUARD     | TYPE 310  |  | 28/116A | 2     | UNIT |  |  |  |
| 3195 | RELAY PRME IBO24B (IR | )         |  | 28/117  | 2.00  | UNIT |  |  |  |
| 3194 | RELAY PRME 15003 AB   | (IT)      |  | 28/117A | 4.00  | UNIT |  |  |  |
| 1490 | DIODE LED LD468       |           |  | 28/118  | 2.00  | UNIT |  |  |  |
| 2748 | OPTOCOUPLER MCT 16    |           |  | 28/118A | 5.00  | UNIT |  |  |  |
| 2634 | LAMP MIDGET GROOVED   | 48V 25MA  |  | 28/119  | 0.00  | UNIT |  |  |  |
| 2635 | LAMP MIDGET GROOVED   | 14V 80MA  |  | 28/119A | 0.00  | UNIT |  |  |  |
| 2640 | LAMP SLIDE T5.5       | 24V 50MA  |  | 28/120  | 10.00 | UNIT |  |  |  |
| 2750 | OPTOCOUPLER MCT 210   |           |  | 28/121  | 0.00  | UNIT |  |  |  |
| 733  | CHART ROLLS           |           |  | 28/32A  | 40.00 | ROLL |  |  |  |
| 2817 | PENS RED FIBRE TIP    |           |  | 28/34   | 8.00  | UNIT |  |  |  |
| 2816 | PENS BLUE FIBRE TIP   |           |  | 28/35   | 8.00  | UNIT |  |  |  |
| 3228 | REMOTE TEMPERATURE    | INDICATOR |  | 28/5    | 1.00  | UNIT |  |  |  |
| 3990 | SWITCH SELECTOR 6     | POSITION  |  | 28/6    | 1.00  | UNIT |  |  |  |
| 4473 | TRANSISTOR 2S 733     |           |  | 29/1    | 2.00  | UNIT |  |  |  |

## INDEXB

|      |                       |              |         |        |       |      |  |  |  |
|------|-----------------------|--------------|---------|--------|-------|------|--|--|--|
| 4436 | TRANSISTOR 2N 964     |              |         | 29/2   | 3.00  | UNIT |  |  |  |
| 4825 | TRANSISTOR OC 29      |              |         | 29/3   | 2.00  | UNIT |  |  |  |
| 4432 | TRANSISTOR 2N 918     |              |         | 29/4   | 2.00  | UNIT |  |  |  |
| 4510 | TRANSISTOR ACY 20     |              |         | 29/5   | 3.00  | UNIT |  |  |  |
| 4512 | TRANSISTOR ACY 21     |              |         | 29/6   | 2.00  | UNIT |  |  |  |
| 1541 | DIODE RECTIFIER IS411 |              |         | 29/7   | 5.00  | UNIT |  |  |  |
| 1246 | DIODE AAZ 13          |              |         | 29/8   | 5.00  | UNIT |  |  |  |
| 1300 | DIODE BZY 88 C4V2     |              |         | 29/9   | 2.00  | UNIT |  |  |  |
| 709  | CAPACITORS C3         | 150 UF 16V   |         | 29A/10 | 3.00  | UNIT |  |  |  |
| 988  | CONDUCTORS SEMI BZX   | 61F FSV      |         | 29A/11 | 2.00  | UNIT |  |  |  |
| 989  | CONDUCTORS SEMI BZY   | 88C20        |         | 29A/12 | 2.00  | UNIT |  |  |  |
| 991  | CONDUCTORS SEMI VT4   | PN107[BC147] |         | 29A/13 | 3.00  | UNIT |  |  |  |
| 990  | CONDUCTORS SEMI TRI-  | PN 109       | [BC149] | 29A/14 | 2.00  | UNIT |  |  |  |
| 4066 | THERMISTORS THI-VA    | 1038         |         | 29A/15 | 2.00  | UNIT |  |  |  |
| 708  | CAPACITORS C11 4000UF | 4700UF 40V   |         | 29A/16 | 1.00  | UNIT |  |  |  |
| 1198 | DIODE [ASSORTED]      |              |         | 29A/18 | 76.00 | UNIT |  |  |  |
| 707  | CAPACITORS C10-100MF  | 40V          |         | 29A/19 | 3.00  | UNIT |  |  |  |
| 3199 | RELAY REED 12V 90-1-  | A 12/1       |         | 29A/22 | 1.00  | UNIT |  |  |  |
| 372  | CAPACITOR 33UF 35V    | 20%          |         | 29A/23 | 1.00  | UNIT |  |  |  |
| 5065 | VALVE HOLDER B9A      | XM9/UCI      |         | 29A/3  | 3.00  | UNIT |  |  |  |
| 3171 | RELAY ATR 24BC01      |              |         | 29A/4  | 1.00  | UNIT |  |  |  |
| 1760 | DISPLAY SOLID STATE   | 921252       |         | 29A/48 | 3.00  | UNIT |  |  |  |
| 3129 | REGULATOR VOLTAGE     | 920682       | 940091  | 29A/51 | 5.00  | UNIT |  |  |  |
| 2125 | IC 921226             |              |         | 29A/53 | 1.00  | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |        |       |      |  |  |  |
|------|-----------------------|--------------|----------|--------|-------|------|--|--|--|
| 2123 | IC 917510             |              |          | 29A/62 | 7.00  | UNIT |  |  |  |
| 2124 | IC 919747             |              |          | 29A/63 | 1.00  | UNIT |  |  |  |
| 4504 | TRANSISTOR 917219     | 938015       |          | 29A/65 | 3.00  | UNIT |  |  |  |
| 4503 | TRANSISTOR 908753     |              |          | 29A/67 | 22.00 | UNIT |  |  |  |
| 1234 | DIODE 900071/936862   |              |          | 29A/68 | 13.00 | UNIT |  |  |  |
| 4505 | TRANSISTOR 924312     |              |          | 29A/69 | 2.00  | UNIT |  |  |  |
| 1238 | DIODE 918491          |              |          | 29A/70 | 1.00  | UNIT |  |  |  |
| 1237 | DIODE 914310/928372   |              |          | 29A/71 | 1.00  | UNIT |  |  |  |
| 1235 | DIODE 912747/912749   |              |          | 29A/72 | 5.00  | UNIT |  |  |  |
| 1236 | DIODE 914076/926429   |              |          | 29A/73 | 6.00  | UNIT |  |  |  |
| 1239 | DIODE 924961          |              |          | 29A/74 | 2.00  | UNIT |  |  |  |
| 98   | BRIDGE RECTIFIER      | 921185/92295 | 5        | 29A/76 | 2     | UNIT |  |  |  |
| 2771 | PAD CLEANING T.F      | CAT No 16072 | BOX/50   | 29A/78 | 17.00 | BOX  |  |  |  |
| 986  | CONDUCTORS SEMI       | X1-MJ3001    |          | 29A/8  | 4.00  | UNIT |  |  |  |
| 712  | CAPSTAN D5714/2-06    |              |          | 29A/80 | 2.00  | UNIT |  |  |  |
| 1871 | FLYWHEEL ASSY D7809   |              |          | 29A/81 | 4.00  | UNIT |  |  |  |
| 4023 | TAPE POSITION INDICAT | OR ASSY 4011 | 7-850004 | 29A/82 | 2.00  | UNIT |  |  |  |
| 2731 | MYLAR BELT ASSY D8029 | /1-02        |          | 29A/83 | 0.00  | UNIT |  |  |  |
| 2740 | O RING BELT 61/8BN6"  |              |          | 29A/84 | 2.00  | UNIT |  |  |  |
| 2819 | PHOTOCELL ASSY 40117- | 314-10       |          | 29A/85 | 2.00  | UNIT |  |  |  |
| 3193 | RELAY POLAR REED 12V  | 11841        |          | 29A/86 | 10.00 | UNIT |  |  |  |
| 3142 | RELAY 17563           | (RACAL REC)  |          | 29A/87 | 5.00  | UNIT |  |  |  |
| 2000 | HEAD PLATE 20 CH      | (RACAL REC)  |          | 29A/88 | 1.00  | UNIT |  |  |  |
| 987  | CONDUCTORS SEMI       | X1-MJ2500    |          | 29A/9  | 2.00  | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |         |       |       |  |  |  |
|------|-----------------------|--------------|----------|---------|-------|-------|--|--|--|
| 2833 | PLASTER ADHESIVE WHIT | E 75 INCHES* | 5 METRES | 30/23   | 1.00  | ROLL  |  |  |  |
| 4030 | TELEPHONE CORD (ASST) |              |          | 31/125  | 57.00 | UNIT  |  |  |  |
| 1791 | EAR PIECE             |              |          | 31/126  | 54.00 | UNIT  |  |  |  |
| 2724 | MOUTH PIECE           |              |          | 31/127  | 20.00 | UNIT  |  |  |  |
| 4031 | TELEPHONE HANDLE      |              |          | 31/128  | 11.00 | UNIT  |  |  |  |
| 4029 | TELEPHONE CONNECTION  | BOX (ASST)   | 2 PR     | 31/129  | 11.00 | UNIT  |  |  |  |
| 4033 | TELEPHONE PLUG 76153  |              |          | 31/131  | 10.00 | UNIT  |  |  |  |
| 1766 | DISTRIBUTION BOX 40PR |              |          | 31/132  | 1.00  | UNIT  |  |  |  |
| 1765 | DISTRIBUTION BOX 20PR |              |          | 31/133  | 1.00  | UNIT  |  |  |  |
| 1764 | DISTRIBUTION BOX 10PR |              |          | 31/134  | 2.00  | UNIT  |  |  |  |
| 810  | CODEC 16 CHANNEL      |              |          | 31/135  | 4.00  | UNIT  |  |  |  |
| 4987 | TRUNK CONTROLLER CARD | 16 CHANNEL   |          | 31/136  | 3.00  | UNIT  |  |  |  |
| 4988 | TRUNK INTERFACE       | 4 CHANNEL    |          | 31/137  | 4.00  | UNIT  |  |  |  |
| 2553 | INTERFACE EXTN 16 CHA | NNEL (GPT)   |          | 31/138  | 5.00  | UNIT  |  |  |  |
| 1183 | DIL HEADER PLUG EXTRA | CTOR         |          | 31/139  | 1.00  | UNIT  |  |  |  |
| 1011 | CONTROL SHELF POWER   | SUPPLY       |          | 31/141  | 1.00  | UNIT  |  |  |  |
| 4034 | TELEPHONE SET COMPLET | E WITH BT    | SOCKET   | 31/142  | 1.00  | UNIT  |  |  |  |
| 3090 | RECHEM 312D           |              |          | 31/149  | 1.00  | BOX   |  |  |  |
| 3904 | STRIP STAINLESS       | STEEL        |          | 31/173  | 45.00 | METRE |  |  |  |
| 2556 | IRON WIRE GALVANISED  |              |          | 31/174  | 28.50 | METRE |  |  |  |
| 992  | CONECTORS 2A          |              |          | 31/178  | 20.00 | UNIT  |  |  |  |
| 147  | CABLE PROTECTION      | 63/33        |          | 31/179  | 3     | UNIT  |  |  |  |
| 148  | CABLE PROTECTION      | 63/34        |          | 31/179A | 2     | UNIT  |  |  |  |
| 149  | CABLE PROTECTION      | 63/35        |          | 31/179B | 10    | UNIT  |  |  |  |

## INDEXB

|      |                         |              |          |         |         |       |  |  |  |
|------|-------------------------|--------------|----------|---------|---------|-------|--|--|--|
| 2769 | PABX TELEPHONE[PLESSE   | Y] MFH TELEP | HONE SET | 31/180  | 108.00  | UNIT  |  |  |  |
| 5088 | WALL MTG KIT COMMERCIAL | PACK         |          | 31/181  | 75.00   | UNIT  |  |  |  |
| 4032 | TELEPHONE MF4           |              |          | 31/181A | 28.00   | UNIT  |  |  |  |
| 5087 | WALL ZACKETS MF4        |              |          | 31/181C | 13.00   | UNIT  |  |  |  |
| 4035 | TELEPHONE SOCKET        | 6PINS        |          | 31/181D | 1.00    | UNIT  |  |  |  |
| 4036 | TELEPHONE SOCKET        | 4PINS        |          | 31/181E | 1.00    | UNIT  |  |  |  |
| 144  | CABLE LEAD ELECTRICAL   | 3.3 KV       |          | 31/25   | 50.00   | METRE |  |  |  |
| 154  | CABLE TELEPHONE 2 PR    | ASST         |          | 31/28   | 1445.00 | METRE |  |  |  |
| 156  | CABLE TELEPHONE 22 PR   | 1.27MM 4SP/1 |          | 31/29   | 105.00  | METRE |  |  |  |
| 135  | CABLE 2 CORE 3.3 KV     | 0.0225SQ IN  |          | 31/32   | 93      | YARD  |  |  |  |
| 138  | CABLE 60 PAIRS          |              |          | 31/38   | 6       | METRE |  |  |  |
| 136  | CABLE 20 PAIRS          |              |          | 31/40   | 25.50   | METRE |  |  |  |
| 157  | CABLE TELEPHONE 30 PR   | INT.PVC      |          | 31/48   | 11.30   | METRE |  |  |  |
| 158  | CABLE TELEPHONE 7 PR    |              |          | 31/53   | 7.20    | METRE |  |  |  |
| 155  | CABLE TELEPHONE 2 PR    | INTERNAL 0.5 | MM/2PR   | 31/55   | 894.00  | METRE |  |  |  |
| 163  | CABLE UNDERGROUND 20/   | 30 PAIR 0.6M | M        | 31/57   | 790.00  | METRE |  |  |  |
| 2571 | KIT SPARE PN 17-30075   |              |          | 31/79   | 1.00    | KIT   |  |  |  |
| 2570 | KIT SPARE PN 17-30042   |              |          | 31/79A  | 1.00    | KIT   |  |  |  |
| 4660 | TRANSISTOR BFR90        |              |          | 32A/1   | 3.00    | UNIT  |  |  |  |
| 4018 | TABLE STAND ST 305      |              |          | 32A/11  | 1.00    | UNIT  |  |  |  |
| 1481 | DIODE IS 2062A          |              |          | 32A/16  | 3.00    | UNIT  |  |  |  |
| 1480 | DIODE IS 2056A          |              |          | 32A/17  | 3.00    | UNIT  |  |  |  |
| 1479 | DIODE IS 2027A          |              |          | 32A/18  | 3.00    | UNIT  |  |  |  |
| 1335 | DIODE HC 7005B          |              |          | 32A/19  | 3.00    | UNIT  |  |  |  |

## INDEXB

|      |                       |              |         |        |      |      |  |  |  |
|------|-----------------------|--------------|---------|--------|------|------|--|--|--|
| 4689 | TRANSISTOR BFY51      |              |         | 32A/2  | 0.00 | UNIT |  |  |  |
| 1225 | DIODE 60505           |              |         | 32A/20 | 3.00 | UNIT |  |  |  |
| 1313 | DIODE DA90            |              |         | 32A/21 | 3.00 | UNIT |  |  |  |
| 1220 | DIODE 5082/HP 2811    |              |         | 32A/22 | 1.00 | UNIT |  |  |  |
| 1218 | DIODE 5082/5084       | MATCHED PAIR |         | 32A/23 | 1.00 | UNIT |  |  |  |
| 104  | BRIDGE RECTIFIER W02  |              |         | 32A/24 | 2    | UNIT |  |  |  |
| 99   | BRIDGE RECTIFIER      | 5SB20        |         | 32A/25 | 2    | UNIT |  |  |  |
| 4693 | TRANSISTOR BFY90      |              |         | 32A/3  | 0.00 | UNIT |  |  |  |
| 3201 | RELAY REED 570 OHM    | COIL OSMAR   | CD 3754 | 32A/30 | 1.00 | UNIT |  |  |  |
| 824  | COIL 220 OHM SIEMEN   | CO-717-B-104 | 23154   | 32A/31 | 1.00 | UNIT |  |  |  |
| 825  | COIL 530 OHM SIEMEN   | CO-717-B-104 | 23154   | 32A/32 | 1.00 | UNIT |  |  |  |
| 4711 | TRANSISTOR BSX20      |              |         | 32A/4  | 0.00 | UNIT |  |  |  |
| 4386 | TRANSISTOR 2N 5245    |              |         | 32A/5  | 3.00 | UNIT |  |  |  |
| 4420 | TRANSISTOR 2N 6109RCA |              |         | 32A/51 | 4.00 | UNIT |  |  |  |
| 4382 | TRANSISTOR 2N 5162    | MOTOROLA     |         | 32A/52 | 2.00 | UNIT |  |  |  |
| 4381 | TRANSISTOR 2N 5161    | MOTOROLA     |         | 32A/53 | 2.00 | UNIT |  |  |  |
| 4337 | TRANSISTOR 2N 3866    |              |         | 32A/54 | 4.00 | UNIT |  |  |  |
| 4323 | TRANSISTOR 2N 3703    |              |         | 32A/55 | 6.00 | UNIT |  |  |  |
| 4321 | TRANSISTOR 2N 3702    |              |         | 32A/56 | 2.00 | UNIT |  |  |  |
| 4310 | TRANSISTOR 2N 3055    |              |         | 32A/57 | 0.00 | UNIT |  |  |  |
| 4707 | TRANSISTOR BSX 20     |              |         | 32A/58 | 3.00 | UNIT |  |  |  |
| 4686 | TRANSISTOR BFY 64     |              |         | 32A/59 | 3.00 | UNIT |  |  |  |
| 4861 | TRANSISTOR PT 3536    |              |         | 32A/6  | 1.00 | UNIT |  |  |  |
| 4628 | TRANSISTOR BF 180     |              |         | 32A/60 | 3.00 | UNIT |  |  |  |

## INDEXB

|      |                       |              |         |        |      |      |  |  |  |
|------|-----------------------|--------------|---------|--------|------|------|--|--|--|
| 4625 | TRANSISTOR BF 173     |              |         | 32A/61 | 3.00 | UNIT |  |  |  |
| 4623 | TRANSISTOR BF 167     |              |         | 32A/62 | 3.00 | UNIT |  |  |  |
| 4618 | TRANSISTOR BF 115     |              |         | 32A/63 | 3.00 | UNIT |  |  |  |
| 4597 | TRANSISTOR BCY 70     |              |         | 32A/64 | 0.00 | UNIT |  |  |  |
| 4552 | TRANSISTOR BC 177     |              |         | 32A/65 | 3.00 | UNIT |  |  |  |
| 2341 | IC SL 702C            |              |         | 32A/66 | 4.00 | UNIT |  |  |  |
| 2225 | IC LM 3044            |              |         | 32A/67 | 4.00 | UNIT |  |  |  |
| 1338 | DIODE HG 7005B        |              |         | 32A/68 | 4.00 | UNIT |  |  |  |
| 1219 | DIODE 5082/5084       | MATCHED PAIR |         | 32A/69 | 3.00 | UNIT |  |  |  |
| 4863 | TRANSISTOR PT 8741    |              |         | 32A/7  | 1.00 | UNIT |  |  |  |
| 1222 | DIODE 5820/2805       | MATCHED QUAD |         | 32A/70 | 3.00 | UNIT |  |  |  |
| 1226 | DIODE 60505           |              |         | 32A/71 | 4.00 | UNIT |  |  |  |
| 1475 | DIODE IR 6F20 (6A)    |              |         | 32A/72 | 4.00 | UNIT |  |  |  |
| 1616 | DIODE VAC 89J VBC 89J |              |         | 32A/73 | 2.00 | UNIT |  |  |  |
| 1484 | DIODE IS 44           |              |         | 32A/74 | 4.00 | UNIT |  |  |  |
| 4496 | TRANSISTOR 40673      |              |         | 32A/75 | 2.00 | UNIT |  |  |  |
| 1510 | DIODE OA 202          |              |         | 32A/76 | 6.00 | UNIT |  |  |  |
| 1392 | DIODE IN 4151         |              |         | 32A/77 | 6.00 | UNIT |  |  |  |
| 4745 | TRANSISTOR CRS 105 AF |              |         | 32A/78 | 4.00 | UNIT |  |  |  |
| 4080 | THYRISTOR CRS 305 AF  |              |         | 32A/79 | 4.00 | UNIT |  |  |  |
| 2136 | IC CA 3011            |              |         | 32A/8  | 3.00 | UNIT |  |  |  |
| 2562 | JACK PLUG RENDER INTS | B721010      |         | 32A/86 | 0.00 | UNIT |  |  |  |
| 3829 | SOCKET CONNECTOR HPC  | 1615 TFB     | B721000 | 32A/87 | 3.00 | UNIT |  |  |  |
| 848  | COIL ASSY 406/1/11026 | /01/02/03/04 |         | 32A/88 | 4.00 | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |         |       |      |  |  |  |
|------|-----------------------|--------------|----------|---------|-------|------|--|--|--|
| 4715 | TRANSISTOR BSY 71     |              |          | 32B/10  | 4.00  | UNIT |  |  |  |
| 4167 | TRANSFORMER CS100/102 |              |          | 32B/101 | 2.00  | UNIT |  |  |  |
| 4168 | TRANSFORMER CS598/738 |              |          | 32B/102 | 2.00  | UNIT |  |  |  |
| 2526 | INDUCTOR CS13/A       |              |          | 32B/105 | 1.00  | UNIT |  |  |  |
| 2527 | INDUCTOR CS48         |              |          | 32B/106 | 1.00  | UNIT |  |  |  |
| 2528 | INDUCTOR CS60         |              |          | 32B/107 | 0.00  | UNIT |  |  |  |
| 4218 | TRANSFORMER TR1       |              |          | 32B/108 | 0.00  | UNIT |  |  |  |
| 4714 | TRANSISTOR BSY 44     |              |          | 32B/11  | 15.00 | UNIT |  |  |  |
| 251  | CAPACITOR 10/47/100UF | 35V +50%- 10 | %-21     | 32B/110 | 40.00 | UNIT |  |  |  |
| 269  | CAPACITOR 1000/3570   | PF 125V +0.6 | 25%-12   | 32B/111 | 24.00 | UNIT |  |  |  |
| 374  | CAPACITOR 36775 PF 63 | V/69300/6000 | 0 PF.625 | 32B/112 | 36.00 | UNIT |  |  |  |
| 423  | CAPACITOR 71100/72000 | PF 125V +    | 0.625%   | 32B/113 | 24.00 | UNIT |  |  |  |
| 430  | CAPACITOR 83800/84850 | 88100 PF 125 | V .625%  | 32B/114 | 48.00 | UNIT |  |  |  |
| 431  | CAPACITOR 90400/10060 | 0 PF 125V +  | 0.625%   | 32B/115 | 24.00 | UNIT |  |  |  |
| 213  | CAPACITOR 0.1/0.22/0. | 47 UF 250V + | 20% PA   | 32B/116 | 36.00 | UNIT |  |  |  |
| 236  | CAPACITOR 1/2.2UF250V | 2.2 UF 100V+ | 20%/10%  | 32B/117 | 48.00 | UNIT |  |  |  |
| 289  | CAPACITOR 1470 /1535/ | 1580/1000 PF |          | 32B/118 | 48.00 | UNIT |  |  |  |
| 328  | CAPACITOR 2020 /2640/ | 2840 PF 100V | (SE 63)  | 32B/119 | 33.00 | UNIT |  |  |  |
| 4262 | TRANSISTOR 2N 1711    |              |          | 32B/12  | 0.00  | UNIT |  |  |  |
| 361  | CAPACITOR 3030 /3580/ | 3970 PF 100V | +1%      | 32B/120 | 9.00  | UNIT |  |  |  |
| 382  | CAPACITOR 4020 /4420/ | SE 63/4750/4 | 860/4910 | 32B/121 | 18.00 | UNIT |  |  |  |
| 411  | CAPACITOR 5115 /5440/ | 5520 PF 100V | +1%      | 32B/122 | 9.00  | UNIT |  |  |  |
| 418  | CAPACITOR 6030 /6370/ | 6420/6500 PF | 100V+1%  | 32B/123 | 12.00 | UNIT |  |  |  |
| 424  | CAPACITOR 7200 /7250/ | 8170/8210/98 | 50PF100V | 32B/124 | 15.00 | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |         |       |      |  |  |  |
|------|-----------------------|--------------|----------|---------|-------|------|--|--|--|
| 271  | CAPACITOR 10000/10130 | 10930 PF 100 | V +1%    | 32B/125 | 9.00  | UNIT |  |  |  |
| 278  | CAPACITOR 11000/11475 | 11640/11900  | PF 100V  | 32B/126 | 12.00 | UNIT |  |  |  |
| 281  | CAPACITOR 12000/12300 | 12400/12470  | PF100V1% | 32B/127 | 12.00 | UNIT |  |  |  |
| 285  | CAPACITOR 13900/14085 | 14800 PF 100 | V +1%    | 32B/128 | 9.00  | UNIT |  |  |  |
| 307  | CAPACITOR 15200/15400 | 15800 PF 100 | V +1%    | 32B/129 | 9.00  | UNIT |  |  |  |
| 4556 | TRANSISTOR BC 179B    |              |          | 32B/13  | 20.00 | UNIT |  |  |  |
| 311  | CAPACITOR 16300/17000 | 17850 PF 100 | V +1%    | 32B/130 | 9.00  | UNIT |  |  |  |
| 312  | CAPACITOR 18500/18800 | 19300/19550  | PF 100V  | 32B/131 | 12.00 | UNIT |  |  |  |
| 329  | CAPACITOR 20300/21600 | 21900 PF 100 | V +1%    | 32B/132 | 9.00  | UNIT |  |  |  |
| 345  | CAPACITOR 22725/23600 | 23900 PF 100 | V +1%    | 32B/133 | 9.00  | UNIT |  |  |  |
| 349  | CAPACITOR 26800/27500 | 27800 PF 100 | V +1%    | 32B/134 | 9.00  | UNIT |  |  |  |
| 354  | CAPACITOR 28200/29275 | 29650 PF 100 | V +1%    | 32B/135 | 9.00  | UNIT |  |  |  |
| 359  | CAPACITOR 30025/30400 | 31200/31600  | PF 100V  | 32B/137 | 12.00 | UNIT |  |  |  |
| 383  | CAPACITOR 40700/41200 | 41725 PF 100 | V +1%    | 32B/138 | 9.00  | UNIT |  |  |  |
| 385  | CAPACITOR 42250/42700 | 44500 PF 100 | V +1%    | 32B/139 | 9.00  | UNIT |  |  |  |
| 4598 | TRANSISTOR BCY 70     |              |          | 32B/14  | 0.00  | UNIT |  |  |  |
| 406  | CAPACITOR 48600/49850 | 51300/52450  | PF 100V  | 32B/140 | 12.00 | UNIT |  |  |  |
| 412  | CAPACITOR 55600 SR63  | 55600/55900/ | 56600    | 32B/141 | 12.00 | UNIT |  |  |  |
| 414  | CAPACITOR 57700/58050 | 59550 PF 100 | V +1%    | 32B/142 | 9.00  | UNIT |  |  |  |
| 419  | CAPACITOR 63500/67100 | PF 100V +1%  |          | 32B/143 | 6.00  | UNIT |  |  |  |
| 353  | CAPACITOR 27500 PF    | 350V +1%C33E |          | 32B/144 | 3.00  | UNIT |  |  |  |
| 264  | CAPACITOR 1000 PF 100 | V +5% CRNPO  |          | 32B/145 | 3.00  | UNIT |  |  |  |
| 292  | CAPACITOR 15 PF 500V  | +1% B34211   | A3150 KO | 32B/146 | 6.00  | UNIT |  |  |  |
| 300  | CAPACITOR 150/470 PF  | 500V +10%    |          | 32B/147 | 6.00  | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |          |       |      |  |  |  |
|------|-----------------------|--------------|----------|----------|-------|------|--|--|--|
| 204  | CAPACITOR 0.033/0.047 | UF 400V +20% | SI       | 32B/148  | 12.00 | UNIT |  |  |  |
| 299  | CAPACITOR 150/330/470 | PF 400V +20% |          | 32B/149  | 12.00 | UNIT |  |  |  |
| 4272 | TRANSISTOR 2N 2219A   |              |          | 32B/15   | 15.00 | UNIT |  |  |  |
| 201  | CAPACITOR 0.01 UF 630 | +10% P20     |          | 32B/150  | 12.00 | UNIT |  |  |  |
| 220  | CAPACITOR 0.33 UF 63V | +1%          |          | 32B/151  | 3.00  | UNIT |  |  |  |
| 208  | CAPACITOR 0.1 UF 100V | +10%/+20%/+  | AA/P MUL | 32B/152  | 40.00 | UNIT |  |  |  |
| 245  | CAPACITOR 10 UF 25V   | +20%         |          | 32B/153  | 10.00 | UNIT |  |  |  |
| 4985 | TRIMMER CP3 BULGIN PA | DDER PRE SET |          | 32B/154  | 3.00  | UNIT |  |  |  |
| 4979 | TRIMMER 30 PF C/10    | USE ON 1633  | CVI      | 32B/155  | 3.00  | UNIT |  |  |  |
| 198  | CAPACITOR 0.01 UF 100 | V/250 V +10% | +20%     | 32B/156  | 28.00 | UNIT |  |  |  |
| 217  | CAPACITOR 0.22 UF 100 | V +10% PR    |          | 32B/157  | 12.00 | UNIT |  |  |  |
| 298  | CAPACITOR 150/316/470 | /580 PF 100V | +1%      | 32B/158  | 96.00 | UNIT |  |  |  |
| 4295 | TRANSISTOR 2N 2905    |              |          | 32B/16   | 30.00 | UNIT |  |  |  |
| 2270 | IC MC-D-36            |              |          | 32B/178A | 5.00  | UNIT |  |  |  |
| 2274 | IC MC-L-06 (IC 4)     |              |          | 32B/179A | 2.00  | UNIT |  |  |  |
| 3204 | RELAY RLA FRK 26211   | 004 (T/N 204 | 94001)   | 32B/187  | 5.00  | UNIT |  |  |  |
| 4166 | TRANSFORMER CS 957    | (132-050957) |          | 32B/188  | 2.00  | UNIT |  |  |  |
| 84   | BOARD PC IN 943A(CCI) | ON MAIN      | J5008    | 32B/189  | 5     | UNIT |  |  |  |
| 82   | BOARD MAIN PC AA133   | (TELEFUNKEN) | J5008    | 32B/190  | 10    | UNIT |  |  |  |
| 81   | BOARD MAIN PC 5082-   | 2800 (HP)    | J5008    | 32B/191  | 0     | UNIT |  |  |  |
| 4062 | THERMISTOR A53        |              |          | 32B/20   | 3.00  | UNIT |  |  |  |
| 94   | BRIDGE AAY 180A 154   |              |          | 32B/21   | 16    | UNIT |  |  |  |
| 1241 | DIODE AA 117          |              |          | 32B/25   | 30.00 | UNIT |  |  |  |
| 1256 | DIODE BAY 87          |              |          | 32B/26   | 45.00 | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |         |       |      |  |  |  |
|------|-----------------------|--------------|----------|---------|-------|------|--|--|--|
| 1258 | DIODE BAY 88/IN 4004  |              |          | 32B/27  | 67.00 | UNIT |  |  |  |
| 1539 | DIODE RECTIFIER BYX   | 30-300       |          | 32B/28  | 4.00  | UNIT |  |  |  |
| 1291 | DIODE BZY 85 C6V8     |              |          | 32B/30  | 12.00 | UNIT |  |  |  |
| 1292 | DIODE BZY 85 C9V1     |              |          | 32B/31  | 12.00 | UNIT |  |  |  |
| 1299 | DIODE BZY 88 C3V3     |              |          | 32B/32  | 16.00 | UNIT |  |  |  |
| 1305 | DIODE BZY 95 C27      |              |          | 32B/33  | 12.00 | UNIT |  |  |  |
| 1515 | DIODE OA 47           |              |          | 32B/34  | 12.00 | UNIT |  |  |  |
| 1243 | DIODE AA 132          |              |          | 32B/35  | 12.00 | UNIT |  |  |  |
| 1251 | DIODE BAW OR CA301G   | R60B MULTIPL | EX       | 32B/36  | 15.00 | UNIT |  |  |  |
| 1393 | DIODE IN 4152         |              |          | 32B/36A | 15.00 | UNIT |  |  |  |
| 1293 | DIODE BZY 85/88C 7V5  |              |          | 32B/37  | 3.00  | UNIT |  |  |  |
| 1626 | DIODE ZDC 3V9 400     |              |          | 32B/37A | 15.00 | UNIT |  |  |  |
| 1734 | DIODE ZENER ZDC 5V1-  | 400MW        |          | 32B/38  | 15.00 | UNIT |  |  |  |
| 1735 | DIODE ZENER ZDC 6V8-  | 400          |          | 32B/38A | 15.00 | UNIT |  |  |  |
| 1732 | DIODE ZENER ZDC 10-   | 400 B0720    |          | 32B/39  | 15.00 | UNIT |  |  |  |
| 1530 | DIODE RD1 IN 823      |              |          | 32B/39A | 0.00  | UNIT |  |  |  |
| 4732 | TRANSISTOR BVY 57     | 2N 6354      |          | 32B/4   | 4.00  | UNIT |  |  |  |
| 102  | BRIDGE RECTIFIER BR   | 200/6-1      |          | 32B/40  | 3     | UNIT |  |  |  |
| 101  | BRIDGE RECTIFIER B125 | C140 V23201  |          | 32B/41  | 1     | UNIT |  |  |  |
| 2630 | LAMP INDICATOR TYPE   | 736 VITALITY |          | 32B/43  | 0.00  | UNIT |  |  |  |
| 2618 | LAMP CONNECTOR TYPE   | 133 015 53   |          | 32B/44  | 0.00  | UNIT |  |  |  |
| 22   | ALTERNATOR ASST       | 0.5-16DB 150 | 0.5-26DB | 32B/46  | 135   | UNIT |  |  |  |
| 3203 | RELAY RLA FRK 26.2111 | .0004        |          | 32B/47  | 3.00  | UNIT |  |  |  |
| 1898 | FUSE 2 AMP FS5*25MM   |              |          | 32B/49  | 20.00 | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |        |       |      |  |  |  |
|------|-----------------------|--------------|----------|--------|-------|------|--|--|--|
| 4297 | TRANSISTOR 2N 2905A   |              |          | 32B/5  | 0.00  | UNIT |  |  |  |
| 1884 | FUSE 1.6 AMP FS5*25MM |              |          | 32B/51 | 30.00 | UNIT |  |  |  |
| 1156 | CRYSTAL XL OVEN TYPE  | 4712         |          | 32B/52 | 1.00  | UNIT |  |  |  |
| 1055 | CRYSTAL 128 Khz TSS.1 |              |          | 32B/53 | 3.00  | UNIT |  |  |  |
| 1150 | CRYSTAL PILOT REJECTO | R 84.08 Khz  | TYPE1731 | 32B/54 | 3.00  | UNIT |  |  |  |
| 4313 | TRANSISTOR 2N 3440    |              |          | 32B/6  | 10.00 | UNIT |  |  |  |
| 3225 | RELAY V 23012-A 0105  | A001         |          | 32B/60 | 3.00  | UNIT |  |  |  |
| 3178 | RELAY DR 2C/2 24V REE | D ALMA       |          | 32B/61 | 3.00  | UNIT |  |  |  |
| 2960 | POTENTIOMETER 100 OHM | 10%          |          | 32B/63 | 12.00 | UNIT |  |  |  |
| 2998 | POTENTIOMETER 500 OHM | POT 10%      |          | 32B/64 | 12.00 | UNIT |  |  |  |
| 3000 | POTENTIOMETER 5K OHM  | TYPE 3067-P- | 1-502    | 32B/65 | 12.00 | UNIT |  |  |  |
| 2974 | POTENTIOMETER 200 OHM | 3067P-1-201  |          | 32B/66 | 10.00 | UNIT |  |  |  |
| 3404 | RESISTOR 21 OHM 1%    | 0.25 W       |          | 32B/68 | 25.00 | UNIT |  |  |  |
| 3347 | RESISTOR 147 OHM 1%   | 0.25 W       |          | 32B/69 | 25.00 | UNIT |  |  |  |
| 4344 | TRANSISTOR 2N 4033    |              |          | 32B/7  | 0.00  | UNIT |  |  |  |
| 3418 | RESISTOR 220/237/287  | OHM 1% 0.25W |          | 32B/70 | 93.00 | UNIT |  |  |  |
| 3490 | RESISTOR 402 OHM 1%   | 0.25 W       |          | 32B/71 | 25.00 | UNIT |  |  |  |
| 3531 | RESISTOR 536 OHM 1%   | 0.25 W       |          | 32B/72 | 25.00 | UNIT |  |  |  |
| 3559 | RESISTOR 600/619 OHM  | 1% 0.25W     |          | 32B/73 | 53.00 | UNIT |  |  |  |
| 3575 | RESISTOR 768 OHM 1%   | 0.25W        |          | 32B/74 | 25.00 | UNIT |  |  |  |
| 3581 | RESISTOR 806 OHM 1%   | 0.25W        |          | 32B/75 | 25.00 | UNIT |  |  |  |
| 3285 | RESISTOR 1.69/2.21%   | K OHM 1%     | 0.25W    | 32B/76 | 72.00 | UNIT |  |  |  |
| 3556 | RESISTOR 6.81 K OHM   | 1% 0.25 W    |          | 32B/77 | 36.00 | UNIT |  |  |  |
| 3332 | RESISTOR 12 K OHM 1%  | 0.25 W       |          | 32B/78 | 36.00 | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |         |        |      |  |  |  |
|------|-----------------------|--------------|----------|---------|--------|------|--|--|--|
| 3448 | RESISTOR 3/33/43/48/  | 82 OHM 5%    | 0.5 W    | 32B/79  | 114.00 | UNIT |  |  |  |
| 3319 | RESISTOR 100/120 OHM  | 5% 0.5 W     |          | 32B/80  | 42.00  | UNIT |  |  |  |
| 3421 | RESISTOR 240/270 OHM  | 5% 0.5 W     |          | 32B/81  | 48.00  | UNIT |  |  |  |
| 3453 | RESISTOR 300/330/390  | OHM 5% 0.5 W |          | 32B/82  | 72.00  | UNIT |  |  |  |
| 3491 | RESISTOR 402 OHM/1%   | 470 OHM 5%   | 0.5 W    | 32B/83  | 48.00  | UNIT |  |  |  |
| 3558 | RESISTOR 600 OHM/1%   | 820 OHM 5%   | 0.5 W    | 32B/84  | 36.00  | UNIT |  |  |  |
| 3290 | RESISTOR 1/1.2/1.5/   | 1.8 K OHM 5% | 0.5 W    | 32B/85  | 85.00  | UNIT |  |  |  |
| 3394 | RESISTOR 2/2.2/2.4/   | 2.7 K OHM 5% | 0.5 W    | 32B/86  | 90.00  | UNIT |  |  |  |
| 3447 | RESISTOR 3/3.3/3.9/   | K OHM 5%     | 0.5 W    | 32B/87  | 58.00  | UNIT |  |  |  |
| 3483 | RESISTOR 4.3/4.7 K OH | M 5% 0.5 W   |          | 32B/88  | 48.00  | UNIT |  |  |  |
| 3549 | RESISTOR 6.2/6.8 K OH | M 5% 0.5 W   |          | 32B/89  | 48.00  | UNIT |  |  |  |
| 3550 | RESISTOR 6.2/6.8 K OH | M 5% 0.5 W   |          | 32B/90  | 48.00  | UNIT |  |  |  |
| 3305 | RESISTOR 10/12/15K OH | M 5% 0.5 W   |          | 32B/91  | 66.00  | UNIT |  |  |  |
| 3450 | RESISTOR 30/39 K OHM  | 5% 0.5 W     |          | 32B/92  | 48.00  | UNIT |  |  |  |
| 3496 | RESISTOR 47 K OHM     | 5% 0.5 W     |          | 32B/93  | 24.00  | UNIT |  |  |  |
| 3565 | RESISTOR 68 K OHM     | 5% 0.5 W     |          | 32B/94  | 24.00  | UNIT |  |  |  |
| 4730 | TRANSISTOR BUY 75     |              |          | 32C/10  | 3.00   | UNIT |  |  |  |
| 3554 | RESISTOR 6.8 K OHM    | 1% 0.25W     |          | 32C/100 | 30.00  | UNIT |  |  |  |
| 3574 | RESISTOR 7.5 K OHM    | 1% 0.25W     |          | 32C/101 | 30.00  | UNIT |  |  |  |
| 3304 | RESISTOR 10/11/15/174 | K OHM 1%     | 0.25 W   | 32C/102 | 118.00 | UNIT |  |  |  |
| 3398 | RESISTOR 20/24.9 K OH | M 1% 0.25 W  |          | 32C/103 | 60.00  | UNIT |  |  |  |
| 3454 | RESISTOR 31.6/38.3/   | 40.2 K OHM   | 1% 0.25W | 32C/104 | 90.00  | UNIT |  |  |  |
| 3562 | RESISTOR 63.4/47.5 K  | OHM 1% 0.25W |          | 32C/105 | 60.00  | UNIT |  |  |  |
| 3329 | RESISTOR 110/169/240  | K OHM 1%     | 0.25 W   | 32C/106 | 90.00  | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |         |        |      |  |  |  |
|------|-----------------------|--------------|----------|---------|--------|------|--|--|--|
| 3451 | RESISTOR 30/47/82/10  | OHM 5% 0.25W |          | 32C/107 | 120.00 | UNIT |  |  |  |
| 3320 | RESISTOR 100/130/180  | OHM 5% 0.25W |          | 32C/108 | 80.00  | UNIT |  |  |  |
| 3403 | RESISTOR 200/220/240  | 270 OHM 5%   | 0.25 W   | 32C/109 | 114.00 | UNIT |  |  |  |
| 3452 | RESISTOR 300/330 OHM  | 5% 0.25W     |          | 32C/110 | 24.00  | UNIT |  |  |  |
| 3545 | RESISTOR 560/680 OHM  | 5% 0.25W     |          | 32C/111 | 24.00  | UNIT |  |  |  |
| 3546 | RESISTOR 560/680 OHM  | 5% 0.25W     |          | 32C/112 | 30.00  | UNIT |  |  |  |
| 3289 | RESISTOR 1/1.1/1.3/   | 1.5/1.8 K OH | 5% 0.25W | 32C/113 | 102.00 | UNIT |  |  |  |
| 3395 | RESISTOR 2/2.2/2.4/   | 2.7 K OHM 5% | 0.25 W   | 32C/114 | 48.00  | UNIT |  |  |  |
| 3446 | RESISTOR 3/3.09/3.3   | K OHM 5%     | 0.25 W   | 32C/115 | 54.00  | UNIT |  |  |  |
| 3488 | RESISTOR 4.7/5.1 K OH | M 5% 0.25 W  |          | 32C/116 | 21.00  | UNIT |  |  |  |
| 3551 | RESISTOR 6.2/6.8 K OH | M 5% 0.25 W  |          | 32C/117 | 24.00  | UNIT |  |  |  |
| 3591 | RESISTOR 9.1 K OHM 5% | .25 W        |          | 32C/118 | 12.00  | UNIT |  |  |  |
| 3302 | RESISTOR 10,12,15 K   | OHM .25 W-12 |          | 32C/119 | 24.00  | UNIT |  |  |  |
| 3397 | RESISTOR 20,22,24 K   | OHM .25 W-12 |          | 32C/120 | 36.00  | UNIT |  |  |  |
| 3463 | RESISTOR 33,36 5% K   | OHM .25 W-12 |          | 32C/121 | 24.00  | UNIT |  |  |  |
| 3505 | RESISTOR 47,51,56 5%  | KOHM .25W-12 |          | 32C/122 | 30.00  | UNIT |  |  |  |
| 3561 | RESISTOR 62,68, 5%    | KOHM .25 W   |          | 32C/123 | 18.00  | UNIT |  |  |  |
| 3585 | RESISTOR 82,91 5%     | KOHM .25W-12 |          | 32C/124 | 24.00  | UNIT |  |  |  |
| 3328 | RESISTOR 110,120,150  | KOHM .25W-12 | -30 5%   | 32C/125 | 54.00  | UNIT |  |  |  |
| 3401 | RESISTOR 200,240,270  | KOHM .25W-12 | 5%       | 32C/126 | 36.00  | UNIT |  |  |  |
| 3402 | RESISTOR 200,270,430  | OHM 5% .5W-  | 12       | 32C/127 | 30.00  | UNIT |  |  |  |
| 3281 | RESISTOR 1.5,5.6 KOHM | 5% .5 W-12   |          | 32C/128 | 24.00  | UNIT |  |  |  |
| 3303 | RESISTOR 10,51 KOHM   | 5% .5 W-12   |          | 32C/129 | 24.00  | UNIT |  |  |  |
| 3280 | RESISTOR 1.5,3.32,3.9 | 2 KOHM.5W 1% |          | 32C/130 | 108.00 | UNIT |  |  |  |

## INDEXB

|      |                       |              |       |         |        |      |  |  |  |
|------|-----------------------|--------------|-------|---------|--------|------|--|--|--|
| 3552 | RESISTOR 6.65 18.2 K  | OHM .5W 1%   |       | 32C/131 | 72.00  | UNIT |  |  |  |
| 3521 | RESISTOR 5.6 KOHM 2W  | 5%           |       | 32C/132 | 12.00  | UNIT |  |  |  |
| 3242 | RESISTOR .1 KOHM 1 K  | OHM 5W 5%    |       | 32C/133 | 65.00  | UNIT |  |  |  |
| 3271 | RESISTOR 1,3,3 KOHM   | 5W 5%        |       | 32C/134 | 24.00  | UNIT |  |  |  |
| 3267 | RESISTOR 1 OHM .5W 5% |              |       | 32C/135 | 30.00  | UNIT |  |  |  |
| 3311 | RESISTOR 100 OHM 1 W  | 5%           |       | 32C/136 | 12.00  | UNIT |  |  |  |
| 3527 | RESISTOR 51,27 KOHM 1 | W 5%-12      |       | 32C/137 | 13.00  | UNIT |  |  |  |
| 3272 | RESISTOR 1.1,1.8,2 K  | OHM 1W 5%-12 |       | 32C/138 | 36.00  | UNIT |  |  |  |
| 3570 | RESISTOR 680 OHM 5 W  | 5%-36 & 5%-  | 12    | 32C/139 | 43.00  | UNIT |  |  |  |
| 4269 | TRANSISTOR 2N 2219    |              |       | 32C/14  | 12.00  | UNIT |  |  |  |
| 1878 | FUSE 1 AMP FS 5x25 MM |              |       | 32C/140 | 50.00  | UNIT |  |  |  |
| 1916 | FUSE 6.3 AMP FS 5x25  | MEDIUM       |       | 32C/142 | 60.00  | UNIT |  |  |  |
| 1877 | FUSE 0.5 AMP FS 5x25  |              |       | 32C/143 | 20.00  | UNIT |  |  |  |
| 259  | CAPACITOR 100,150 PF+ | 10% CRGP-36  | 100 V | 32C/145 | 72.00  | UNIT |  |  |  |
| 268  | CAPACITOR 1000,2200PF | 10% CRGP-36  | 100 V | 32C/146 | 107.00 | UNIT |  |  |  |
| 398  | CAPACITOR 4700 PF 100 | V +10% CRGP  |       | 32C/147 | 74.00  | UNIT |  |  |  |
| 397  | CAPACITOR 470,220 100 | V +10% CRGP- | 36    | 32C/148 | 72.00  | UNIT |  |  |  |
| 250  | CAPACITOR 10,3,3 PF   | +10% CRGP-36 | 100 V | 32C/149 | 72.00  | UNIT |  |  |  |
| 209  | CAPACITOR 0.1 UF 100V | +20% PR      |       | 32C/150 | 66.00  | UNIT |  |  |  |
| 221  | CAPACITOR 0.47 UF 100 | V +20% PF    |       | 32C/151 | 49.00  | UNIT |  |  |  |
| 202  | CAPACITOR 0.033 UF 10 | 0V 20% PR    |       | 32C/152 | 36.00  | UNIT |  |  |  |
| 231  | CAPACITOR 1 UF 100 V  | +20% PR      |       | 32C/153 | 54.00  | UNIT |  |  |  |
| 381  | CAPACITOR 4.7,2.2 UF  | 100 V +20%PR | -18   | 32C/154 | 28.00  | UNIT |  |  |  |
| 218  | CAPACITOR 0.22 UF 100 | V +20% PR    |       | 32C/155 | 34.00  | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |         |        |      |  |  |  |
|------|-----------------------|--------------|----------|---------|--------|------|--|--|--|
| 320  | CAPACITOR 2.2 UF 63 V | +20% PR      |          | 32C/156 | 42.00  | UNIT |  |  |  |
| 304  | CAPACITOR 1500,3300,4 | 700 UF 100 & | 63V+50%  | 32C/157 | 3.00   | UNIT |  |  |  |
| 249  | CAPACITOR 10,22,47 UF | 35 V+20% ETE | -36 & 12 | 32C/158 | 42.00  | UNIT |  |  |  |
| 303  | CAPACITOR 1500 UF 63V | +1.25%       |          | 32C/159 | 36.00  | UNIT |  |  |  |
| 286  | CAPACITOR 14,000 33,2 | 00 PF 63V+1. | 25%-12   | 32C/160 | 34.00  | UNIT |  |  |  |
| 420  | CAPACITOR 68,82,47 PF | 100V +5%CRNP | O -36    | 32C/161 | 108.00 | UNIT |  |  |  |
| 212  | CAPACITOR 0.1 UF 600V | +20% PIA     |          | 32C/162 | 18.00  | UNIT |  |  |  |
| 246  | CAPACITOR 10 UF 35,40 | V +50%-10%   | EAA      | 32C/163 | 36.00  | UNIT |  |  |  |
| 261  | CAPACITOR 100,470 UF  | 35,16 V+50%- | 10%EAA   | 32C/164 | 38.00  | UNIT |  |  |  |
| 267  | CAPACITOR 1000 UF 40V | +50%-10%EAA  |          | 32C/165 | 5.00   | UNIT |  |  |  |
| 199  | CAPACITOR 0.01 UF 100 | V +20% PR    |          | 32C/166 | 36.00  | UNIT |  |  |  |
| 233  | CAPACITOR 1, 4,7 UF   | 35V +20 50%- | 10%EET-  | 32C/167 | 54.00  | UNIT |  |  |  |
| 388  | CAPACITOR 47 UF 35 V  | +50%-10% EAA |          | 32C/168 | 21.00  | UNIT |  |  |  |
| 265  | CAPACITOR 1000 PF 600 | V +20% PIA   |          | 32C/169 | 18.00  | UNIT |  |  |  |
| 4393 | TRANSISTOR 2N 5415    |              |          | 32C/18  | 9.00   | UNIT |  |  |  |
| 2272 | IC MC-L-01 LINEAR     | IM 741 CN    |          | 32C/26  | 24.00  | UNIT |  |  |  |
| 2275 | IC MC-L-14 LINEAR     | LM 111H      |          | 32C/27  | 17.00  | UNIT |  |  |  |
| 2267 | IC MC-D-02/CMOS       | CD 4023      |          | 32C/28  | 17.00  | UNIT |  |  |  |
| 2268 | IC MC-D-03/CMOS       | CD 4024      |          | 32C/29  | 16.00  | UNIT |  |  |  |
| 2276 | IC MC-L-14 MC 1458    |              |          | 32C/30  | 5.00   | UNIT |  |  |  |
| 2273 | IC MC-L-03 LINEAR     | MC 3302      | (LM239N) | 32C/31  | 17.00  | UNIT |  |  |  |
| 2269 | IC MC-D-04/CMOS       | CD 4001      |          | 32C/32  | 26.00  | UNIT |  |  |  |
| 2271 | IC MC-D-36            |              |          | 32C/33  | 2.00   | UNIT |  |  |  |
| 1275 | DIODE BYX 55 600      |              |          | 32C/36  | 5.00   | UNIT |  |  |  |

## INDEXB

|      |                       |              |       |        |       |      |  |  |  |
|------|-----------------------|--------------|-------|--------|-------|------|--|--|--|
| 1625 | DIODE ZD C68-1300     |              |       | 32C/37 | 1.00  | UNIT |  |  |  |
| 1394 | DIODE IN 4152         |              |       | 32C/38 | 30.00 | UNIT |  |  |  |
| 4078 | THYRISTOR BTY 91 400  |              |       | 32C/40 | 2.00  | UNIT |  |  |  |
| 1266 | DIODE BY 289 (C3040)  |              |       | 32C/41 | 9.00  | UNIT |  |  |  |
| 1660 | DIODE ZENER BYX30-200 |              |       | 32C/42 | 4.00  | UNIT |  |  |  |
| 1661 | DIODE ZENER BYX30-300 |              |       | 32C/43 | 4.00  | UNIT |  |  |  |
| 1662 | DIODE ZENER BYX30-400 |              |       | 32C/44 | 4.00  | UNIT |  |  |  |
| 1704 | DIODE ZENER BZY 88    | C3V3         |       | 32C/45 | 0.00  | UNIT |  |  |  |
| 1705 | DIODE ZENER BZY 88    | C9V1 (ZDC9V1 | -400) | 32C/48 | 24.00 | UNIT |  |  |  |
| 1706 | DIODE ZENER BZY 88C12 | ZDC 12-400   |       | 32C/49 | 0.00  | UNIT |  |  |  |
| 1707 | DIODE ZENER BZY 95C13 |              |       | 32C/51 | 11.00 | UNIT |  |  |  |
| 1737 | DIODE ZENER ZDC C6V2- | 400-12       |       | 32C/52 | 12.00 | UNIT |  |  |  |
| 1738 | DIODE ZENER ZDC11-400 |              |       | 32C/53 | 12.00 | UNIT |  |  |  |
| 1739 | DIODE ZENER ZDC16-400 |              |       | 32C/54 | 12.00 | UNIT |  |  |  |
| 1736 | DIODE ZENER ZDC C27-  | 400          |       | 32C/55 | 12.00 | UNIT |  |  |  |
| 1733 | DIODE ZENER ZDC 3D    | 1300         |       | 32C/56 | 12.00 | UNIT |  |  |  |
| 4669 | TRANSISTOR BFX 38     |              |       | 32C/6  | 13.00 | UNIT |  |  |  |
| 95   | BRIDGE BR 200/6-1     |              |       | 32C/60 | 5     | UNIT |  |  |  |
| 1161 | CRYSTAL ZLA-0.1536.00 | Hz           |       | 32C/66 | 2.00  | UNIT |  |  |  |
| 3152 | RELAY 3200 OHM 24V    | A-RR-PC-1/1  |       | 32C/68 | 9.00  | UNIT |  |  |  |
| 3143 | RELAY 2 KOHM 24V      | C-RR-PC-4/1C |       | 32C/69 | 3.00  | UNIT |  |  |  |
| 3161 | RELAY 700 OHM 24V     | FORM C       |       | 32C/71 | 2.00  | UNIT |  |  |  |
| 2999 | POTENTIOMETER 500 OHM | POT RV FM    |       | 32C/72 | 12.00 | UNIT |  |  |  |
| 2945 | POTENTIOMETER 1 K OHM | RM FM RVTS/B |       | 32C/73 | 24.00 | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |        |        |      |  |  |  |
|------|-----------------------|--------------|----------|--------|--------|------|--|--|--|
| 2970 | POTENTIOMETER 2 K OHM | RV FM RVTS/B |          | 32C/74 | 23.00  | UNIT |  |  |  |
| 2991 | POTENTIOMETER 5 K OHM | RV FM RVTS/B |          | 32C/75 | 22.00  | UNIT |  |  |  |
| 2954 | POTENTIOMETER 10 KOHM | RV FM        |          | 32C/76 | 12.00  | UNIT |  |  |  |
| 2996 | POTENTIOMETER 50 KOHM | RVTS/B       |          | 32C/77 | 12.00  | UNIT |  |  |  |
| 24   | ALTERNATOR TO264      |              |          | 32C/79 | 6      | UNIT |  |  |  |
| 4667 | TRANSISTOR BFW 44     |              |          | 32C/8  | 11.00  | UNIT |  |  |  |
| 23   | ALTERNATOR TO244      |              |          | 32C/80 | 12     | UNIT |  |  |  |
| 21   | ALTERNATOR 3 K OHM    | 32 DB        |          | 32C/81 | 6      | UNIT |  |  |  |
| 3997 | SWITCH SW-T-02 2 POLE | (2C L/S)     |          | 32C/82 | 2.00   | UNIT |  |  |  |
| 3996 | SWITCH SW-R-06 4 POLE | 3 WAY SWITCH | S-0114   | 32C/83 | 1.00   | UNIT |  |  |  |
| 3999 | SWITCH SW-T-06 2 POLE | ON/OFF       |          | 32C/84 | 9.00   | UNIT |  |  |  |
| 3998 | SWITCH SW-T-04 2 POLE | ON/OFF       |          | 32C/85 | 3.00   | UNIT |  |  |  |
| 3989 | SWITCH S-0104 4 POLE  | 6 WAY SWITCH | SW-R-08  | 32C/86 | 1.00   | UNIT |  |  |  |
| 3253 | RESISTOR 0.33 OHM 5 W | 5/10% 0.3 W  | 10%      | 32C/89 | 55.00  | UNIT |  |  |  |
| 4729 | TRANSISTOR BUY 73     |              |          | 32C/9  | 3.00   | UNIT |  |  |  |
| 3351 | RESISTOR 15/18.2/23.7 | /29.4 OHM 1% | 0.25 W   | 32C/90 | 55.00  | UNIT |  |  |  |
| 3368 | RESISTOR 160/191 OHM  | 1% 0.25 W    |          | 32C/91 | 60.00  | UNIT |  |  |  |
| 3470 | RESISTOR 348/383 OHM  | 1% 0.25 W    |          | 32C/92 | 60.00  | UNIT |  |  |  |
| 3560 | RESISTOR 600/634 OHM  | 1% 0.25 W    |          | 32C/93 | 60.00  | UNIT |  |  |  |
| 3288 | RESISTOR 1/1.02/1.21/ | 1.3 K OHM 1% | 0.25 W   | 32C/94 | 114.00 | UNIT |  |  |  |
| 3282 | RESISTOR 1.5/1.8/1.96 | K OHM 0.25 W | 1%       | 32C/95 | 80.00  | UNIT |  |  |  |
| 3388 | RESISTOR 2.37/2.4/2.7 | /2.74 K OHM  | 1% 0.25W | 32C/96 | 120.00 | UNIT |  |  |  |
| 3438 | RESISTOR 3.01/3.48 K  | OHM 1% 0.25W |          | 32C/97 | 60.00  | UNIT |  |  |  |
| 3482 | RESISTOR 4.02/4.53 K  | OHM 1% 0.25W |          | 32C/98 | 60.00  | UNIT |  |  |  |

## INDEXB

|      |                       |              |       |          |        |      |  |  |  |
|------|-----------------------|--------------|-------|----------|--------|------|--|--|--|
| 3518 | RESISTOR 5.11 K OHM   | 1% 0.25W     |       | 32C/99   | 28.00  | UNIT |  |  |  |
| 440  | CAPACITOR C5 C8       | 470 UF 25V   |       | 32D/100  | 2.00   | UNIT |  |  |  |
| 438  | CAPACITOR C11 C12/13  | 22UF 63V     |       | 32D/102  | 2.00   | UNIT |  |  |  |
| 4866 | TRANSISTOR Q5 BDX 35  |              |       | 32D/104  | 1.00   | UNIT |  |  |  |
| 1709 | DIODE ZENER D16/17/18 | BZX 85 6V2   |       | 32D/105  | 4.00   | UNIT |  |  |  |
| 3952 | SWITCH LIMIT S1,2     |              |       | 32D/106  | 2.00   | UNIT |  |  |  |
| 2719 | MOTOR SERIES CHOKE L1 |              |       | 32D/107  | 1.00   | UNIT |  |  |  |
| 4113 | TRANS BUCK & BOOST    |              |       | 32D/108  | 1.00   | UNIT |  |  |  |
| 4115 | TRANS SERVO AMPLIFIER |              |       | 32D/108A | 1.00   | UNIT |  |  |  |
| 3770 | SERVO MOTOR REF IS    | 144661/8K    |       | 32D/108B | 1.00   | UNIT |  |  |  |
| 4114 | TRANS CONTACT PAIR FI | Z VARIABLE   | TS-3x | 32D/109  | 4.00   | UNIT |  |  |  |
| 20   | ALTERNATER 600 OHM    | TYPE 62-3500 |       | 32D/116  | 2      | UNIT |  |  |  |
| 999  | CONNECTOR 40 WAY      | SINGLE SIDED |       | 32D/117  | 3.00   | UNIT |  |  |  |
| 2823 | PIN BOARD A4 16300-05 |              |       | 32D/118  | 2.00   | UNIT |  |  |  |
| 3737 | RUNNER LINHOP MOULDED |              |       | 32D/119  | 4.00   | UNIT |  |  |  |
| 232  | CAPACITOR 1 UF 160 V  | POWER SUPPLY | PM 54 | 32D/126  | 3.00   | UNIT |  |  |  |
| 3244 | RESISTOR .68 OHM W.W  | R68K VR11 HB |       | 32D/129  | 2.00   | UNIT |  |  |  |
| 3412 | RESISTOR 22.5 KOHM    | W.W          |       | 32D/130  | 2.00   | UNIT |  |  |  |
| 340  | CAPACITOR 220 PF 500  | V            |       | 32D/132  | 9.00   | UNIT |  |  |  |
| 2585 | KNOB BLACK SMALL      |              |       | 32D/135  | 3.00   | UNIT |  |  |  |
| 171  | CAP BLACK SMALL       |              |       | 32D/136  | 3.00   | UNIT |  |  |  |
| 14   | ADJUSTABLE DIAL {BLUE |              |       | 32D/137  | 3      | UNIT |  |  |  |
| 2826 | PIN TAPER             |              |       | 32D/140  | 300.00 | UNIT |  |  |  |
| 4133 | TRANSFORMER           |              |       | 32D/141  | 1.00   | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |         |       |      |  |  |  |
|------|-----------------------|--------------|----------|---------|-------|------|--|--|--|
| 4134 | TRANSFORMER           |              |          | 32D/142 | 1.00  | UNIT |  |  |  |
| 3208 | RELAY SM 2P ES4       | 700 OHM      | 6 PIN    | 32D/146 | 2.00  | UNIT |  |  |  |
| 4163 | TRANSFORMER CS 102    |              |          | 32D/154 | 3.00  | UNIT |  |  |  |
| 4161 | TRANSFORMER CS 100    |              |          | 32D/155 | 3.00  | UNIT |  |  |  |
| 2523 | INDUCTOR CS 103       |              |          | 32D/156 | 2.00  | UNIT |  |  |  |
| 2524 | INDUCTOR CS 104       |              |          | 32D/157 | 2.00  | UNIT |  |  |  |
| 2525 | INDUCTOR CS 105       |              |          | 32D/158 | 2.00  | UNIT |  |  |  |
| 4162 | TRANSFORMER CS 101    |              |          | 32D/159 | 1.00  | UNIT |  |  |  |
| 4165 | TRANSFORMER CS 599    |              |          | 32D/160 | 1.00  | UNIT |  |  |  |
| 4164 | TRANSFORMER CS 119    | VFT 24       |          | 32D/161 | 1.00  | UNIT |  |  |  |
| 4960 | TRANSISTOR TIP 41A    | 50W AMP      |          | 32D/53  | 3.00  | UNIT |  |  |  |
| 1887 | FUSE 100 MA           | FAST ACTION  |          | 32D/55  | 14.00 | UNIT |  |  |  |
| 1895 | FUSE 1AMP IN41576     |              |          | 32D/57  | 18.00 | UNIT |  |  |  |
| 1876 | FUSE 0.5 AMP 41576    |              |          | 32D/58  | 80.00 | UNIT |  |  |  |
| 1883 | FUSE 1.6 AMP          | MED ACTION   |          | 32D/59  | 12.00 | UNIT |  |  |  |
| 4043 | TERMISTOR VA 3200     | 2322/634/211 | 02       | 32D/60  | 6.00  | UNIT |  |  |  |
| 3233 | RESISTOR 3.3 OHM      | 5% 6W 2113   | 256/0232 | 32D/61  | 10.00 | UNIT |  |  |  |
| 342  | CAPACITOR 2200 MF 40V | 2222/071     | 17222    | 32D/65  | 5.00  | UNIT |  |  |  |
| 391  | CAPACITOR 470 MFF 16V | 222/108/     | 15471    | 32D/66  | 4.00  | UNIT |  |  |  |
| 252  | CAPACITOR 100 MF 16V  | 222/121/     | 15101    | 32D/67  | 9.00  | UNIT |  |  |  |
| 331  | CAPACITOR 22 MF 25V   | 2222/121/    | 16299    | 32D/68  | 9.00  | UNIT |  |  |  |
| 224  | CAPACITOR 1 MF 100V   | 2222/344/    | 25105    | 32D/69  | 12.00 | UNIT |  |  |  |
| 294  | CAPACITOR 150 MF 100V | 222/344/     | 25154    | 32D/70  | 12.00 | UNIT |  |  |  |
| 416  | CAPACITOR 6.8 MF 100V | 2222/344/    | 25685    | 32D/71  | 9.00  | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |         |       |      |  |  |  |
|------|-----------------------|--------------|----------|---------|-------|------|--|--|--|
| 237  | CAPACITOR 10 MF       | 2222/629/    | 02103    | 32D/72  | 16.00 | UNIT |  |  |  |
| 3240 | RESISTOR 1.1 OHM      | 22113/256 /  | 00414    | 32D/73  | 10.00 | UNIT |  |  |  |
| 3241 | RESISTOR 1.1 OHM      | 2.5W         |          | 32D/73A | 6.00  | UNIT |  |  |  |
| 3465 | RESISTOR 330 OHM      | 2.5W         |          | 32D/90  | 4.00  | UNIT |  |  |  |
| 1960 | FUSE LINK 48/0 .15A   | 2413/086     | 00606    | 32D/91  | 25.00 | UNIT |  |  |  |
| 1961 | FUSE LINK 48/0 .1A    | 2413/086     | 00605    | 32D/92  | 25.00 | UNIT |  |  |  |
| 4132 | TRANSFORMER           | 3513/350/    | 10020    | 32D/93  | 3.00  | UNIT |  |  |  |
| 3671 | RESISTOR VAR 25 KOHM  |              |          | 33/101  | 2.00  | UNIT |  |  |  |
| 3669 | RESISTOR VAR 200 OHM  | 0.75WP/N 404 | /4/06135 | 33/102  | 8.00  | UNIT |  |  |  |
| 3691 | RESISTOR W.W 0.12 OHM | 7W           |          | 33/103  | 2.00  | UNIT |  |  |  |
| 3690 | RESISTOR W.W 0.1 OHM  | 3W           |          | 33/104  | 2.00  | UNIT |  |  |  |
| 3692 | RESISTOR W.W 0.15 OHM | 3.5W         |          | 33/105  | 2.00  | UNIT |  |  |  |
| 3666 | RESISTOR VAR 1 M OHM  |              |          | 33/106  | 2.00  | UNIT |  |  |  |
| 3978 | SWITCH PUSH-ON GREEN  |              |          | 33/108  | 8.00  | UNIT |  |  |  |
| 3979 | SWITCH PUSH-ON RED    |              |          | 33/109  | 6.00  | UNIT |  |  |  |
| 2641 | LAMP TO FIT SWITCH    |              |          | 33/110  | 21.00 | UNIT |  |  |  |
| 3914 | SWITCH                | 875104-1     |          | 33/111  | 1.00  | UNIT |  |  |  |
| 3941 | SWITCH H1 BOARD       |              |          | 33/112  | 2.00  | UNIT |  |  |  |
| 3816 | SOCKET 87K137-S3      |              |          | 33/114  | 2.00  | UNIT |  |  |  |
| 3187 | RELAY KRI SIEMENS     |              |          | 33/115  | 2.00  | UNIT |  |  |  |
| 3186 | RELAY KRI COAXIAL     |              |          | 33/116  | 2.00  | UNIT |  |  |  |
| 4217 | TRANSFORMER TORIODAL  |              |          | 33/117  | 1.00  | UNIT |  |  |  |
| 1109 | CRYSTAL 75 MHz        |              |          | 33/118  | 1.00  | UNIT |  |  |  |
| 1805 | ELEMENT 500 MW 328-   | 336 MHz      |          | 33/120  | 1.00  | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |        |       |      |  |  |  |
|------|-----------------------|--------------|----------|--------|-------|------|--|--|--|
| 3673 | RESISTOR VAR 500 OHM  | PN/35071/1/  | 501      | 33/122 | 2.00  | UNIT |  |  |  |
| 3928 | SWITCH 9 POLE 8 POSIT | ION PN/37C   | SW21     | 33/123 | 1.00  | UNIT |  |  |  |
| 1129 | CRYSTAL FREQUENCY     | ASST         |          | 33/126 | 3.00  | UNIT |  |  |  |
| 3672 | RESISTOR VAR 5 KOHM   | 10% .75W     |          | 33/128 | 4.00  | UNIT |  |  |  |
| 2803 | PAPER RECORDING FOR   | CHESSSEL 301 |          | 33/130 | 14.00 | ROLL |  |  |  |
| 4763 | TRANSISTOR FET SI N-  | CHAN PN RCA  | TA 7153  | 33/133 | 2.00  | UNIT |  |  |  |
| 4885 | TRANSISTOR SILICON    | E 70-72 P/N  | 44/4/    | 33/134 | 2.00  | UNIT |  |  |  |
| 4498 | TRANSISTOR 40894      |              |          | 33/135 | 4.00  | UNIT |  |  |  |
| 4369 | TRANSISTOR 2N 4427    |              |          | 33/136 | 2.00  | UNIT |  |  |  |
| 4614 | TRANSISTOR BF 113 BF  | 115 417-4-   | 98212    | 33/137 | 2.00  | UNIT |  |  |  |
| 2539 | INDUCTOR SOLID CORE   | 15.00 H 2.5  | MHz      | 33/139 | 5.00  | UNIT |  |  |  |
| 2399 | IC SN 74L73N {DM 74L7 | 3N}          |          | 33/14  | 2.00  | UNIT |  |  |  |
| 2529 | INDUCTOR PNTN 0.1 YH  | P/N 37C CL00 | 001 00A  | 33/140 | 4.00  | UNIT |  |  |  |
| 2531 | INDUCTOR PNTN 10 YH   | P/N 37C CL00 | 210 00E  | 33/141 | 2.00  | UNIT |  |  |  |
| 2530 | INDUCTOR PNTN 0.15 YH | ITT SLKN     | 67195E   | 33/142 | 2.00  | UNIT |  |  |  |
| 2522 | INDUCTOR 58/10/0057/H | 10 PNTN 47MH | PN 37C   | 33/143 | 2.00  | UNIT |  |  |  |
| 2532 | INDUCTOR RF CHOCK 0.2 | 2 MH PN PAIN | TOM      | 33/145 | 4.00  | UNIT |  |  |  |
| 2375 | IC SN 72709N {4A709CN | -14}         |          | 33/15  | 1.00  | UNIT |  |  |  |
| 310  | CAPACITOR 160V DC 150 | N 00F+1.00%  | B2A1515E | 33/150 | 2.00  | UNIT |  |  |  |
| 313  | CAPACITOR 1P00-35P00  | 1KV DC PN406 | /4/98037 | 33/151 | 1.00  | UNIT |  |  |  |
| 205  | CAPACITOR 0.04 UF 2.5 | %            |          | 33/152 | 2.00  | UNIT |  |  |  |
| 3182 | RELAY FOR INSTRUMENT  | P.N 507/4/05 | 527/000  | 33/154 | 2.00  | UNIT |  |  |  |
| 1126 | CRYSTAL FILTER 024 AD | O ITT 10.7   | MHz      | 33/155 | 1.00  | UNIT |  |  |  |
| 3170 | RELAY ARMATURE SEALED | COILED 26VDC | NATO     | 33/158 | 1.00  | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |         |       |      |  |  |  |
|------|-----------------------|--------------|----------|---------|-------|------|--|--|--|
| 3139 | RELAY 12V DC 1K52 2P  | 507/4/318116 | /001     | 33/162  | 4.00  | UNIT |  |  |  |
| 1214 | DIODE 5082 2805       | {MATCHED}    |          | 33/165  | 1.00  | UNIT |  |  |  |
| 2343 | IC SN 5202 {N7402A}   |              |          | 33/17   | 5.00  | UNIT |  |  |  |
| 4938 | TRANSISTOR VHF SIGNAL | GENERATOR    | 4-071EBC | 33/171  | 5.00  | UNIT |  |  |  |
| 4465 | TRANSISTOR 2N7 2N-708 | 1854-0005    |          | 33/172  | 2.00  | UNIT |  |  |  |
| 4871 | TRANSISTOR SIL 1854-  | 0003         |          | 33/173  | 2.00  | UNIT |  |  |  |
| 4893 | TRANSISTOR SN3 {4-003 | 9}1854-0039  |          | 33/174  | 2.00  | UNIT |  |  |  |
| 4997 | TUBE 4042 (1921-0001) |              |          | 33/175  | 1.00  | UNIT |  |  |  |
| 4998 | TUBE 4043 (1921-0002) |              |          | 33/176  | 1.00  | UNIT |  |  |  |
| 4999 | TUBE EC 8010          | 1921-0036    |          | 33/177  | 1.00  | UNIT |  |  |  |
| 2626 | LAMP INCANDESCENT     | 2140-0007(1) | 0090(2)  | 33/178  | 3.00  | UNIT |  |  |  |
| 2218 | IC LINEAR CA 723 T    | REF NO 1550  |          | 33/179  | 5.00  | UNIT |  |  |  |
| 4389 | TRANSISTOR 2N 5323PNP | 3535         |          | 33/182  | 2.00  | UNIT |  |  |  |
| 1399 | DIODE IN 4449         |              |          | 33/186  | 5.00  | UNIT |  |  |  |
| 1284 | DIODE BZX 46C 30V     |              |          | 33/186A | 5.00  | UNIT |  |  |  |
| 4697 | TRANSISTOR BLY 93H    |              |          | 33/186B | 0.00  | UNIT |  |  |  |
| 4611 | TRANSISTOR BDY 58     |              |          | 33/186C | 8.00  | UNIT |  |  |  |
| 4609 | TRANSISTOR BDX 18     |              |          | 33/187  | 6.00  | UNIT |  |  |  |
| 3743 | S20-K250              |              |          | 33/187A | 5.00  | UNIT |  |  |  |
| 4804 | TRANSISTOR MU 4894    |              |          | 33/187B | 5.00  | UNIT |  |  |  |
| 2051 | IC 54LS74             |              |          | 33/187C | 6.00  | UNIT |  |  |  |
| 4777 | TRANSISTOR JO 2015A   |              |          | 33/188  | 10.00 | UNIT |  |  |  |
| 496  | CAPACITOR CO31 47 UF  | 63 V REF 990 | 92716    | 33/189  | 15.00 | UNIT |  |  |  |
| 498  | CAPACITOR CO39 1500UF | 100 V REF990 | 96457    | 33/189A | 6.00  | UNIT |  |  |  |

## INDEXB

|      |                       |              |     |         |      |      |  |  |  |
|------|-----------------------|--------------|-----|---------|------|------|--|--|--|
| 2349 | IC SN 5407 {DM 7407N} |              |     | 33/19   | 3.00 | UNIT |  |  |  |
| 2501 | IC UA 723 C (CA 723E) |              |     | 33/192A | 3.00 | UNIT |  |  |  |
| 4613 | TRANSISTOR BDY 72     |              |     | 33/192B | 7.00 | UNIT |  |  |  |
| 1215 | DIODE 5082-2810       | (GP/LOC)     |     | 33/193A | 5.00 | UNIT |  |  |  |
| 1216 | DIODE 5082-3077       | (GP/LOC)     |     | 33/193B | 4.00 | UNIT |  |  |  |
| 1615 | DIODE UM 6204E        | (GP/LOC)     |     | 33/193C | 4.00 | UNIT |  |  |  |
| 4290 | TRANSISTOR 2N 2891    |              |     | 33/194A | 6.00 | UNIT |  |  |  |
| 4076 | THYRISTOR BTW39-600   |              |     | 33/194B | 2.00 | UNIT |  |  |  |
| 4559 | TRANSISTOR BC 183A    |              |     | 33/194C | 2.00 | UNIT |  |  |  |
| 4495 | TRANSISTOR 40319      |              |     | 33/195A | 5.00 | UNIT |  |  |  |
| 2353 | IC SN 54121J          |              |     | 33/195B | 5.00 | UNIT |  |  |  |
| 2220 | IC LM 101AH           |              |     | 33/195C | 5.00 | UNIT |  |  |  |
| 4722 | TRANSISTOR BUX 22     |              |     | 33/196B | 7.00 | UNIT |  |  |  |
| 4721 | TRANSISTOR BUX 20     |              |     | 33/197A | 7.00 | UNIT |  |  |  |
| 4661 | TRANSISTOR BFT 51     |              |     | 33/197B | 2.00 | UNIT |  |  |  |
| 4074 | THYRISTOR BTW 39-200  |              |     | 33/198  | 3.00 | UNIT |  |  |  |
| 4075 | THYRISTOR BTW 50-600  |              |     | 33/199  | 3.00 | UNIT |  |  |  |
| 4072 | THYRISTOR 2N 2329     |              |     | 33/200  | 3.00 | UNIT |  |  |  |
| 2363 | IC SN 5430 {DM 7430N} |              |     | 33/22   | 1.00 | UNIT |  |  |  |
| 2352 | IC SN 54121 {F-74121P | C}           |     | 33/28   | 3.00 | UNIT |  |  |  |
| 2356 | IC SN 54123 {DM 74123 | N}           |     | 33/29   | 1.00 | UNIT |  |  |  |
| 4136 | TRANSFORMER 1.0 KVA   | 50 Hz        |     | 33/3    | 3.00 | UNIT |  |  |  |
| 2499 | IC UA 709PC {7827}UA  | 709HC 7841/7 | 845 | 33/32   | 4.00 | UNIT |  |  |  |
| 2500 | IC UA 710PC {F 7821}  |              |     | 33/33   | 7.00 | UNIT |  |  |  |

## INDEXB

|      |                       |              |     |       |      |      |  |  |  |
|------|-----------------------|--------------|-----|-------|------|------|--|--|--|
| 2137 | IC CA 3045 {RCA 945}  |              |     | 33/35 | 4.00 | UNIT |  |  |  |
| 2191 | IC H 102 {DI 7944}    |              |     | 33/36 | 1.00 | UNIT |  |  |  |
| 2192 | IC H 104 {DI 87941}   |              |     | 33/37 | 1.00 | UNIT |  |  |  |
| 2193 | IC H 109 {DI 7636}    |              |     | 33/38 | 1.00 | UNIT |  |  |  |
| 2122 | IC 87G18 MU 4894      |              |     | 33/39 | 2.00 | UNIT |  |  |  |
| 4140 | TRANSFORMER 4.5 KV    | 50/60 Hz     |     | 33/4  | 2.00 | UNIT |  |  |  |
| 2312 | IC RCA 3085A          |              |     | 33/41 | 3.00 | UNIT |  |  |  |
| 4787 | TRANSISTOR MJ 4032    | 417/4/00883/ | 000 | 33/42 | 5.00 | UNIT |  |  |  |
| 1357 | DIODE IN 1199RA       |              |     | 33/43 | 2.00 | UNIT |  |  |  |
| 1434 | DIODE IN 823          |              |     | 33/44 | 2.00 | UNIT |  |  |  |
| 1406 | DIODE IN 4752A 4725-  | 806          |     | 33/47 | 5.00 | UNIT |  |  |  |
| 1408 | DIODE IN 4933         |              |     | 33/48 | 2.00 | UNIT |  |  |  |
| 1410 | DIODE IN 5232B        |              |     | 33/50 | 2.00 | UNIT |  |  |  |
| 1413 | DIODE IN 5237B        |              |     | 33/51 | 1.00 | UNIT |  |  |  |
| 1414 | DIODE IN 5240B        |              |     | 33/52 | 3.00 | UNIT |  |  |  |
| 1416 | DIODE IN 5242B        |              |     | 33/53 | 1.00 | UNIT |  |  |  |
| 1418 | DIODE IN 5248B        |              |     | 33/54 | 1.00 | UNIT |  |  |  |
| 1419 | DIODE IN 5250B        |              |     | 33/55 | 2.00 | UNIT |  |  |  |
| 1409 | DIODE IN 5227B        |              |     | 33/56 | 6.00 | UNIT |  |  |  |
| 1420 | DIODE IN 5342B        |              |     | 33/57 | 2.00 | UNIT |  |  |  |
| 1421 | DIODE IN 5347B        |              |     | 33/58 | 2.00 | UNIT |  |  |  |
| 1549 | DIODE SIG FREG P/N 37 | C SD 42245   | AOA | 33/59 | 2.00 | UNIT |  |  |  |
| 2313 | IC RCA CA 3011 PRD    | 707          |     | 33/6  | 4.00 | UNIT |  |  |  |
| 4528 | TRANSISTOR B3-12 AE   | 259          |     | 33/60 | 1.00 | UNIT |  |  |  |

## INDEXB

|      |                       |             |      |        |       |      |  |  |  |
|------|-----------------------|-------------|------|--------|-------|------|--|--|--|
| 4298 | TRANSISTOR 2N 2905A   |             |      | 33/62  | 22.00 | UNIT |  |  |  |
| 1016 | CORD ASSY 614/1/12487 | /000        |      | 33/63A | 2.00  | UNIT |  |  |  |
| 4311 | TRANSISTOR 2N 3055S   |             |      | 33/63B | 6.00  | UNIT |  |  |  |
| 4316 | TRANSISTOR 2N 3553    |             |      | 33/64  | 3.00  | UNIT |  |  |  |
| 4338 | TRANSISTOR 2N 3866    |             |      | 33/65  | 3.00  | UNIT |  |  |  |
| 4388 | TRANSISTOR 2N 5323    |             |      | 33/66  | 1.00  | UNIT |  |  |  |
| 4418 | TRANSISTOR 2N 6099    |             |      | 33/67  | 2.00  | UNIT |  |  |  |
| 4414 | TRANSISTOR 2N 5707    |             |      | 33/68  | 4.00  | UNIT |  |  |  |
| 4404 | TRANSISTOR 2N 5476    |             |      | 33/69  | 1.00  | UNIT |  |  |  |
| 4412 | TRANSISTOR 2N 5643    |             |      | 33/70  | 4.00  | UNIT |  |  |  |
| 4480 | TRANSISTOR 3N 128     |             |      | 33/71  | 5.00  | UNIT |  |  |  |
| 4482 | TRANSISTOR 3N 200     |             |      | 33/72  | 2.00  | UNIT |  |  |  |
| 2259 | IC MC 1710 G          |             |      | 33/73  | 6.00  | UNIT |  |  |  |
| 4778 | TRANSISTOR MDA 990A-2 |             |      | 33/75  | 1.00  | UNIT |  |  |  |
| 4771 | TRANSISTOR IS 921     |             |      | 33/76  | 6.00  | UNIT |  |  |  |
| 4772 | TRANSISTOR IS 923     |             |      | 33/77  | 10.00 | UNIT |  |  |  |
| 4255 | TRANSISTOR 2C 444     |             |      | 33/78  | 2.00  | UNIT |  |  |  |
| 4749 | TRANSISTOR D45 C8     |             |      | 33/79  | 2.00  | UNIT |  |  |  |
| 3905 | SUPPRESSOR BOXES 614/ | 1/14105/002 | FXV. | 33/8   | 1.00  | UNIT |  |  |  |
| 1745 | DIODE ZF 18           |             |      | 33/80  | 2.00  | UNIT |  |  |  |
| 1743 | DIODE ZF 12           |             |      | 33/81  | 2.00  | UNIT |  |  |  |
| 4567 | TRANSISTOR BC 213B    |             |      | 33/82  | 2.00  | UNIT |  |  |  |
| 4558 | TRANSISTOR BC 183/184 | /185        |      | 33/83  | 1.00  | UNIT |  |  |  |
| 4595 | TRANSISTOR BCY 42     |             |      | 33/84  | 2.00  | UNIT |  |  |  |

## INDEXB

|      |                       |              |         |       |       |      |  |  |  |
|------|-----------------------|--------------|---------|-------|-------|------|--|--|--|
| 4961 | TRANSUSTOR BFY 19     |              |         | 33/85 | 2.00  | UNIT |  |  |  |
| 4485 | TRANSISTOR 40235      |              |         | 33/86 | 12.00 | UNIT |  |  |  |
| 4486 | TRANSISTOR 40244      |              |         | 33/87 | 2.00  | UNIT |  |  |  |
| 4491 | TRANSISTOR 40314      |              |         | 33/88 | 5.00  | UNIT |  |  |  |
| 4494 | TRANSISTOR 40319      |              |         | 33/89 | 5.00  | UNIT |  |  |  |
| 4497 | TRANSISTOR 40673      |              |         | 33/90 | 3.00  | UNIT |  |  |  |
| 2260 | IC MC 1723G           |              |         | 33/91 | 3.00  | UNIT |  |  |  |
| 4887 | TRANSISTOR SINGLE SIL | ICON JO      | 2001    | 33/92 | 2.00  | UNIT |  |  |  |
| 243  | CAPACITOR 10 MFD 35V  |              |         | 33/94 | 14.00 | UNIT |  |  |  |
| 1752 | DIODE ZS 14           |              |         | 33/95 | 2.00  | UNIT |  |  |  |
| 3665 | RESISTOR VAR 1 KOHM   | 5% 5W PN/CLR | 2501/12 | 33/97 | 2.00  | UNIT |  |  |  |
| 3670 | RESISTOR VAR 200 KOHM |              |         | 33/98 | 1.00  | UNIT |  |  |  |
| 3668 | RESISTOR VAR 2 KOHM   |              |         | 33/99 | 2.00  | UNIT |  |  |  |
| 169  | CAP (91338266)        |              |         | 34/10 | 2.00  | UNIT |  |  |  |
| 170  | CAP (91338268)        |              |         | 34/11 | 2.00  | UNIT |  |  |  |
| 166  | CAP (91297030)        |              |         | 34/15 | 2.00  | UNIT |  |  |  |
| 4047 | TETE DE VOX VERTE     | 91319677     |         | 34/16 | 2.00  | UNIT |  |  |  |
| 168  | CAP (91336762)        |              |         | 34/17 | 2.00  | UNIT |  |  |  |
| 1946 | FUSE HA21 0 A5        | 99003476     |         | 34/18 | 60.00 | UNIT |  |  |  |
| 1945 | FUSE HA20 0 A2(0,20A) | 99043721     |         | 34/19 | 60.00 | UNIT |  |  |  |
| 879  | COIL INDUCTANCE       | 16412192     |         | 34/20 | 1.00  | UNIT |  |  |  |
| 880  | COIL INDUCTANCE       | 16412193     |         | 34/21 | 1.00  | UNIT |  |  |  |
| 881  | COIL INDUCTANCE       | 16412194     |         | 34/22 | 1.00  | UNIT |  |  |  |
| 882  | COIL INDUCTANCE       | 16412195     |         | 34/23 | 1.00  | UNIT |  |  |  |

## INDEXB

|      |                      |              |  |        |       |      |  |  |  |
|------|----------------------|--------------|--|--------|-------|------|--|--|--|
| 883  | COIL INDUCTANCE      | 16412196     |  | 34/24  | 1.00  | UNIT |  |  |  |
| 884  | COIL INDUCTANCE      | 16412197     |  | 34/25  | 1.00  | UNIT |  |  |  |
| 885  | COIL INDUCTANCE      | 16412198     |  | 34/26  | 1.00  | UNIT |  |  |  |
| 886  | COIL INDUCTANCE      | 16412200     |  | 34/28  | 1.00  | UNIT |  |  |  |
| 887  | COIL INDUCTANCE      | 16412201     |  | 34/29  | 1.00  | UNIT |  |  |  |
| 888  | COIL INDUCTANCE      | 16412202     |  | 34/30  | 1.00  | UNIT |  |  |  |
| 193  | CAPACITOR 0,1 F 20%  | 63V 91237746 |  | 34/31  | 1.00  | UNIT |  |  |  |
| 823  | COIL 22 UM +10%      | 91256606     |  | 34/32  | 2.00  | UNIT |  |  |  |
| 3190 | RELAY MINI 913149021 |              |  | 34/33  | 4.00  | UNIT |  |  |  |
| 4590 | TRANSISTOR BCW 92A   | 91350649     |  | 34/34  | 4.00  | UNIT |  |  |  |
| 2033 | IC 4001B             |              |  | 34/37  | 2.00  | UNIT |  |  |  |
| 2035 | IC 4023B             |              |  | 34/39  | 2.00  | UNIT |  |  |  |
| 2040 | IC 4049B             |              |  | 34/40  | 2.00  | UNIT |  |  |  |
| 2034 | IC 4012              |              |  | 34/41  | 2.00  | UNIT |  |  |  |
| 2036 | IC 4025B             |              |  | 34/42  | 2.00  | UNIT |  |  |  |
| 2037 | IC 4028B             |              |  | 34/43  | 2.00  | UNIT |  |  |  |
| 1944 | FUSE HA 21 2 5A      | 9903479      |  | 34/44  | 20.00 | UNIT |  |  |  |
| 3857 | SOLDERING IRON 30W   | SEM          |  | 34/45  | 0.00  | UNIT |  |  |  |
| 2575 | KNOB (16616136)      |              |  | 34/5   | 4.00  | UNIT |  |  |  |
| 2578 | KNOB ASSY (16616895) |              |  | 34/6   | 4.00  | UNIT |  |  |  |
| 2579 | KNOB ASSY (16616896) |              |  | 34/7   | 4.00  | UNIT |  |  |  |
| 2580 | KNOB ASSY (16616897) |              |  | 34/8   | 2.00  | UNIT |  |  |  |
| 167  | CAP (91336132)       |              |  | 34/9   | 2.00  | UNIT |  |  |  |
| 4015 | SWITCH WIS 3456-155  |              |  | 35/100 | 2.00  | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |        |       |      |  |  |  |
|------|-----------------------|--------------|----------|--------|-------|------|--|--|--|
| 2565 | JEU DE GAINÉ          |              |          | 36/101 | 6.00  | UNIT |  |  |  |
| 1021 | CORNIERE ALLUMINIUM   | 1-50         |          | 36/105 | 14.00 | UNIT |  |  |  |
| 479  | CAPACITOR CERAMIC     | 100PF        |          | 36/151 | 10.00 | UNIT |  |  |  |
| 622  | CAPACITOR MOULAGE     | EMBASE       | COAXIALE | 36/152 | 2.00  | UNIT |  |  |  |
| 1803 | ELECTRO D'ARRET       | K1825-WA178  |          | 36/154 | 1.00  | UNIT |  |  |  |
| 4170 | TRANSFORMER DRIVER    | TO3 BGR 40   |          | 36/155 | 1.00  | UNIT |  |  |  |
| 4947 | TRANSISTOR ZTX 341    |              |          | 36/18  | 5.00  | UNIT |  |  |  |
| 4138 | TRANSFORMER 230V INPU | T 20V OUTPUT | 160V     | 36/19  | 2.00  | UNIT |  |  |  |
| 4356 | TRANSISTOR 2N 4249    |              |          | 36/20  | 3.00  | UNIT |  |  |  |
| 4550 | TRANSISTOR BC 141     |              |          | 36/21  | 3.00  | UNIT |  |  |  |
| 4643 | TRANSISTOR BF 258     |              |          | 36/22  | 3.00  | UNIT |  |  |  |
| 4959 | TRANSSISTOR BC 184L   |              |          | 36/23  | 3.00  | UNIT |  |  |  |
| 105  | BRIDGE WO-06/WO 4     |              |          | 36/35  | 2     | UNIT |  |  |  |
| 2149 | IC CD 4013 CP         |              |          | 36/36  | 3.00  | UNIT |  |  |  |
| 2156 | IC CD 4060 BE         |              |          | 36/37  | 3.00  | UNIT |  |  |  |
| 699  | CAPACITOR VARIABLE    | 5PFEFH 189-5 | 03-105   | 36/39  | 2.00  | UNIT |  |  |  |
| 4867 | TRANSISTOR R04 88     |              |          | 36/43  | 6.00  | UNIT |  |  |  |
| 4608 | TRANSISTOR BD4 79     |              |          | 36/45  | 5.00  | UNIT |  |  |  |
| 4277 | TRANSISTOR 2N 2222A   |              |          | 36/46  | 5.00  | UNIT |  |  |  |
| 4612 | TRANSISTOR BDY 58     |              |          | 36/48  | 3.00  | UNIT |  |  |  |
| 4291 | TRANSISTOR 2N 2891    |              |          | 36/49  | 5.00  | UNIT |  |  |  |
| 1807 | EMBASES COAXIALES     | 503175       |          | 36/50  | 4.00  | UNIT |  |  |  |
| 5075 | VENTILATEUR           |              |          | 36/51  | 5.00  | UNIT |  |  |  |
| 1248 | DIODE BA 157          |              |          | 36/57  | 8.00  | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |         |      |      |  |  |  |
|------|-----------------------|--------------|----------|---------|------|------|--|--|--|
| 1642 | DIODE ZENER 180V 1W   |              |          | 36/58   | 3.00 | UNIT |  |  |  |
| 3179 | RELAY ELEC 200R05-531 | 91328177     |          | 36A/1   | 1.00 | UNIT |  |  |  |
| 961  | CONDENSER FIXE TANTAL | E 10 MF 20V  | 20%      | 36A/10  | 1.00 | UNIT |  |  |  |
| 2481 | IC TTL-LS 54LS 244 20 | PIN CERAMIC  |          | 36A/100 | 2.00 | UNIT |  |  |  |
| 1319 | DIODE ELECTROLUMINESC | ENT RES INT  | 5V 6NA   | 36A/101 | 4.00 | UNIT |  |  |  |
| 1320 | DIODE ELECTROLUMINESC | ENT VERTE    | 50824955 | 36A/102 | 2.00 | UNIT |  |  |  |
| 1321 | DIODE ELECTROLUMINESC | ENT YELLOW   | 50824555 | 36A/103 | 2.00 | UNIT |  |  |  |
| 1322 | DIODE ELECTROLUMINESC | ENT RED      | 50824655 | 36A/104 | 4.00 | UNIT |  |  |  |
| 903  | COMMUTATEUR ROTATIF   | 96088633     |          | 36A/105 | 1.00 | UNIT |  |  |  |
| 904  | COMMUTATEUR ROTATIF   | 91486423     |          | 36A/106 | 1.00 | UNIT |  |  |  |
| 901  | COMMUTATEUR DIGITAL   | 91486425     |          | 36A/107 | 1.00 | UNIT |  |  |  |
| 900  | COMMUTATEUR A POUSSOI | R 96088670   |          | 36A/108 | 1.00 | UNIT |  |  |  |
| 796  | CLAVIER 6 TOUCHES     | 96088632     |          | 36A/109 | 1.00 | UNIT |  |  |  |
| 962  | CONDENSER FIXE TANTAL | E 1 MF 40V   | 20%      | 36A/11  | 6.00 | UNIT |  |  |  |
| 3180 | RELAY ELECTRIQUE SOUS | AMPOULE OREG | A        | 36A/110 | 1.00 | UNIT |  |  |  |
| 3181 | RELAY ELECTRIQUE SOUS | AMPOULE 100R | 05554D   | 36A/111 | 1.00 | UNIT |  |  |  |
| 3075 | QUARTZ 921.6 Hz       | 91373040     |          | 36A/112 | 1.00 | UNIT |  |  |  |
| 3072 | QUARTZ 4.5 M Hz       | 91483188     |          | 36A/113 | 1.00 | UNIT |  |  |  |
| 3073 | QUARTZ 4.86 M Hz      | 91483189     |          | 36A/114 | 1.00 | UNIT |  |  |  |
| 953  | CONDENSER FIXE CER    | AMIC91389949 |          | 36A/115 | 5.00 | UNIT |  |  |  |
| 944  | CONDENSER FIXE ALL    | UMINUIM 10MF | 100 V    | 36A/118 | 1.00 | UNIT |  |  |  |
| 945  | CONDENSER FIXE ALL    | UMINUIM 22MF | 25 V     | 36A/119 | 1.00 | UNIT |  |  |  |
| 963  | CONDENSER FIXE TANTAL | E 2.2 MF 40V | 20%      | 36A/12  | 1.00 | UNIT |  |  |  |
| 946  | CONDENSER FIXE ALL    | UMINUIM 47MF | 25 V     | 36A/122 | 3.00 | UNIT |  |  |  |

## INDEXB

|      |                       |              |         |         |      |      |  |  |  |
|------|-----------------------|--------------|---------|---------|------|------|--|--|--|
| 947  | CONDENSER FIXE ALL    | UMINUIM 100  | MF 20 V | 36A/124 | 4.00 | UNIT |  |  |  |
| 948  | CONDENSER FIXE ALL    | UMINUIM 100  | MF 63 V | 36A/125 | 1.00 | UNIT |  |  |  |
| 949  | CONDENSER FIXE ALL    | UMINUIM 100  | MF 10 V | 36A/126 | 1.00 | UNIT |  |  |  |
| 950  | CONDENSER FIXE ALL    | UMINUIM 47MF | 16 V    | 36A/127 | 1.00 | UNIT |  |  |  |
| 951  | CONDENSER FIXE ALL    | UMINUIM 220  | MF 6 V  | 36A/129 | 1.00 | UNIT |  |  |  |
| 964  | CONDENSER FIXE TANTAL | E 4.7 MF 40V | 20%     | 36A/13  | 6.00 | UNIT |  |  |  |
| 952  | CONDENSER FIXE ALL    | UMINUIM 470  | MF 10 V | 36A/130 | 1.00 | UNIT |  |  |  |
| 302  | CAPACITOR 1500 UF 100 | V 99096457   |         | 36A/132 | 4.00 | UNIT |  |  |  |
| 975  | CONDENSER FIXED TANT  | 6.8 MF 40 V  |         | 36A/133 | 3.00 | UNIT |  |  |  |
| 976  | CONDENSER FIXED TANT  | 99096464     |         | 36A/134 | 2.00 | UNIT |  |  |  |
| 3616 | RESISTOR FIXED A COUC | HE 91474481  |         | 36A/135 | 1.00 | UNIT |  |  |  |
| 3617 | RESISTOR FIXED BOBINE | E 91488506   |         | 36A/136 | 1.00 | UNIT |  |  |  |
| 3026 | POTENTIOMETER CERMET  | 10 KOHM      |         | 36A/137 | 1.00 | UNIT |  |  |  |
| 3027 | POTENTIOMETER CERMET  | 1 K OHM 2 W  |         | 36A/138 | 1.00 | UNIT |  |  |  |
| 3028 | POTENTIOMETER CERMET  | 22 K OHM 2 W |         | 36A/139 | 1.00 | UNIT |  |  |  |
| 965  | CONDENSER FIXE TANTAL | E 1 MF 40V   | 20%     | 36A/14  | 5.00 | UNIT |  |  |  |
| 3029 | POTENTIOMETER CERMET  | 100 K OHM    | 1.25 W  | 36A/140 | 1.00 | UNIT |  |  |  |
| 3030 | POTENTIOMETER CERMET  | 22 K OHM     | 0.75 W  | 36A/141 | 2.00 | UNIT |  |  |  |
| 3008 | POTENTIOMETER BOBINEE | 10 K OHM     | 0.75 W  | 36A/142 | 1.00 | UNIT |  |  |  |
| 3009 | POTENTIOMETER BOBINEE | 1 K OHM      | 0.75 W  | 36A/143 | 2.00 | UNIT |  |  |  |
| 3010 | POTENTIOMETER BOBINEE | 220 OHM      | 0.75 W  | 36A/144 | 1.00 | UNIT |  |  |  |
| 3011 | POTENTIOMETER BOBINEE | 4.7 OHM      | 0.75 W  | 36A/145 | 2.00 | UNIT |  |  |  |
| 3012 | POTENTIOMETER BOBINEE | 10 KOHM      | 0.75 W  | 36A/146 | 1.00 | UNIT |  |  |  |
| 3013 | POTENTIOMETER BOBINEE | 47 KOHM      | 0.75 W  | 36A/147 | 1.00 | UNIT |  |  |  |

## INDEXB

|      |                       |              |         |          |       |      |  |  |  |
|------|-----------------------|--------------|---------|----------|-------|------|--|--|--|
| 4065 | THERMISTOR TN 116A    | 22 OHM       |         | 36A/148  | 1.00  | UNIT |  |  |  |
| 4855 | TRANSISTOR POWER BFT  | 51 T 039     |         | 36A/149  | 2.00  | UNIT |  |  |  |
| 966  | CONDENSER FIXE TANTAL | E 4.7 MF 10V | 20%     | 36A/15   | 2.00  | UNIT |  |  |  |
| 4937 | TRANSISTOR VHF BFS    | 23 A         |         | 36A/150  | 2.00  | UNIT |  |  |  |
| 4853 | TRANSISTOR POWER 2N   | 1893 T039    |         | 36A/152  | 4.00  | UNIT |  |  |  |
| 4856 | TRANSISTOR POWER BUX  | 55 T039      |         | 36A/153  | 1.00  | UNIT |  |  |  |
| 1565 | DIODE SWITCHING FDH   | 400-D035     |         | 36A/155  | 12.00 | UNIT |  |  |  |
| 1566 | DIODE SWITCHING IN    | 6263         |         | 36A/156  | 6.00  | UNIT |  |  |  |
| 1631 | DIODE ZENER 0.4W IN   | 823A DA7     |         | 36A/157  | 2.00  | UNIT |  |  |  |
| 1643 | DIODE ZENER 3 BZV 16C | 10V D013     |         | 36A/158  | 1.00  | UNIT |  |  |  |
| 1568 | DIODE TRANSZORB 6.8V  | IN 5629A-D01 | 3       | 36A/159  | 1.00  | UNIT |  |  |  |
| 967  | CONDENSER FIXE TANTAL | E 4.7 MF 40V | 20%     | 36A/16   | 1.00  | UNIT |  |  |  |
| 1569 | DIODE TRANSZORB PROTE | CTION 15V IN | 5637A   | 36A/160  | 2.00  | UNIT |  |  |  |
| 1570 | DIODE TRANSZORB PROTE | CTION 33V IN | 5645    | 36A/161  | 2.00  | UNIT |  |  |  |
| 1571 | DIODE TRANSZORB PROTE | CTION 62V IN | 5652A   | 36A/162  | 1.00  | UNIT |  |  |  |
| 1572 | DIODE TRANSZORB PROTE | CTION 8.1V   | IN 5633 | 36A/163  | 1.00  | UNIT |  |  |  |
| 1534 | DIODE RECTIFIER IN    | 3903R ANODE  | D05     | 36A/164  | 2.00  | UNIT |  |  |  |
| 1535 | DIODE RECTIFIER IN    | 4933 D041    |         | 36A/165  | 5.00  | UNIT |  |  |  |
| 1536 | DIODE RECTIFIER IN    | 3891R ANODE  | D04     | 36A/166  | 2.00  | UNIT |  |  |  |
| 5078 | VOLTAGE PROTECTOR     | 91116861     |         | 36A/166A | 5.00  | UNIT |  |  |  |
| 1538 | DIODE RECTIFIER BY253 | D027A        |         | 36A/167  | 2.00  | UNIT |  |  |  |
| 788  | CIRCUIT BREAKER       | 91615697     |         | 36A/167A | 1.00  | UNIT |  |  |  |
| 2520 | INDUCTANCE 99094578   | 4.7          |         | 36A/169A | 20.00 | UNIT |  |  |  |
| 968  | CONDENSER FIXE TANTAL | E 10 MF 25V  | 20%     | 36A/17   | 4.00  | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |          |       |      |  |  |  |
|------|-----------------------|--------------|----------|----------|-------|------|--|--|--|
| 5072 | VARICAP BB 141A-2116  | PF 28V B035  |          | 36A/170  | 5.00  | UNIT |  |  |  |
| 3732 | ROTARY SWITCH 9143370 | 0            |          | 36A/170A | 1.00  | UNIT |  |  |  |
| 1029 | COUPLER OPTO ELECTRON | IC CHS 74-GE | 1-I PF   | 36A/171  | 2.00  | UNIT |  |  |  |
| 2217 | IC LINEAR BANDE 118-  | 99078927     |          | 36A/171A | 10.00 | UNIT |  |  |  |
| 1030 | COUPLER OPTO ELECTRON | IC CNY 47A-2 | 8KV F038 | 36A/172  | 2.00  | UNIT |  |  |  |
| 1546 | DIODE ROTATING 1730   |              |          | 36A/173A | 2.00  | UNIT |  |  |  |
| 2682 | MODULATOR CIRCULAR MD | 108 5-500MHz |          | 36A/174  | 3.00  | UNIT |  |  |  |
| 1547 | DIODE ROTATING 1731   |              |          | 36A/174A | 8.00  | UNIT |  |  |  |
| 2678 | MIXER DOUBLED BALANCE | D 91486000   |          | 36A/175  | 3.00  | UNIT |  |  |  |
| 2209 | IC LINEAR 105 T0.99/  | METALLIQUE   | 55+125   | 36A/176  | 10.00 | UNIT |  |  |  |
| 2208 | IC LINEAR 101A T0.99/ | METALLIQUE   | 55+125   | 36A/178  | 9.00  | UNIT |  |  |  |
| 2215 | IC LINEAR 1558 T0.99/ | METALLIQUE   | 99086316 | 36A/179  | 9.00  | UNIT |  |  |  |
| 969  | CONDENSER FIXE TANTAL | E 22 MF 16V  | 20%      | 36A/18   | 3.00  | UNIT |  |  |  |
| 2210 | IC LINEAR 118 T0.99/  | METALLIQUE   | 99078727 | 36A/180  | 2.00  | UNIT |  |  |  |
| 2211 | IC LINEAR 119 T0.100/ | METALLIQUE   | 99093552 | 36A/181  | 1.00  | UNIT |  |  |  |
| 2212 | IC LINEAR 119 T0.116/ | PLASTIC      | 99098114 | 36A/182  | 1.00  | UNIT |  |  |  |
| 2216 | IC LINEAR 55454B F116 | CERAMIC      | 99096815 | 36A/183  | 1.00  | UNIT |  |  |  |
| 2219 | IC LINEAR MC 4344L TO | 116 CERAMIC  | 91361024 | 36A/184  | 2.00  | UNIT |  |  |  |
| 2214 | IC LINEAR 1508-8 F117 | CERAMIC      | 99104376 | 36A/185  | 2.00  | UNIT |  |  |  |
| 2453 | IC TTL 54.25 TO 116   | CERAMIC      | 99078752 | 36A/188  | 2.00  | UNIT |  |  |  |
| 2468 | IC TTL-LS 54LS 09 TO  | 116 CERAMIC  | 99096769 | 36A/188A | 2.00  | UNIT |  |  |  |
| 2455 | IC TTL 54.38 TO 116   | PLASTIC      | 96059848 | 36A/189  | 1.00  | UNIT |  |  |  |
| 2467 | IC TTL-LS 54LS 05 TO  | 116 CERAMIC  | 99089149 | 36A/189A | 1.00  | UNIT |  |  |  |
| 970  | CONDENSER FIXE TANTAL | E 33 MF 10V  | 20%      | 36A/19   | 1.00  | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |          |       |      |  |  |  |
|------|-----------------------|--------------|----------|----------|-------|------|--|--|--|
| 2446 | IC TTL 54.03 TO 116   | CERAMIC 55+  | 99072247 | 36A/190  | 1.00  | UNIT |  |  |  |
| 2489 | IC TTL-LS 54LS 75 F   | 117 CERAMIC  | 99089158 | 36A/190A | 2.00  | UNIT |  |  |  |
| 2448 | IC TTL 54.08 TO 116   | CERAMIC 55+  | 99078741 | 36A/191  | 1.00  | UNIT |  |  |  |
| 2492 | IC TTL-LS 54LS 93 TO  | 116 CERAMIC  | 99092112 | 36A/191A | 1.00  | UNIT |  |  |  |
| 2449 | IC TTL 54.128 TO 116  | CERAMIC +125 | 99084655 | 36A/192  | 2.00  | UNIT |  |  |  |
| 2474 | IC TTL-LS 54LS 162 F  | 117 CERAMIC  | 99098337 | 36A/192A | 5.00  | UNIT |  |  |  |
| 2447 | IC TTL 54.06 TO 116   | CERAMIC 55+  | 99072248 | 36A/193  | 3.00  | UNIT |  |  |  |
| 2017 | IC -C-MOS 4066B TO116 | PLASTIC40+55 | 99095951 | 36A/193A | 3.00  | UNIT |  |  |  |
| 2456 | IC TTL 54.75 F 117    | CER 55+125   | 99072239 | 36A/194  | 1.00  | UNIT |  |  |  |
| 2451 | IC TTL 54.174 F 117   | CERAMIC      | 99084061 | 36A/195  | 1.00  | UNIT |  |  |  |
| 1172 | DATA DISPLAY TTL 309  | 91492025     |          | 36A/195A | 2.00  | UNIT |  |  |  |
| 2452 | IC TTL 54.185A F 117  | CERAMIC      | 99078767 | 36A/196  | 1.00  | UNIT |  |  |  |
| 2450 | IC TTL 54.159 F 118   | CERAMIC      | 99105319 | 36A/197  | 2.00  | UNIT |  |  |  |
| 1801 | ELAPSED TIME INDICATO | R CM 2003H-1 | 00,000hr | 36A/197A | 2.00  | UNIT |  |  |  |
| 2457 | IC TTL 540221 F 117   | CERAMIC      | 99093726 | 36A/198  | 1.00  | UNIT |  |  |  |
| 1012 | CONVERTER CM 1198-1   | 91369311     |          | 36A/198A | 1.00  | UNIT |  |  |  |
| 2458 | IC TTL 555 TO 99/55+1 | 25 99092871  |          | 36A/199  | 2.00  | UNIT |  |  |  |
| 1856 | FILTER 1257-001       | 91404255     |          | 36A/199A | 10.00 | UNIT |  |  |  |
| 954  | CONDENSER FIXE TANTAL | E 4.7 MF 10V |          | 36A/2    | 3.00  | UNIT |  |  |  |
| 971  | CONDENSER FIXE TANTAL | E 100 MF 16V | 20%      | 36A/20   | 4.00  | UNIT |  |  |  |
| 2482 | IC TTL-LS 54LS 266 TO | 116          | 99096678 | 36A/200  | 3.00  | UNIT |  |  |  |
| 972  | CONDENSER FIXE TANTAL | E 200 MF 10V | 20%      | 36A/21   | 1.00  | UNIT |  |  |  |
| 3614 | RESISTOR FIXE A COUCH | E 91314547   |          | 36A/22   | 1.00  | UNIT |  |  |  |
| 3018 | POTENTIOMETER CERMET  | 10 KOHM      |          | 36A/23   | 1.00  | UNIT |  |  |  |

## INDEXB

|      |                       |              |     |         |       |      |  |  |  |
|------|-----------------------|--------------|-----|---------|-------|------|--|--|--|
| 3019 | POTENTIOMETER CERMET  | 1 KOHM       |     | 36A/24  | 3.00  | UNIT |  |  |  |
| 3020 | POTENTIOMETER CERMET  | 22 KOHM      |     | 36A/26  | 2.00  | UNIT |  |  |  |
| 3021 | POTENTIOMETER CERMET  | 47 KOHM      |     | 36A/27  | 2.00  | UNIT |  |  |  |
| 3022 | POTENTIOMETER CERMET  | 100 KOHM     |     | 36A/28  | 1.00  | UNIT |  |  |  |
| 3023 | POTENTIOMETER CERMET  | 1 KOHM       |     | 36A/29  | 2.00  | UNIT |  |  |  |
| 955  | CONDENSER FIXE TANTAL | E 33 MF 10V  | 20% | 36A/3   | 1.00  | UNIT |  |  |  |
| 3024 | POTENTIOMETER CERMET  | 220 KOHM     |     | 36A/30  | 1.00  | UNIT |  |  |  |
| 3025 | POTENTIOMETER CERMET  | 47 KOHM      |     | 36A/31  | 1.00  | UNIT |  |  |  |
| 4846 | TRANSISTOR POWER 2N   | 2193A-T039   |     | 36A/32  | 1.00  | UNIT |  |  |  |
| 4847 | TRANSISTOR POWER 2N   | 2891-T039    |     | 36A/33  | 3.00  | UNIT |  |  |  |
| 4848 | TRANSISTOR POWER 2N   | 3744-T066    |     | 36A/34  | 3.00  | UNIT |  |  |  |
| 4849 | TRANSISTOR POWER 2N   | 3767-T066    |     | 36A/36  | 1.00  | UNIT |  |  |  |
| 4850 | TRANSISTOR POWER 2N   | 30 55S T03   | NPN | 36A/39  | 2.00  | UNIT |  |  |  |
| 956  | CONDENSER FIXE TANTAL | E 100 MF 10V | 20% | 36A/4   | 3.00  | UNIT |  |  |  |
| 4854 | TRANSISTOR POWER BDX  | 18 T03       |     | 36A/40  | 1.00  | UNIT |  |  |  |
| 4851 | TRANSISTOR POWER 2N   | 2905A-T039   |     | 36A/42  | 1.00  | UNIT |  |  |  |
| 4852 | TRANSISTOR POWER 2N   | 918-T072     | NPN | 36A/43  | 1.00  | UNIT |  |  |  |
| 4287 | TRANSISTOR 2N 2484-T  | 018          |     | 36A/44  | 1.00  | UNIT |  |  |  |
| 4304 | TRANSISTOR 2N 2907A   |              |     | 36A/45  | 3.00  | UNIT |  |  |  |
| 4278 | TRANSISTOR 2N 2269    |              |     | 36A/46  | 2.00  | UNIT |  |  |  |
| 4818 | TRANSISTOR NPN 2N     | 2222A        |     | 36A/47  | 3.00  | UNIT |  |  |  |
| 1564 | DIODE SWITCHING F80   | IN 4449      |     | 36A/48  | 15.00 | UNIT |  |  |  |
| 1627 | DIODE ZENER 0.4W      | IN 973B-D07  |     | 36A/49  | 1.00  | UNIT |  |  |  |
| 1231 | DIODE 8616 731 INVERS | E            |     | 36A/49A | 3.00  | UNIT |  |  |  |

## INDEXB

|      |                       |             |     |        |       |      |  |  |  |
|------|-----------------------|-------------|-----|--------|-------|------|--|--|--|
| 1628 | DIODE ZENER 0.4W 46C  | 4V7 F80     |     | 36A/50 | 3.00  | UNIT |  |  |  |
| 1629 | DIODE ZENER 0.4W 46C  | 15V F80     |     | 36A/53 | 2.00  | UNIT |  |  |  |
| 1630 | DIODE ZENER 0.4W BZX  | 46C 5V1     |     | 36A/56 | 10.00 | UNIT |  |  |  |
| 1668 | DIODE ZENER BZX 46C   | 3V9 F80     |     | 36A/57 | 1.00  | UNIT |  |  |  |
| 1663 | DIODE ZENER BZX 0.4W  | 46C 4V3 F80 |     | 36A/58 | 2.00  | UNIT |  |  |  |
| 1664 | DIODE ZENER BZX 0.4W  | 46C 2V7 F80 |     | 36A/59 | 2.00  | UNIT |  |  |  |
| 957  | CONDENSER FIXE TANTAL | E 22 MF 16V | 20% | 36A/6  | 3.00  | UNIT |  |  |  |
| 1543 | DIODE RECTIFIRE BYX   | 65-200R-D05 |     | 36A/61 | 1.00  | UNIT |  |  |  |
| 1544 | DIODE RECTIFIRE IN 38 | 91-D04      |     | 36A/62 | 3.00  | UNIT |  |  |  |
| 1545 | DIODE RECTIFIRE IN 39 | 01-D05      |     | 36A/63 | 2.00  | UNIT |  |  |  |
| 1429 | DIODE IN 5711         | 02-F126D    |     | 36A/65 | 1.00  | UNIT |  |  |  |
| 2068 | IC 741 TO 991 METALIQ | UE 55+125   |     | 36A/66 | 1.00  | UNIT |  |  |  |
| 2445 | IC TTL 54.02 TO 116   | CERAMIC     |     | 36A/67 | 4.00  | UNIT |  |  |  |
| 2454 | IC TTL 54.37 TO 116   | CERAMIC 55+ | 125 | 36A/68 | 1.00  | UNIT |  |  |  |
| 2465 | IC TTL LS 54LS 30 TO  | 116 CERAMIC |     | 36A/69 | 1.00  | UNIT |  |  |  |
| 958  | CONDENSER FIXE TANTAL | E 2.2 MF 2V | 20% | 36A/7  | 1.00  | UNIT |  |  |  |
| 2463 | IC TTL LS 54LS 20 TO  | 116 CERAMIC |     | 36A/70 | 2.00  | UNIT |  |  |  |
| 2464 | IC TTL LS 54LS 21 TO  | 116 CERAMIC |     | 36A/71 | 2.00  | UNIT |  |  |  |
| 2461 | IC TTL LS 54LS 10 TO  | 116 CERAMIC |     | 36A/72 | 3.00  | UNIT |  |  |  |
| 2462 | IC TTL LS 54LS 11 TO  | 116 CERAMIC |     | 36A/73 | 2.00  | UNIT |  |  |  |
| 2459 | IC TTL LS 54LS 00 TO  | 116         |     | 36A/74 | 4.00  | UNIT |  |  |  |
| 2460 | IC TTL LS 54LS 02 TO  | 116 CERAMIC |     | 36A/75 | 2.00  | UNIT |  |  |  |
| 2014 | IC 08 TO 116          | CERAMIC     |     | 36A/76 | 4.00  | UNIT |  |  |  |
| 2015 | IC 32 TO 116          | CERAMIC     |     | 36A/77 | 2.00  | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |        |       |      |  |  |  |
|------|-----------------------|--------------|----------|--------|-------|------|--|--|--|
| 2491 | IC TTL-LS 54LS 86 TO  | 116 CERAMIC  |          | 36A/78 | 2.00  | UNIT |  |  |  |
| 2484 | IC TTL-LS 54LS 33 TO  | 116 CERAMIC  |          | 36A/79 | 1.00  | UNIT |  |  |  |
| 959  | CONDENSER FIXE TANTAL | E 47 MF 20V  | 20%      | 36A/8  | 2.00  | UNIT |  |  |  |
| 2486 | IC TTL-LS 54LS 38 TO  | 116 CERAMIC  |          | 36A/80 | 2.00  | UNIT |  |  |  |
| 2466 | IC TTL-LS 54LS 04 TO  | 116 CERAMIC  |          | 36A/81 | 3.00  | UNIT |  |  |  |
| 2470 | IC TTL-LS 54LS 112 F  | 117 CERAMIC  |          | 36A/82 | 10.00 | UNIT |  |  |  |
| 2469 | IC TTL-LS 54LS 109 F  | 117 CERAMIC  |          | 36A/83 | 3.00  | UNIT |  |  |  |
| 2488 | IC TTL-LS 54LS 74A TO | 116 CERAMIC  |          | 36A/84 | 9.00  | UNIT |  |  |  |
| 2477 | IC TTL-LS 54LS 174 FT | 1176 CERAMIC |          | 36A/85 | 1.00  | UNIT |  |  |  |
| 2485 | IC TTL-LS 54LS 377 20 | PIN CERAMIC  |          | 36A/86 | 2.00  | UNIT |  |  |  |
| 2479 | IC TTL-LS 54LS 191 F  | 117 CERAMIC  |          | 36A/87 | 1.00  | UNIT |  |  |  |
| 2478 | IC TTL-LS 54LS 190 F  | 117 CERAMIC  |          | 36A/88 | 2.00  | UNIT |  |  |  |
| 2475 | IC TTL-LS 54LS 163 F  | 117 CERAMIC  |          | 36A/89 | 13.00 | UNIT |  |  |  |
| 960  | CONDENSER FIXE TANTAL | E 100 MF 20V | 20%      | 36A/9  | 1.00  | UNIT |  |  |  |
| 2473 | IC TTL-LS 54LS 161 F  | 117 CERAMIC  | 4 BITS   | 36A/90 | 1.00  | UNIT |  |  |  |
| 2476 | IC TTL-LS 54LS 164 TO | 116 CERAMIC  | 8 BITS   | 36A/91 | 1.00  | UNIT |  |  |  |
| 2487 | IC TTL-LS 54LS 42 F   | 117 CERAMIC  |          | 36A/92 | 1.00  | UNIT |  |  |  |
| 2472 | IC TTL-LS 54LS 151 F  | 117 CERAMIC  |          | 36A/93 | 2.00  | UNIT |  |  |  |
| 2483 | IC TTL-LS 54LS 283 F  | 117 CERAMIC  | 4BITS    | 36A/94 | 2.00  | UNIT |  |  |  |
| 2490 | IC TTL-LS 54LS 85 F   | 117 CERAMIC  |          | 36A/95 | 4.00  | UNIT |  |  |  |
| 2480 | IC TTL-LS 54LS 221 F  | 117 CERAMIC  |          | 36A/97 | 4.00  | UNIT |  |  |  |
| 2048 | IC 54LS 14 TO 116     | CERAMIC      |          | 36A/98 | 2.00  | UNIT |  |  |  |
| 2471 | IC TTL-LS 54LS 132 TO | 116 CERAMIC  |          | 36A/99 | 1.00  | UNIT |  |  |  |
| 3975 | SWITCH PUSH BUTTON    | CHANGEOVER   | 99069910 | 36B/10 | 2.00  | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |          |      |      |  |  |  |
|------|-----------------------|--------------|----------|----------|------|------|--|--|--|
| 2941 | POTENTIOMETER 0.5 W   | 4.7 K OHM    | 99095433 | 36B/100  | 1.00 | UNIT |  |  |  |
| 3623 | RESISTOR FIXED FILM   | 3 OHM +-2%   | 91438832 | 36B/100A | 1.00 | UNIT |  |  |  |
| 3037 | POTENTIOMETER GERMET  | 0.5 W 10K OH | 99095434 | 36B/101  | 1.00 | UNIT |  |  |  |
| 3437 | RESISTOR 3 W WW 0.15  | OHM +-5%     | 91434449 | 36B/101A | 1.00 | UNIT |  |  |  |
| 2950 | POTENTIOMETER 1.5 W   | 2.2 K OHM    | 91440074 | 36B/102  | 1.00 | UNIT |  |  |  |
| 3017 | POTENTIOMETER CARBON  | 0.5 W 4.7K O | 99076420 | 36B/102A | 1.00 | UNIT |  |  |  |
| 2190 | IC GENERATEUR DE TEMP | 555 TO .99   |          | 36B/10A  | 2.00 | UNIT |  |  |  |
| 3962 | SWITCH MINI H5463R    |              | 99021537 | 36B/11   | 1.00 | UNIT |  |  |  |
| 2302 | IC OP ET NON 8 ENTREE | 30 TO 116    | 99089152 | 36B/11A  | 1.00 | UNIT |  |  |  |
| 3961 | SWITCH MINI 83104-1-  | 102-E        |          | 36B/12   | 1.00 | UNIT |  |  |  |
| 2183 | IC DOUB OP T NON 54LS | 51 TO 116    | 99089156 | 36B/12A  | 1.00 | UNIT |  |  |  |
| 2568 | KEYBOARD LUMINOUS KEY | 1403-5D      | 91358598 | 36B/13   | 1.00 | UNIT |  |  |  |
| 2443 | IC TRIP OP ET NON 3   | ENTREES 54LS | 99089151 | 36B/13A  | 1.00 | UNIT |  |  |  |
| 3994 | SWITCH SLIDER 1940000 | -01 TROPICAL | 99125659 | 36B/14   | 1.00 | UNIT |  |  |  |
| 2444 | IC TRIP OP ET NON 3   | ENTREES 54LS | 99095080 | 36B/14A  | 1.00 | UNIT |  |  |  |
| 3993 | SWITCH SLIDER 19-     | 20000-01     | 91360650 | 36B/15   | 1.00 | UNIT |  |  |  |
| 2305 | IC QUAD OP ET NON 2   | ENTREES 54LS | 99089146 | 36B/15A  | 2.00 | UNIT |  |  |  |
| 3951 | SWITCH LEVER UNIPOLE  | MTA-106F-PC  | 91437413 | 36B/16   | 1.00 | UNIT |  |  |  |
| 3944 | SWITCH LEVER          | MTA-106D-PC  | 91437414 | 36B/17   | 1.00 | UNIT |  |  |  |
| 2306 | IC QUAD OP ET NON 2   | ENTREES 54LS | 99089150 | 36B/17A  | 2.00 | UNIT |  |  |  |
| 3947 | SWITCH LEVER 16-17682 | -19          | 9130698  | 36B/18   | 1.00 | UNIT |  |  |  |
| 2304 | IC QUAD OP ET ENTREES | C/O 54LS 09  | 99096769 | 36B/18A  | 1.00 | UNIT |  |  |  |
| 3950 | SWITCH LEVER MTA-206N | -PC          | 91437415 | 36B/19   | 1.00 | UNIT |  |  |  |
| 2307 | IC QUAD OP ET NON 2   | ENTREES 54LS | 99092109 | 36B/19A  | 1.00 | UNIT |  |  |  |

## INDEXB

|      |                       |             |          |         |       |      |  |  |  |
|------|-----------------------|-------------|----------|---------|-------|------|--|--|--|
| 405  | CAPACITOR 47UF 25V    | 99188969    |          | 36B/1A  | 11.00 | UNIT |  |  |  |
| 210  | CAPACITOR 0.1 UF 100V | 99095575 *  | 99025334 | 36B/1B  | 11.00 | UNIT |  |  |  |
| 2213 | IC LINEAR 139A        | 99095575    |          | 36B/1C  | 3.00  | UNIT |  |  |  |
| 3981 | SWITCH RELAY KR 15C   | AXE 4+30 2G | 30 DEG   | 36B/2   | 1.00  | UNIT |  |  |  |
| 3948 | SWITCH LEVER MTA 306D | -PC         | 91437416 | 36B/20  | 1.00  | UNIT |  |  |  |
| 2309 | IC QUAD OP OU 2 ENTRE | ES 54LS 32  | 99089153 | 36B/20A | 1.00  | UNIT |  |  |  |
| 3949 | SWITCH LEVER MTA 406N | -PC         | 91437417 | 36B/21  | 1.00  | UNIT |  |  |  |
| 2308 | IC QUAD OP OU         | ZENTREES    | 54LS     | 36B/21A | 1.00  | UNIT |  |  |  |
| 3977 | SWITCH PUSH-BUTTON    | 1343 AC2W   |          | 36B/22  | 1.00  | UNIT |  |  |  |
| 2310 | IC QUAD OU NON 54LS   | 226 TO116   | -55+125  | 36B/22B | 1.00  | UNIT |  |  |  |
| 3987 | SWITCH ROTAZY         | 3 POSITION  | 27-51303 | 36B/23  | 1.00  | UNIT |  |  |  |
| 134  | C.I 54LS04 TO 116     | 99089148    |          | 36B/23A | 1     | UNIT |  |  |  |
| 3988 | SWITCH ROTAZY         | 2 POSITION  |          | 36B/24  | 1.00  | UNIT |  |  |  |
| 2493 | IC TYPE D 54LS 74 TO  | 116-55+125  |          | 36B/24A | 3.00  | UNIT |  |  |  |
| 5025 | UNIPOL LEVER FOR      | MINISUPT    |          | 36B/25  | 2.00  | UNIT |  |  |  |
| 2179 | IC DOUB BASC J/K      | MAITR 54LS  | 107      | 36B/25A | 1.00  | UNIT |  |  |  |
| 3198 | RELAY REED 100R04-    | 5540SD      |          | 36B/26  | 1.00  | UNIT |  |  |  |
| 2178 | IC DOUB 54LS112F TO   | 117-55+125  |          | 36B/26A | 1.00  | UNIT |  |  |  |
| 3155 | RELAY 48V             |             |          | 36B/27  | 1.00  | UNIT |  |  |  |
| 2303 | IC QUAD 54LS 175F TO  | 117-55+125  |          | 36B/27A | 1.00  | UNIT |  |  |  |
| 2494 | IC TYPE D AVEC RAZ    | 54LS174F117 | -55+125  | 36B/28A | 1.00  | UNIT |  |  |  |
| 2169 | IC COMPT DECIMAL 54LS | 90 TO 116-  | 55+125   | 36B/29A | 1.00  | UNIT |  |  |  |
| 2021 | IC 2 ENTRY C/054.09   | TO 0116 55+ | 99096813 | 36B/2A  | 1.00  | UNIT |  |  |  |
| 4207 | TRANSFORMER THT       | 16634331    |          | 36B/2B  | 3.00  | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |         |       |      |  |  |  |
|------|-----------------------|--------------|----------|---------|-------|------|--|--|--|
| 3924 | SWITCH 3A 21-00-S6G   | 91433290     |          | 36B/3   | 1.00  | UNIT |  |  |  |
| 2132 | IC BINAIRE 4BITS 54LS | TO 116       |          | 36B/30A | 1.00  | UNIT |  |  |  |
| 1157 | CRYSTAL XS 0601       |              |          | 36B/31  | 1.00  | UNIT |  |  |  |
| 2031 | IC 4 BITS 54LS 161F   | -117-55+125  |          | 36B/31A | 1.00  | UNIT |  |  |  |
| 2167 | IC COMP SYNCHRO 4BITS | 54LS 163F TO | 117      | 36B/32  | 1.00  | UNIT |  |  |  |
| 1158 | CRYSTAL XS 2701A      | 4MHZ         |          | 36B/33  | 1.00  | UNIT |  |  |  |
| 2130 | IC B.C.D 54LS 190F    | -55+125      |          | 36B/33A | 2.00  | UNIT |  |  |  |
| 1159 | CRYSTAL XS0403        | 1163,84KHZ   |          | 36B/34  | 1.00  | UNIT |  |  |  |
| 2170 | IC COMPT DECOMPT BN   | 54LS 191F    | 117      | 36B/34A | 2.00  | UNIT |  |  |  |
| 1160 | CRYSTAL XS2701 10MHZ  |              |          | 36B/35  | 1.00  | UNIT |  |  |  |
| 2315 | IC REGIST DECAL 8BITS | 54LS         | 164-116  | 36B/35A | 2.00  | UNIT |  |  |  |
| 1164 | CRYTAL QA 56 A 52 MHZ | 91422950     |          | 36B/36  | 1.00  | UNIT |  |  |  |
| 2174 | IC DECOD BCD DECIMAUX | 54LS 42F 11  | 7 -55    | 36B/36A | 1.00  | UNIT |  |  |  |
| 2292 | IC MULTIPLEX SELECT   | 54 LS 151F   | 117      | 36B/37  | 2.00  | UNIT |  |  |  |
| 580  | CAPACITOR FIXED       | ALLUMINIUM   | 10MF     | 36B/38  | 1.00  | UNIT |  |  |  |
| 2184 | IC DOUBLE MULTIPLEX   | SELECT 54LS  | 153F117  | 36B/38A | 1.00  | UNIT |  |  |  |
| 581  | CAPACITOR FIXED       | ALLUMINIUM   | C031 47M | 36B/39  | 11.00 | UNIT |  |  |  |
| 2181 | IC DOUB MONOSTABLE    | 54LS 123F.11 | 7-55+125 | 36B/39A | 1.00  | UNIT |  |  |  |
| 2301 | IC OP ET NON 2 ENTRY  | C/O 54.38 TO | 116      | 36B/3A  | 1.00  | UNIT |  |  |  |
| 3615 | RESISTOR FIXE FILM    | 99058534     |          | 36B/3B  | 2.00  | UNIT |  |  |  |
| 902  | COMMUTATEUR DIGITAL   | GSM 502080   | 91441030 | 36B/4   | 1.00  | UNIT |  |  |  |
| 582  | CAPACITOR FIXED ALLU  | CO31 22MF 25 | V -10+50 | 36B/40  | 5.00  | UNIT |  |  |  |
| 2182 | IC DOUB MONOSTABLE    | 54LS 221F.11 | 7-55+125 | 36B/40A | 3.00  | UNIT |  |  |  |
| 583  | CAPACITOR FIXED ALLU  | CO31 22MF    | 100 V    | 36B/41  | 0.00  | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |         |      |      |  |  |  |
|------|-----------------------|--------------|----------|---------|------|------|--|--|--|
| 2311 | IC QUAD TRIGGER DE SC | HMITR 54LS   | 132TO116 | 36B/41A | 1.00 | UNIT |  |  |  |
| 584  | CAPACITOR FIXED ALLU  | 47 MF 63 V   | -10+50   | 36B/42  | 3.00 | UNIT |  |  |  |
| 2134 | IC BUS BUFFER BETATS  | (4+2)54LS    | 367F117  | 36B/42A | 1.00 | UNIT |  |  |  |
| 585  | CAPACITOR FIXED ALLU  | 47 MF 25 V   | -10+50%  | 36B/43  | 2.00 | UNIT |  |  |  |
| 2316 | IC REGISTRE DECALAGE  | STAT. 4006B  | TO 116   | 36B/43A | 1.00 | UNIT |  |  |  |
| 974  | CONDENSER FIXED CO31  | 47MK 16V -10 | +50 %    | 36B/44  | 5.00 | UNIT |  |  |  |
| 2180 | IC DOUB COMPL +INVERS | 4007B TO 116 | -40+85   | 36B/44A | 1.00 | UNIT |  |  |  |
| 586  | CAPACITOR FIXED ALLU  | CO31 100MF   | 25V      | 36B/45  | 5.00 | UNIT |  |  |  |
| 2042 | IC 4066B TO 116       | -40+85       | 99095951 | 36B/45A | 1.00 | UNIT |  |  |  |
| 256  | CAPACITOR 100 MF 40 V | -10+50%      | 99097379 | 36B/46  | 5.00 | UNIT |  |  |  |
| 2314 | IC REGIST DECAL 64BIT | 4517B F117   | 99102802 | 36B/46A | 1.00 | UNIT |  |  |  |
| 497  | CAPACITOR CO33 100MF  | 100V -10+50% | 99101356 | 36B/48  | 5.00 | UNIT |  |  |  |
| 1953 | FUSE HOLDER 5*200 MM  | 23316 ER     | 99003559 | 36B/48A | 1.00 | UNIT |  |  |  |
| 390  | CAPACITOR 470 MF 25V  | -10+50%      | 99096538 | 36B/49  | 1.00 | UNIT |  |  |  |
| 1952 | FUSE HOLDER 20 MM     | 691-31302    | 99003562 | 36B/49A | 5.00 | UNIT |  |  |  |
| 2202 | IC INVERSEUR 54.04 TO | 116 55+125   | 99072248 | 36B/4A  | 1.00 | UNIT |  |  |  |
| 3916 | SWITCH RELAY 500V 25  | A PR 25-1102 | 91458661 | 36B/5   | 1.00 | UNIT |  |  |  |
| 587  | CAPACITOR FIXED ALLU  | 330 MF 250 V | 99092528 | 36B/50  | 1.00 | UNIT |  |  |  |
| 791  | CIRCUIT BREAKER UNIPO | LAIRE ZU 10  | MT-2-24T | 36B/50A | 1.00 | UNIT |  |  |  |
| 270  | CAPACITOR 10000 MF 63 | V -10+50 %   | 99091200 | 36B/51  | 1.00 | UNIT |  |  |  |
| 790  | CIRCUIT BREAKER BIPOL | AIRE ZB20MT- | 2-34T    | 36B/51A | 1.00 | UNIT |  |  |  |
| 973  | CONDENSER FIXE TENTAL | E 1 MF CTS13 | 40 V     | 36B/52  | 1.00 | UNIT |  |  |  |
| 792  | CIRCUIT BREAKER ZU 20 | MT2-34T-CT   | 91456686 | 36B/52A | 1.00 | UNIT |  |  |  |
| 316  | CAPACITOR 2.2 MF 20 V | + -20%       | 99000909 | 36B/53  | 1.00 | UNIT |  |  |  |

## INDEXB

|      |                        |              |          |         |      |      |  |  |  |
|------|------------------------|--------------|----------|---------|------|------|--|--|--|
| 2666 | LIGHTNING PROTECTOR    | CA 5R        | 91395540 | 36B/53A | 3.00 | UNIT |  |  |  |
| 594  | CAPACITOR FIXED TANT   | 4.7MF 10V    | 99000901 | 36B/54  | 1.00 | UNIT |  |  |  |
| 595  | CAPACITOR FIXED TANT   | 4.7MF CTS13  | 99080660 | 36B/55  | 1.00 | UNIT |  |  |  |
| 2517 | INDICATOR VISUAL AMBR  | E LS9-E-W-K  | 99052688 | 36B/55A | 1.00 | UNIT |  |  |  |
| 2516 | INDICATOR VERT 43/     | 43259        | 91439076 | 36B/56  | 1.00 | UNIT |  |  |  |
| 238  | CAPACITOR 10 MF 25V    | +20%         | 99000914 | 36B/57  | 1.00 | UNIT |  |  |  |
| 2514 | INDICATOR E10 AS60P-   | INCOLORE     | 91458660 | 36B/57A | 1.00 | UNIT |  |  |  |
| 596  | CAPACITOR FIXED TANT   | 22 MF 16V    | 99000906 | 36B/58  | 1.00 | UNIT |  |  |  |
| 3865 | SOUND WARNER SNP 428   | 91362781     |          | 36B/58A | 1.00 | UNIT |  |  |  |
| 334  | CAPACITOR 22 MF 40V    | +20%         | 99080627 | 36B/59  | 1.00 | UNIT |  |  |  |
| 1315 | DIODE ELECT. RESITANC  | E INTEGREE   | 5V 6MA   | 36B/59A | 1.00 | UNIT |  |  |  |
| 2201 | IC INVERS 30 V C/O     | 54.06 TO 116 | 99074606 | 36B/5A  | 1.00 | UNIT |  |  |  |
| 3943 | SWITCH LEVEL CHANGE O  | VER BIPOLE   | 99025075 | 36B/6   | 1.00 | UNIT |  |  |  |
| 597  | CAPACITOR FIXED TANT   | 47 MF 20 V   | CST13 20 | 36B/60  | 1.00 | UNIT |  |  |  |
| 1318 | DIODE ELECT.5082-4955  | VERT         | 91361406 | 36B/60A | 1.00 | UNIT |  |  |  |
| 1316 | DIODE ELECT.5082-4555  | JAUNE        | 91361407 | 36B/61A | 1.00 | UNIT |  |  |  |
| 254  | CAPACITOR 100 MF 10 V  | +20%         | 99000903 | 36B/62  | 1.00 | UNIT |  |  |  |
| 1317 | DIODE ELECT.5082-4655  | ROUGE        | 91433130 | 36B/62A | 1.00 | UNIT |  |  |  |
| 661  | CAPACITOR TANT 100 MF  | 20 V +20%    | 99000912 | 36B/63  | 1.00 | UNIT |  |  |  |
| 1759 | DISPLAY DATA 7 SEGMENT | T TIL306     | 91422974 | 36B/63A | 1.00 | UNIT |  |  |  |
| 324  | CAPACITOR 200 MF 10V   | +20%         | 99000904 | 36B/64  | 1.00 | UNIT |  |  |  |
| 376  | CAPACITOR 4.7 MF 25V   | +20%         | 99072099 | 36B/65  | 1.00 | UNIT |  |  |  |
| 27   | AMMETER                | 96071910     |          | 36B/65A | 1    | UNIT |  |  |  |
| 1855 | FILTER 1250-003        | 91231552     |          | 36B/67A | 2.00 | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |         |       |      |  |  |  |
|------|-----------------------|--------------|----------|---------|-------|------|--|--|--|
| 532  | CAPACITOR ELEC 680 MF | -10+50% 222- | 073-5868 | 36B/68  | 1.00  | UNIT |  |  |  |
| 1857 | FILTER 1270-016 200V  | 10A 99062185 |          | 36B/68A | 1.00  | UNIT |  |  |  |
| 3985 | SWITCH ROTARY 6P KR30 | 12 AXE 6X16  | 91311979 | 36B/69A | 1.00  | UNIT |  |  |  |
| 2027 | IC 30 V C/0 54.07 TOO | 116 -55 +125 | 99092991 | 36B/6A  | 1.00  | UNIT |  |  |  |
| 3946 | SWITCH LEVER 11-17051 | -21          | 91220904 | 36B/7   | 1.00  | UNIT |  |  |  |
| 525  | CAPACITOR ELEC 2200MF | -10+50% 25V  | 91436015 | 36B/70  | 1.00  | UNIT |  |  |  |
| 593  | CAPACITOR FIXED FILM  | METALISED 5  | KV 5000V | 36B/71  | 2.00  | UNIT |  |  |  |
| 1540 | DIODE RECTIFIER IN 11 | 88 99001965  |          | 36B/71A | 2.00  | UNIT |  |  |  |
| 3618 | RESISTOR FIXED FILM   | COUCHE 4,7 O | HM+-5%   | 36B/72  | 1.00  | UNIT |  |  |  |
| 1005 | CONTACTOR CP1-EB133   | TRIPOLAIRE+F | +0 48CC  | 36B/72A | 1.00  | UNIT |  |  |  |
| 3704 | RESISTOR WW 3W 0.1 OH | M +-5%       | 91334094 | 36B/73  | 2.00  | UNIT |  |  |  |
| 715  | CARD EXTRACTOR 1532 N | 91361968     |          | 36B/73A | 10.00 | UNIT |  |  |  |
| 3694 | RESISTOR W/W 3W 1.2   | OHM+-5%      | 91310063 | 36B/74  | 1.00  | UNIT |  |  |  |
| 3698 | RESISTOR W/W 3W RPL 3 | 680 OHM+-5%  | 91433281 | 36B/75  | 1.00  | UNIT |  |  |  |
| 3612 | RESISTOR FIX W/W 5W R | PL6 680 OHM  | +5%      | 36B/76  | 1.00  | UNIT |  |  |  |
| 3696 | RESISTOR W/W 3W RB59  | 68 OHM+-5%   | 99006209 | 36B/77  | 2.00  | UNIT |  |  |  |
| 3697 | RESISTOR W/W 3W RB59  | 180 OHM +-5% | 99006219 | 36B/78  | 2.00  | UNIT |  |  |  |
| 3695 | RESISTOR W/W 3W 470   | OHM +-5%     | 99024388 | 36B/79  | 2.00  | UNIT |  |  |  |
| 2498 | IC TYPED 54-174F 117  | -55 +125     | 99084061 | 36B/7A  | 1.00  | UNIT |  |  |  |
| 3945 | SWITCH LEVER 01-17301 | -21          | 91248971 | 36B/8   | 1.00  | UNIT |  |  |  |
| 3699 | RESISTOR W/W 6.5W RB  | 57 1 KOHM+-5 | 99006252 | 36B/80  | 2.00  | UNIT |  |  |  |
| 3613 | RESISTOR FIX W/W 6.5W | RB57 2.2KOHM | 99006256 | 36B/81  | 2.00  | UNIT |  |  |  |
| 3610 | RESISTOR FIX BOBINEE  | 11W 18 OHM   | 99054554 | 36B/82  | 2.00  | UNIT |  |  |  |
| 3330 | RESISTOR 11W 1.5 KOHM | +5%          | 99006282 | 36B/83  | 2.00  | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |         |      |      |  |  |  |
|------|-----------------------|--------------|----------|---------|------|------|--|--|--|
| 3701 | RESISTOR WW 200W 0.07 | OHM +-10%    | 91459823 | 36B/84  | 1.00 | UNIT |  |  |  |
| 4005 | SWITCH TROPICAL SLIDE | R19-70000-01 | 91366982 | 36B/84A | 2.00 | UNIT |  |  |  |
| 3702 | RESISTOR WW 200W 0.22 | OHM +-10%    | 91457903 | 36B/85  | 1.00 | UNIT |  |  |  |
| 3983 | SWITCH ROTARY 3 POSIT | 27-11003-23  | 91329105 | 36B/85A | 1.00 | UNIT |  |  |  |
| 3703 | RESISTOR WW 20W 10    | OHM +-5%     | 99076066 | 36B/86  | 1.00 | UNIT |  |  |  |
| 3986 | SWITCH ROTARY PORTATI | F 10 POSIT   | 91329106 | 36B/86A | 1.00 | UNIT |  |  |  |
| 2932 | POTENTIOMETER CERMET  | .5W PC19 47  | OHM      | 36B/87  | 1.00 | UNIT |  |  |  |
| 2665 | LEVER L 11 G-H        | 99009804     |          | 36B/87A | 1.00 | UNIT |  |  |  |
| 2939 | POTENTIOMETER .5W PC  | 19 220 OHM   | 99076862 | 36B/88  | 1.00 | UNIT |  |  |  |
| 3159 | RELAY 5V 15005        | 91301402     |          | 36B/88A | 2.00 | UNIT |  |  |  |
| 2938 | POTENTIOMETER .5W 470 | OHM +-10%    | 99095899 | 36B/89  | 1.00 | UNIT |  |  |  |
| 575  | CAPACITOR FIX CER DT  | 2003 100PF   | 99029250 | 36B/89A | 1.00 | UNIT |  |  |  |
| 2175 | IC DECODEUR 4BIT BCD/ | 16 C/O 54159 | 99105319 | 36B/8A  | 1.00 | UNIT |  |  |  |
| 2291 | IC MONOSTABLE RETRIG  | 9601 TO 0116 | 96059670 | 36B/9   | 1.00 | UNIT |  |  |  |
| 2935 | POTENTIOMETER .5W 1 K | OHM +-10%    | 99089796 | 36B/90  | 1.00 | UNIT |  |  |  |
| 576  | CAPACITOR FIX CER DTW | 003 470PF    | 350 V    | 36B/90A | 1.00 | UNIT |  |  |  |
| 2937 | POTENTIOMETER .5W 2.2 | KOHM +-10%   | 99095900 | 36B/91  | 1.00 | UNIT |  |  |  |
| 3031 | POTENTIOMETER CERMET  | .5W 4.7KOHM  | +10%     | 36B/92  | 1.00 | UNIT |  |  |  |
| 577  | CAPACITOR FIX TANTALU | M 40V 6.8MF  | +20%     | 36B/92A | 1.00 | UNIT |  |  |  |
| 2936 | POTENTIOMETER .5W 10  | KOHM         | 99089744 | 36B/93  | 1.00 | UNIT |  |  |  |
| 578  | CAPACITOR FIX TANTALU | M 10MF 40V   | 99078689 | 36B/93A | 1.00 | UNIT |  |  |  |
| 3032 | POTENTIOMETER CERMET  | .5W PC19 22  | KOHM     | 36B/94  | 1.00 | UNIT |  |  |  |
| 579  | CAPACITOR FIX TANTALU | M 330MF 6V   | 99000900 | 36B/94A | 1.00 | UNIT |  |  |  |
| 3033 | POTENTIOMETER CERMET  | .5W 100 KOHM | 99095902 | 36B/95  | 1.00 | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |         |       |      |  |  |  |
|------|-----------------------|--------------|----------|---------|-------|------|--|--|--|
| 3611 | RESISTOR FIX FILM NKZ | 0.1 OHM +-10 | 91439877 | 36B/95A | 1.00  | UNIT |  |  |  |
| 3034 | POTENTIOMETER CERMET  | .28 W 220 K  | OHM+-10% | 36B/96  | 1.00  | UNIT |  |  |  |
| 3619 | RESISTOR FIXED FILM   | SRN2 0.33 OH | M +-10%  | 36B/96A | 1.00  | UNIT |  |  |  |
| 2940 | POTENTIOMETER 0.5 W   | 2.2 K OHM    | +-10%    | 36B/97  | 1.00  | UNIT |  |  |  |
| 3620 | RESISTOR FIXED FILM   | .68 OHM +-10 | 91439874 | 36B/97A | 1.00  | UNIT |  |  |  |
| 3035 | POTENTIOMETER GERMET  | 0.5 W 4.7K O | 99088079 | 36B/98  | 1.00  | UNIT |  |  |  |
| 3621 | RESISTOR FIXED FILM   | 2.2 OHM +-5% | 91437863 | 36B/98A | 1.00  | UNIT |  |  |  |
| 3036 | POTENTIOMETER GERMET  | 0.5 W 1K OHM | 99095431 | 36B/99  | 1.00  | UNIT |  |  |  |
| 3622 | RESISTOR FIXED FILM   | NK3 4.7 OHM  | 91438012 | 36B/99A | 1.00  | UNIT |  |  |  |
| 3396 | RESISTOR 20 K/OHMS    | VSK 6        |          | 5/104   | 1.00  | UNIT |  |  |  |
| 3667 | RESISTOR VAR 10 K/OHM | TYPE T 100   |          | 5/13A   | 1.00  | UNIT |  |  |  |
| 3524 | RESISTOR 500 K/OHMS   | R 17/SA 3635 |          | 5/161   | 13.00 | UNIT |  |  |  |
| 3498 | RESISTOR 47 K/OHMS    | R 22TYPE 2MA |          | 5/163   | 1.00  | UNIT |  |  |  |
| 3321 | RESISTOR 100000 OHMS  | TYPE C21     |          | 5/190   | 7.00  | UNIT |  |  |  |
| 3322 | RESISTOR 1000000 OHMS | TYPE C25     |          | 5/191   | 15.00 | UNIT |  |  |  |
| 3526 | RESISTOR 500000 OHMS  | TYPE C25     |          | 5/192   | 12.00 | UNIT |  |  |  |
| 3513 | RESISTOR 470 OHMS     | TYPE 1       |          | 5/195   | 11.00 | UNIT |  |  |  |
| 3503 | RESISTOR 47 OHMS      | TYPE 8       |          | 5/197   | 3.00  | UNIT |  |  |  |
| 3523 | RESISTOR 50 OHMS      | TYPE R 54    |          | 5/51A   | 2.00  | UNIT |  |  |  |
| 1968 | FUSE WIRE 34 SMG      |              |          | 5/68A   | 2.00  | REEL |  |  |  |
| 1829 | FAN TROPICAL OP 1922  |              |          | 5A/122  | 1.00  | UNIT |  |  |  |
| 2065 | IC 7408               |              |          | 5A/123  | 6.00  | UNIT |  |  |  |
| 2069 | IC 74107              |              |          | 5A/126A | 3.00  | UNIT |  |  |  |
| 2066 | IC 7409               |              |          | 5A/128A | 3.00  | UNIT |  |  |  |

## INDEXB

|      |                      |              |  |         |       |      |  |  |  |
|------|----------------------|--------------|--|---------|-------|------|--|--|--|
| 2071 | IC 74125             |              |  | 5A/129A | 6.00  | UNIT |  |  |  |
| 2386 | IC SN 7411           |              |  | 5A/130A | 11.00 | UNIT |  |  |  |
| 2025 | IC 2102              |              |  | 5A/132A | 12.00 | UNIT |  |  |  |
| 2428 | IC T4LS 257          |              |  | 5A/134A | 3.00  | UNIT |  |  |  |
| 2390 | IC SN 74173          |              |  | 5A/136A | 3.00  | UNIT |  |  |  |
| 2397 | IC SN 7497           |              |  | 5A/137A | 7.00  | UNIT |  |  |  |
| 2062 | IC 74 LS 75          |              |  | 5A/139A | 9.00  | UNIT |  |  |  |
| 2041 | IC 4050              |              |  | 5A/140A | 6.00  | UNIT |  |  |  |
| 2127 | IC AM 2112           |              |  | 5A/141A | 3.00  | UNIT |  |  |  |
| 2023 | IC 2095              | ISOLATOR OPT |  | 5A/142A | 6.00  | UNIT |  |  |  |
| 1110 | CRYSTAL 94.8275 MHz  | T78J {R&V}   |  | 5B/100  | 5.00  | UNIT |  |  |  |
| 1111 | CRYSTAL 94.8775 MHz  | T78J {R&V}   |  | 5B/101  | 5.00  | UNIT |  |  |  |
| 1060 | CRYSTAL 14.34166 MHz | T70J {R&V}   |  | 5B/102  | 5.00  | UNIT |  |  |  |
| 1062 | CRYSTAL 14.3500 MHz  | T70J {R&V}   |  | 5B/103  | 5.00  | UNIT |  |  |  |
| 1064 | CRYSTAL 14.3583 MHz  | T70J {R&V}   |  | 5B/104  | 5.00  | UNIT |  |  |  |
| 1099 | CRYSTAL 53.8000 MHz  | T71          |  | 5B/105  | 3.00  | UNIT |  |  |  |
| 1100 | CRYSTAL 53.8333 MHz  | T71          |  | 5B/106  | 4.00  | UNIT |  |  |  |
| 1101 | CRYSTAL 53.8666 MHz  | T71          |  | 5B/107  | 4.00  | UNIT |  |  |  |
| 1102 | CRYSTAL 53.9000 MHz  | T71          |  | 5B/108  | 4.00  | UNIT |  |  |  |
| 1103 | CRYSTAL 53.9333 MHz  | T71          |  | 5B/109  | 4.00  | UNIT |  |  |  |
| 1104 | CRYSTAL 53.9666 MHz  | T71          |  | 5B/110  | 3.00  | UNIT |  |  |  |
| 1036 | CRYSTAL 10.38125 MHz | T93RX        |  | 5B/111  | 3.00  | UNIT |  |  |  |
| 1037 | CRYSTAL 10.38750 MHz | T93RX        |  | 5B/112  | 3.00  | UNIT |  |  |  |
| 1038 | CRYSTAL 10.39375 MHz | T93RX        |  | 5B/113  | 3.00  | UNIT |  |  |  |

## INDEXB

|      |                       |          |  |        |      |      |  |  |  |
|------|-----------------------|----------|--|--------|------|------|--|--|--|
| 1039 | CRYSTAL 10.4000 MHz   | T93RX    |  | 5B/114 | 3.00 | UNIT |  |  |  |
| 1040 | CRYSTAL 10.40625 MHz  | T93RX    |  | 5B/115 | 3.00 | UNIT |  |  |  |
| 1041 | CRYSTAL 10.41250 MHz  | T93RX    |  | 5B/116 | 3.00 | UNIT |  |  |  |
| 1050 | CRYSTAL 10381.25-T93R | X-QC50   |  | 5B/12  | 1.00 | UNIT |  |  |  |
| 1051 | CRYSTAL 10387.50-T93R | X-QC50   |  | 5B/13  | 1.00 | UNIT |  |  |  |
| 1052 | CRYSTAL 10393.75-T93R | X-QC50   |  | 5B/14  | 1.00 | UNIT |  |  |  |
| 1053 | CRYSTAL 10400.00-T93R | X-QC50   |  | 5B/15  | 1.00 | UNIT |  |  |  |
| 1054 | CRYSTAL 10406.25-T93R | X-QC50   |  | 5B/16  | 1.00 | UNIT |  |  |  |
| 1098 | CRYSTAL 51933.33-T71R | C-QC49   |  | 5B/22  | 1.00 | UNIT |  |  |  |
| 1074 | CRYSTAL 14375.00-TQ2  | 2RC-QC49 |  | 5B/23  | 2.00 | UNIT |  |  |  |
| 1114 | CRYSTAL 94777.50-T78J | -QC48    |  | 5B/29  | 1.00 | UNIT |  |  |  |
| 1115 | CRYSTAL 94827.50-T78J | -QC48    |  | 5B/30  | 1.00 | UNIT |  |  |  |
| 1116 | CRYSTAL 94877.50-T78J | -QC48    |  | 5B/31  | 1.00 | UNIT |  |  |  |
| 1068 | CRYSTAL 14341.66-T70J | -QC49    |  | 5B/32  | 1.00 | UNIT |  |  |  |
| 1070 | CRYSTAL 14358.30-T70J | -QC49    |  | 5B/34  | 1.00 | UNIT |  |  |  |
| 1077 | CRYSTAL 17933.33-E54J | O QC49   |  | 5B/35  | 1.00 | UNIT |  |  |  |
| 1078 | CRYSTAL 17944.44-E54J | O QC49   |  | 5B/36  | 1.00 | UNIT |  |  |  |
| 1079 | CRYSTAL 17955.55-E54J | O QC49   |  | 5B/37  | 1.00 | UNIT |  |  |  |
| 1056 | CRYSTAL 13841.666 E52 | JO-QC49  |  | 5B/39  | 1.00 | UNIT |  |  |  |
| 1057 | CRYSTAL 13850.00 E52  | JO-QC49  |  | 5B/40  | 1.00 | UNIT |  |  |  |
| 1058 | CRYSTAL 13858.333 E52 | JO-QC49  |  | 5B/41  | 1.00 | UNIT |  |  |  |
| 1091 | CRYSTAL 51666.60 T71  | RC-QC49  |  | 5B/44  | 1.00 | UNIT |  |  |  |
| 1094 | CRYSTAL 51900.00 T71  | RC-QC49  |  | 5B/45  | 1.00 | UNIT |  |  |  |
| 1096 | CRYSTAL 51930.00 T71  | RC-QC49  |  | 5B/46  | 2.00 | UNIT |  |  |  |

## INDEXB

|      |                       |             |  |       |       |      |  |  |  |
|------|-----------------------|-------------|--|-------|-------|------|--|--|--|
| 1069 | CRYSTAL 14341.666 T92 | RC-QC49     |  | 5B/47 | 1.00  | UNIT |  |  |  |
| 1071 | CRYSTAL 14358.333     | QC49        |  | 5B/49 | 1.00  | UNIT |  |  |  |
| 1072 | CRYSTAL 14366.666 T92 | RC-QC49     |  | 5B/50 | 1.00  | UNIT |  |  |  |
| 1073 | CRYSTAL 14375.00 T92  | RC-QC49     |  | 5B/54 | 1.00  | UNIT |  |  |  |
| 1092 | CRYSTAL 51800.00 T71  | QC50        |  | 5B/55 | 1.00  | UNIT |  |  |  |
| 1093 | CRYSTAL 51866.66 T71  | QC50        |  | 5B/57 | 1.00  | UNIT |  |  |  |
| 1095 | CRYSTAL 51900.00 T71  | QC50        |  | 5B/58 | 1.00  | UNIT |  |  |  |
| 1097 | CRYSTAL 51933.33 T71  | QC50        |  | 5B/59 | 1.00  | UNIT |  |  |  |
| 1049 | CRYSTAL 10279.00 OP   | 9197/S QC48 |  | 5B/69 | 1.00  | UNIT |  |  |  |
| 1107 | CRYSTAL 7034.00 OP    | 9197/S QC48 |  | 5B/70 | 1.00  | UNIT |  |  |  |
| 1075 | CRYSTAL 14706.00 OP   | 9197/S QC48 |  | 5B/71 | 1.00  | UNIT |  |  |  |
| 1083 | CRYSTAL 4876.00 OP    | 9197/S QC48 |  | 5B/72 | 1.00  | UNIT |  |  |  |
| 1048 | CRYSTAL 10125.00 T    | QC36        |  | 5B/73 | 1.00  | UNIT |  |  |  |
| 1080 | CRYSTAL 36933.33      | QC36        |  | 5B/74 | 1.00  | UNIT |  |  |  |
| 1134 | CRYSTAL J1.8666 MHz   | T71RC       |  | 5B/77 | 9.00  | UNIT |  |  |  |
| 1086 | CRYSTAL 51.900 MHz    | T71RC       |  | 5B/78 | 4.00  | UNIT |  |  |  |
| 1087 | CRYSTAL 51.9333 MHz   | T71RC       |  | 5B/79 | 9.00  | UNIT |  |  |  |
| 1089 | CRYSTAL 51.9666 MHz   | T71RC       |  | 5B/80 | 20.00 | UNIT |  |  |  |
| 1059 | CRYSTAL 14.3416 MHz   | T92RC       |  | 5B/81 | 8.00  | UNIT |  |  |  |
| 1061 | CRYSTAL 14.3500 MHz   | T92RC       |  | 5B/82 | 13.00 | UNIT |  |  |  |
| 1063 | CRYSTAL 14.3583 MHz   | T92RC       |  | 5B/83 | 8.00  | UNIT |  |  |  |
| 1065 | CRYSTAL 14.3666 MHz   | T92RC       |  | 5B/84 | 8.00  | UNIT |  |  |  |
| 1066 | CRYSTAL 14.3750 MHz   | T92RC       |  | 5B/85 | 8.00  | UNIT |  |  |  |
| 1067 | CRYSTAL 14.3833 MHz   | T92RC       |  | 5B/86 | 20.00 | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |       |       |      |  |  |  |
|------|-----------------------|--------------|----------|-------|-------|------|--|--|--|
| 1133 | CRYSTAL J1.8000 MHz   | T71          |          | 5B/87 | 5.00  | UNIT |  |  |  |
| 1084 | CRYSTAL 51.8333 MHz   | T71          |          | 5B/88 | 5.00  | UNIT |  |  |  |
| 1085 | CRYSTAL 51.8666 MHz   | T71          |          | 5B/89 | 8.00  | UNIT |  |  |  |
| 1135 | CRYSTAL J1.9000 MHz   | T71          |          | 5B/90 | 5.00  | UNIT |  |  |  |
| 1088 | CRYSTAL 51.9333 MHz   | T71          |          | 5B/91 | 8.00  | UNIT |  |  |  |
| 1090 | CRYSTAL 51.9666 MHz   | T71          |          | 5B/92 | 15.00 | UNIT |  |  |  |
| 1042 | CRYSTAL 10.7562       | T93RX        |          | 5B/93 | 5.00  | UNIT |  |  |  |
| 1043 | CRYSTAL 10.7625       | T93RX        |          | 5B/94 | 5.00  | UNIT |  |  |  |
| 1044 | CRYSTAL 10.7687       | T93RX        |          | 5B/95 | 9.00  | UNIT |  |  |  |
| 1045 | CRYSTAL 10.7750       | T93RX        |          | 5B/96 | 5.00  | UNIT |  |  |  |
| 1046 | CRYSTAL 10.7812       | T93RX        |          | 5B/97 | 9.00  | UNIT |  |  |  |
| 1047 | CRYSTAL 10.7875       | T93RX        |          | 5B/98 | 14.00 | UNIT |  |  |  |
| 1112 | CRYSTAL 94.9775 MHz   | T78J {R&V}   |          | 5B/99 | 5.00  | UNIT |  |  |  |
| 3662 | RESISTOR RZ DX 3.5    | KOHMS TYPE   | AW 3112  | 6/11  | 4.00  | UNIT |  |  |  |
| 3234 | RESISTANCE 47,000 OHM |              |          | 6/138 | 2.00  | UNIT |  |  |  |
| 3659 | RESISTOR R45 10K OMHS |              |          | 6/140 | 1.00  | UNIT |  |  |  |
| 1913 | FUSE 500MA NO 700487  |              |          | 6/166 | 1.00  | UNIT |  |  |  |
| 3360 | RESISTOR 1500 OHMS    |              |          | 6/173 | 2.00  | UNIT |  |  |  |
| 2946 | POTENTIOMETER 1 KOHM  | MHz CR1106/  | 12       | 6/21A | 1.00  | UNIT |  |  |  |
| 2955 | POTENTIOMETER 100     | KOHMS 4.4/S/ | 02630/87 | 6/21B | 1.00  | UNIT |  |  |  |
| 2956 | POTENTIOMETER 100     | OHMS TYPE 8T |          | 6/21C | 1.00  | UNIT |  |  |  |
| 727  | CATHODE L1 STRAP      | 700337-0000  |          | 6/22A | 2.00  | UNIT |  |  |  |
| 32   | ANODE L2 STRAP        | 700338-0000  |          | 6/22B | 2     | UNIT |  |  |  |
| 728  | CATHODE L3 STRAP      | 700337-0001  |          | 6/22C | 1.00  | UNIT |  |  |  |

## INDEXB

|      |                       |              |   |        |      |      |  |  |  |
|------|-----------------------|--------------|---|--------|------|------|--|--|--|
| 896  | COIL RF L9            | 234015-0000  |   | 6/23A  | 1.00 | UNIT |  |  |  |
| 439  | CAPACITOR C3(VAC)     | 166014-0001  |   | 6/23B  | 2.00 | UNIT |  |  |  |
| 441  | CAPACITOR C7(VAC)     | 166014-0002  |   | 6/23C  | 2.00 | UNIT |  |  |  |
| 1141 | CRYSTAL OP FREQ 3.481 | KHz OP 5119/ | S | 6/5    | 2.00 | UNIT |  |  |  |
| 2637 | LAMP NEON TYPE        | INI GEC      |   | 6/65   | 3.00 | UNIT |  |  |  |
| 3655 | RESISTOR R14 4.3K OHM | 12W AW 3112  |   | 6/66   | 1.00 | UNIT |  |  |  |
| 3656 | RESISTOR R15 3.9K OHM | 12W AW 3112  |   | 6/67   | 1.00 | UNIT |  |  |  |
| 3658 | RESISTOR R32 2 2K OHM | 12W AW 3112  |   | 6/69   | 1.00 | UNIT |  |  |  |
| 3660 | RESISTOR R45 6.2 OHMS | 12W AW 3112  |   | 6/71   | 1.00 | UNIT |  |  |  |
| 3596 | RESISTOR AW 3112      | 3.9KO 1215   |   | 6/76   | 2.00 | UNIT |  |  |  |
| 3597 | RESISTOR AW 3112      | 4.3KO 1215   |   | 6/77   | 2.00 | UNIT |  |  |  |
| 3957 | SWITCH MICRO          |              |   | 6/81   | 1.00 | UNIT |  |  |  |
| 4578 | TRANSISTOR BC 479     |              |   | 6A/11  | 2.00 | UNIT |  |  |  |
| 4841 | TRANSISTOR PNP 2N3054 |              |   | 6A/12  | 2.00 | UNIT |  |  |  |
| 4840 | TRANSISTOR PND 2N3055 |              |   | 6A/13  | 1.00 | UNIT |  |  |  |
| 4514 | TRANSISTOR AD 142     | 57428        |   | 6A/14  | 2.00 | UNIT |  |  |  |
| 4727 | TRANSISTOR BUY 47     |              |   | 6A/16  | 6.00 | UNIT |  |  |  |
| 4553 | TRANSISTOR BC 177 B   |              |   | 6A/17  | 5.00 | UNIT |  |  |  |
| 4653 | TRANSISTOR BF X 88    |              |   | 6A/1A  | 1.00 | UNIT |  |  |  |
| 4779 | TRANSISTOR ME 0401    |              |   | 6A/23  | 3.00 | UNIT |  |  |  |
| 4318 | TRANSISTOR 2N 3702    |              |   | 6A/24  | 6.00 | UNIT |  |  |  |
| 4531 | TRANSISTOR BAX 16     | IS 131       |   | 6A/25  | 3.00 | UNIT |  |  |  |
| 4576 | TRANSISTOR BC 478     |              |   | 6A/26. | 2.00 | UNIT |  |  |  |
| 4604 | TRANSISTOR BD 124     |              |   | 6A/27  | 4.00 | UNIT |  |  |  |

## INDEXB

|      |                       |        |  |       |       |      |  |  |  |
|------|-----------------------|--------|--|-------|-------|------|--|--|--|
| 4649 | TRANSISTOR BF 594     |        |  | 6A/28 | 5.00  | UNIT |  |  |  |
| 4650 | TRANSISTOR BF 596     |        |  | 6A/29 | 5.00  | UNIT |  |  |  |
| 4309 | TRANSISTOR 2N 3054    |        |  | 6A/3  | 6.00  | UNIT |  |  |  |
| 4651 | TRANSISTOR BF 597     |        |  | 6A/30 | 5.00  | UNIT |  |  |  |
| 4605 | TRANSISTOR BD 131     | BD 132 |  | 6A/31 | 2.00  | UNIT |  |  |  |
| 4666 | TRANSISTOR BFW 17A    |        |  | 6A/32 | 2.00  | UNIT |  |  |  |
| 4662 | TRANSISTOR BFW 10     |        |  | 6A/33 | 2.00  | UNIT |  |  |  |
| 4663 | TRANSISTOR BFW 11     |        |  | 6A/34 | 1.00  | UNIT |  |  |  |
| 4582 | TRANSISTOR BC 548     |        |  | 6A/35 | 4.00  | UNIT |  |  |  |
| 4583 | TRANSISTOR BC 558     |        |  | 6A/36 | 4.00  | UNIT |  |  |  |
| 4573 | TRANSISTOR BC 338-25  |        |  | 6A/37 | 2.00  | UNIT |  |  |  |
| 4629 | TRANSISTOR BF 199     |        |  | 6A/38 | 4.00  | UNIT |  |  |  |
| 4631 | TRANSISTOR BF 200     |        |  | 6A/39 | 2.00  | UNIT |  |  |  |
| 4515 | TRANSISTOR AD 161/162 |        |  | 6A/4  | 6.00  | UNIT |  |  |  |
| 4817 | TRANSISTOR NKT 404    |        |  | 6A/40 | 10.00 | UNIT |  |  |  |
| 4647 | TRANSISTOR BF 494     |        |  | 6A/41 | 2.00  | UNIT |  |  |  |
| 4670 | TRANSISTOR BFX 39     |        |  | 6A/42 | 1.00  | UNIT |  |  |  |
| 4577 | TRANSISTOR BC 478 B   |        |  | 6A/44 | 1.00  | UNIT |  |  |  |
| 4731 | TRANSISTOR BVW 13A    |        |  | 6A/46 | 2.00  | UNIT |  |  |  |
| 4425 | TRANSISTOR 2N 6308    |        |  | 6A/47 | 6.00  | UNIT |  |  |  |
| 4527 | TRANSISTOR AU 113     | S 7504 |  | 6A/6  | 2.00  | UNIT |  |  |  |
| 4685 | TRANSISTOR BFY 52     |        |  | 6A/7  | 9.00  | UNIT |  |  |  |
| 4603 | TRANSISTOR BD 115     |        |  | 6A/8  | 2.00  | UNIT |  |  |  |
| 1488 | DIODE JN34A           | FU9605 |  | 6B/10 | 2.00  | UNIT |  |  |  |

## INDEXB

|      |                       |             |          |        |      |      |  |  |  |
|------|-----------------------|-------------|----------|--------|------|------|--|--|--|
| 3538 | RESISTOR 560 K        | PM 00258    |          | 6B/100 | 3.00 | UNIT |  |  |  |
| 3238 | RESISTOR              | PM 00301    |          | 6B/101 | 3.00 | UNIT |  |  |  |
| 3298 | RESISTOR 10 OHM BTA   | PM 00501    |          | 6B/102 | 2.00 | UNIT |  |  |  |
| 3357 | RESISTOR 150 OHM 1 W  | PM 00515    |          | 6B/103 | 3.00 | UNIT |  |  |  |
| 3543 | RESISTOR 560 OHM BTA  | PM 00522    |          | 6B/104 | 3.00 | UNIT |  |  |  |
| 4204 | TRANSFORMER T302      | COND 8MFd   |          | 6B/106 | 1.00 | UNIT |  |  |  |
| 4143 | TRANSFORMER AL 21197  | COND STATIC | 4 MFd    | 6B/107 | 1.00 | UNIT |  |  |  |
| 927  | CONDENSER 2PF 350V .5 | PF          | PN 00501 | 6B/108 | 2.00 | UNIT |  |  |  |
| 943  | CONDENSER ELEC 100MF  | 30 V        |          | 6B/110 | 2.00 | UNIT |  |  |  |
| 3534 | RESISTOR 56 K B.T.A   |             |          | 6B/111 | 3.00 | UNIT |  |  |  |
| 3535 | RESISTOR 56 K B.T.A   |             |          | 6B/112 | 3.00 | UNIT |  |  |  |
| 940  | CONDENSER CERM TUBE   | BPF.IPF     | PW 00176 | 6B/113 | 4.00 | UNIT |  |  |  |
| 942  | CONDENSER DISC 6K.V   | NPO SFP3202 |          | 6B/114 | 3.00 | UNIT |  |  |  |
| 941  | CONDENSER DISC 10 PF  | NPO/83      |          | 6B/115 | 3.00 | UNIT |  |  |  |
| 926  | CONDENSER 27PF TUBE   | N750/38     |          | 6B/116 | 3.00 | UNIT |  |  |  |
| 934  | CONDENSER 56PF CERM   | PW14101     |          | 6B/117 | 3.00 | UNIT |  |  |  |
| 918  | CONDENSER 100PF DISC  | MKV PW26304 |          | 6B/118 | 3.00 | UNIT |  |  |  |
| 910  | CONDENSER .011MF DISC | PN26350     |          | 6B/119 | 3.00 | UNIT |  |  |  |
| 908  | CONDENSER .001MF DISC | 6 K.V PW    | 26351    | 6B/120 | 1.00 | UNIT |  |  |  |
| 909  | CONDENSER .003MF DISC | PN37300     |          | 6B/121 | 3.00 | UNIT |  |  |  |
| 911  | CONDENSER .01MF DISC  | PN50301     |          | 6B/122 | 3.00 | UNIT |  |  |  |
| 912  | CONDENSER .01MF DISC  | 1400V       | PN50302  | 6B/123 | 3.00 | UNIT |  |  |  |
| 935  | CONDENSER 6.5PF SM    | 350V .5PF   | PP02601  | 6B/126 | 3.00 | UNIT |  |  |  |
| 922  | CONDENSER 22 PF SM    | 350V .5PF   | PP05619  | 6B/127 | 3.00 | UNIT |  |  |  |

## INDEXB

|      |                       |          |         |        |      |      |  |  |  |
|------|-----------------------|----------|---------|--------|------|------|--|--|--|
| 923  | CONDENSER 22 PF SM    | 1PF 350V | PP05639 | 6B/128 | 3.00 | UNIT |  |  |  |
| 930  | CONDENSER 47 PF SM    | 350V     | PP06678 | 6B/129 | 2.00 | UNIT |  |  |  |
| 932  | CONDENSER 51 PF SM    | 350V     | PP07022 | 6B/130 | 3.00 | UNIT |  |  |  |
| 933  | CONDENSER 56 PF SM    | 350V     | PP07205 | 6B/131 | 3.00 | UNIT |  |  |  |
| 919  | CONDENSER 100PF SM    | 350V     | PP08508 | 6B/132 | 3.00 | UNIT |  |  |  |
| 937  | CONDENSER 850PF SM    | 350V     | PP09664 | 6B/133 | 5.00 | UNIT |  |  |  |
| 924  | CONDENSER 220PF SM    | 350V     | PP10054 | 6B/134 | 2.00 | UNIT |  |  |  |
| 925  | CONDENSER 270PF SM    | 350V     | PP10400 | 6B/135 | 3.00 | UNIT |  |  |  |
| 929  | CONDENSER 330PF SM    | 350V     | PP10602 | 6B/136 | 3.00 | UNIT |  |  |  |
| 936  | CONDENSER 680PF SM    | 350V     | PP12201 | 6B/137 | 3.00 | UNIT |  |  |  |
| 920  | CONDENSER 100PF SM    | 350V     | PP13024 | 6B/138 | 1.00 | UNIT |  |  |  |
| 913  | CONDENSER .01MF FOIL  |          | PQ25000 | 6B/139 | 2.00 | UNIT |  |  |  |
| 917  | CONDENSER .47 MF 30V  |          | PO29453 | 6B/140 | 2.00 | UNIT |  |  |  |
| 914  | CONDENSER .1 MF 30V   |          | PO29453 | 6B/141 | 1.00 | UNIT |  |  |  |
| 915  | CONDENSER .1 MF 600V  | TUBE     | PR19539 | 6B/142 | 3.00 | UNIT |  |  |  |
| 916  | CONDENSER .47 MF 125V |          | PR23500 | 6B/143 | 3.00 | UNIT |  |  |  |
| 906  | CONDENSER 5 MF 50 V   | ELEC     | PS19016 | 6B/144 | 3.00 | UNIT |  |  |  |
| 907  | CONDENSER 8 MF 450V   | ELEC     | PS22118 | 6B/145 | 1.00 | UNIT |  |  |  |
| 931  | CONDENSER 50 MF 25 V  | ELEC     | PS37005 | 6B/149 | 3.00 | UNIT |  |  |  |
| 1907 | FUSE 4 AMP TD.A12     | FF00858  |         | 6B/15  | 2.00 | UNIT |  |  |  |
| 921  | CONDENSER 125MF 16 V  | ELEC     | PS38206 | 6B/151 | 1.00 | UNIT |  |  |  |
| 4971 | TRIMMER 1-12 PF       | PV05018  |         | 6B/154 | 3.00 | UNIT |  |  |  |
| 4976 | TRIMMER 275-970 PF    | PV05022  |         | 6B/155 | 2.00 | UNIT |  |  |  |
| 4980 | TRIMMER 550-1600PF    | PV05023  |         | 6B/156 | 2.00 | UNIT |  |  |  |

## INDEXB

|      |                       |              |       |        |       |      |  |  |  |
|------|-----------------------|--------------|-------|--------|-------|------|--|--|--|
| 4970 | TRIMMER 3-12 PF       | PV05025      |       | 6B/158 | 3.00  | UNIT |  |  |  |
| 4969 | TRIMMER 3-10 PF       | PV05083      |       | 6B/159 | 3.00  | UNIT |  |  |  |
| 1899 | FUSE 2 AMP TD.A12     | FFOO161      |       | 6B/16  | 2.00  | UNIT |  |  |  |
| 4973 | TRIMMER 1150-2600 PF  | PV05101      |       | 6B/160 | 3.00  | UNIT |  |  |  |
| 49   | B0ARDS AT26730-26726- | 26727-26728- | 26729 | 6B/163 | 1     | CART |  |  |  |
| 732  | CHANNEL OSCILLATING   | STRIP        |       | 6B/167 | 2.00  | UNIT |  |  |  |
| 2843 | PLUG 1100             |              |       | 6B/170 | 2.00  | UNIT |  |  |  |
| 1352 | DIODE HS 9077         | FVO 5839     |       | 6B/171 | 9.00  | UNIT |  |  |  |
| 403  | CAPACITOR 47M250V     | PQ28453      |       | 6B/172 | 2.00  | UNIT |  |  |  |
| 3185 | RELAY GPR302/3CIC-90  |              |       | 6B/174 | 1.00  | UNIT |  |  |  |
| 4915 | TRANSISTOR TIS 88A    |              |       | 6B/175 | 1.00  | UNIT |  |  |  |
| 274  | CAPACITOR 10M C280AE  | POLY PQ99500 | 0     | 6B/176 | 2.00  | UNIT |  |  |  |
| 1641 | DIODE ZENER 15V ATS5  | FVO 5817     |       | 6B/176 | 2.00  | UNIT |  |  |  |
| 4231 | TRANSISTOR 16602 {GE  | X444260 FVO  | 8455  | 6B/178 | 3.00  | UNIT |  |  |  |
| 1303 | DIODE BZY 90 CC9V1    | FVO 5311     |       | 6B/179 | 2.00  | UNIT |  |  |  |
| 2660 | LEETIFIER BUO E22.00  | FUO7603      |       | 6B/18  | 3.00  | UNIT |  |  |  |
| 2582 | KNOB ASSY AT25802/5   |              |       | 6B/181 | 1.00  | UNIT |  |  |  |
| 3939 | SWITCH FSO 3057       |              |       | 6B/182 | 1.00  | UNIT |  |  |  |
| 172  | CAP CER DISC 20 N -   | 20+80 % PN   | 53311 | 6B/184 | 1.00  | UNIT |  |  |  |
| 1620 | DIODE Y23             | FUO9765      |       | 6B/19  | 22.00 | UNIT |  |  |  |
| 3045 | POTENTROMETS 25K      | PO2868       |       | 6B/20  | 1.00  | UNIT |  |  |  |
| 3235 | RESISTANCE 50K MH2    | 281392       |       | 6B/21  | 2.00  | UNIT |  |  |  |
| 3936 | SWITCH ET98602        |              |       | 6B/23  | 1.00  | UNIT |  |  |  |
| 3937 | SWITCH ET98603        |              |       | 6B/24  | 1.00  | UNIT |  |  |  |

## INDEXB

|      |                       |             |  |       |      |      |  |  |  |
|------|-----------------------|-------------|--|-------|------|------|--|--|--|
| 3995 | SWITCH SPD 125V 10AMP | FS03031     |  | 6B/27 | 1.00 | UNIT |  |  |  |
| 4010 | SWITCH WAFER ONLY     | FS07018/1   |  | 6B/30 | 1.00 | UNIT |  |  |  |
| 774  | CHOKE L201 L111 L108  |             |  | 6B/33 | 3.00 | UNIT |  |  |  |
| 874  | COIL AT32301/5-6      | 31602-31603 |  | 6B/34 | 6.00 | UNIT |  |  |  |
| 3076 | R.F CHOKE AT3160/5    | L102        |  | 6B/35 | 1.00 | UNIT |  |  |  |
| 2808 | PARASTIC CHOKE        | AT31606     |  | 6B/36 | 1.00 | UNIT |  |  |  |
| 2590 | KNOB ET11158          |             |  | 6B/37 | 1.00 | UNIT |  |  |  |
| 928  | CONDENSER 300PF       | ET98000     |  | 6B/38 | 1.00 | UNIT |  |  |  |
| 11   | ADAPTOR GE40008       | EA00031     |  | 6B/39 | 1    | UNIT |  |  |  |
| 3838 | SOCKET JACK J17       | FJ00262     |  | 6B/41 | 1.00 | UNIT |  |  |  |
| 2853 | PLUG 18 WAY P18       | MFS311064   |  | 6B/43 | 1.00 | UNIT |  |  |  |
| 3804 | SOCKET 3MM RED        | FS17004     |  | 6B/45 | 1.00 | UNIT |  |  |  |
| 3803 | SOCKET 3MM BLACK      | FS17005     |  | 6B/46 | 1.00 | UNIT |  |  |  |
| 3308 | RESISTOR 100 OHM      | NC10203     |  | 6B/49 | 3.00 | UNIT |  |  |  |
| 3325 | RESISTOR 10K          | NC10303     |  | 6B/50 | 3.00 | UNIT |  |  |  |
| 3324 | RESISTOR 100K OHM     | NC12103     |  | 6B/51 | 3.00 | UNIT |  |  |  |
| 3363 | RESISTOR 150K OHM     | NG15103     |  | 6B/52 | 3.00 | UNIT |  |  |  |
| 3283 | RESISTOR 1.5K         | NG15203     |  | 6B/53 | 3.00 | UNIT |  |  |  |
| 3367 | RESISTOR 15K          | NG15303     |  | 6B/54 | 3.00 | UNIT |  |  |  |
| 3361 | RESISTOR 150K         | NC15403     |  | 6B/55 | 3.00 | UNIT |  |  |  |
| 3286 | RESISTOR 1.8K         | NG18203     |  | 6B/56 | 3.00 | UNIT |  |  |  |
| 3287 | RESISTOR 1.8K         | NG18303     |  | 6B/57 | 3.00 | UNIT |  |  |  |
| 3416 | RESISTOR 220 OHM T15  | NG22103     |  | 6B/58 | 3.00 | UNIT |  |  |  |
| 3384 | RESISTOR 2.2K         | NC22203     |  | 6B/59 | 3.00 | UNIT |  |  |  |

## INDEXB

|      |                      |          |       |       |      |      |  |  |  |
|------|----------------------|----------|-------|-------|------|------|--|--|--|
| 3420 | RESISTOR 22K OMH     | NC22303  |       | 6B/60 | 3.00 | UNIT |  |  |  |
| 3435 | RESISTOR 270 OMH 10% | NC 27103 |       | 6B/61 | 3.00 | UNIT |  |  |  |
| 3439 | RESISTOR 3.3 K       | NC 38302 |       | 6B/63 | 3.00 | UNIT |  |  |  |
| 3457 | RESISTOR 33 K        | NC 33303 |       | 6B/64 | 3.00 | UNIT |  |  |  |
| 3373 | RESISTOR 190 OHM     | NG 39103 |       | 6B/65 | 3.00 | UNIT |  |  |  |
| 3471 | RESISTOR 39 K        | NG 39303 |       | 6B/66 | 3.00 | UNIT |  |  |  |
| 3500 | RESISTOR 47 OHM      | NG 47003 |       | 6B/67 | 3.00 | UNIT |  |  |  |
| 3507 | RESISTOR 470 OHM     | NG 47103 |       | 6B/68 | 3.00 | UNIT |  |  |  |
| 3484 | RESISTOR 4.7 K       | NG 47203 |       | 6B/69 | 3.00 | UNIT |  |  |  |
| 4477 | TRANSISTOR 2W 3241   | FU07565  |       | 6B/7  | 4.00 | UNIT |  |  |  |
| 3493 | RESISTOR 47 K        | NG 47303 |       | 6B/70 | 3.00 | UNIT |  |  |  |
| 3540 | RESISTOR 560 OHM     | NG 56103 |       | 6B/71 | 3.00 | UNIT |  |  |  |
| 3519 | RESISTOR 5.6 K       | NG 56203 | R 159 | 6B/72 | 3.00 | UNIT |  |  |  |
| 3553 | RESISTOR 6.8 K       | NG 68203 | R 201 | 6B/73 | 3.00 | UNIT |  |  |  |
| 3576 | RESISTOR 8.2 K       | NG 82203 | R 510 | 6B/74 | 3.00 | UNIT |  |  |  |
| 3376 | RESISTOR 1M OHM      | PE 10566 | R 129 | 6B/75 | 3.00 | UNIT |  |  |  |
| 3533 | RESISTOR 56 K        | PE 56366 | R 127 | 6B/76 | 3.00 | UNIT |  |  |  |
| 3348 | RESISTOR 15 K        | PG 15322 | R144  | 6B/77 | 3.00 | UNIT |  |  |  |
| 3377 | RESISTOR 2 K         | PG 20223 |       | 6B/78 | 3.00 | UNIT |  |  |  |
| 3458 | RESISTOR 33 K        | PG 33369 |       | 6B/79 | 3.00 | UNIT |  |  |  |
| 3586 | RESISTOR 820 OHM     | PG 82122 |       | 6B/80 | 3.00 | UNIT |  |  |  |
| 3407 | RESISTOR 22 OHM BTT  | PM 00205 |       | 6B/82 | 3.00 | UNIT |  |  |  |
| 3355 | RESISTOR 150 OHM     | PM 00215 |       | 6B/84 | 3.00 | UNIT |  |  |  |
| 3508 | RESISTOR 470 OHM     | PM 00221 |       | 6B/85 | 3.00 | UNIT |  |  |  |

## INDEXB

|      |                       |              |         |       |       |      |  |  |  |
|------|-----------------------|--------------|---------|-------|-------|------|--|--|--|
| 3273 | RESISTOR 1.2 K        | PM O0226     |         | 6B/86 | 3.00  | UNIT |  |  |  |
| 3277 | RESISTOR 1.5 K        | PM O0227     |         | 6B/87 | 3.00  | UNIT |  |  |  |
| 3440 | RESISTOR 3.3 K        | PM O0231     |         | 6B/88 | 3.00  | UNIT |  |  |  |
| 3292 | RESISTOR 10 K         | PM O0237     |         | 6B/89 | 3.00  | UNIT |  |  |  |
| 1520 | DIODE OA200           | FU9303       |         | 6B/9  | 3.00  | UNIT |  |  |  |
| 3331 | RESISTOR 12 K 1/4 W   | BTT PM 00278 |         | 6B/90 | 3.00  | UNIT |  |  |  |
| 3349 | RESISTOR 15 K         | BTT PM 00239 |         | 6B/91 | 3.00  | UNIT |  |  |  |
| 3405 | RESISTOR 22 K         | BTT PM 00241 |         | 6B/92 | 3.00  | UNIT |  |  |  |
| 3459 | RESISTOR 33 K         | PM 00243     |         | 6B/93 | 3.00  | UNIT |  |  |  |
| 3494 | RESISTOR 47 K         | PM 00245     |         | 6B/94 | 3.00  | UNIT |  |  |  |
| 3564 | RESISTOR 68 K         | PM 00247     |         | 6B/95 | 3.00  | UNIT |  |  |  |
| 3306 | RESISTOR 100 K        | PM 00249     |         | 6B/96 | 3.00  | UNIT |  |  |  |
| 3353 | RESISTOR 150 K        | PM 00251     |         | 6B/97 | 3.00  | UNIT |  |  |  |
| 3413 | RESISTOR 220 K        | PM 00253     |         | 6B/98 | 2.00  | UNIT |  |  |  |
| 3506 | RESISTOR 470 K        | PM 00257     |         | 6B/99 | 3.00  | UNIT |  |  |  |
| 1466 | DIODE IN5404          |              |         | 7/10A | 9.00  | UNIT |  |  |  |
| 3598 | RESISTOR BERCO 20 OHM | +5%          |         | 7/126 | 3.00  | UNIT |  |  |  |
| 5074 | VARISTOR SIEMENS      | S14K50 TYPE  | 2622    | 7/158 | 2.00  | UNIT |  |  |  |
| 1934 | FUSE CARTRIDGE 8 A    | HELLA 22/3   |         | 7/159 | 8.00  | UNIT |  |  |  |
| 3636 | RESISTOR K OHMS       | AW3112 011-  | 3414 5% | 7/180 | 1.00  | UNIT |  |  |  |
| 2993 | POTENTIOMETER 5 KOHMS | TYPE TW OP   | 1430/S  | 7/184 | 2.00  | UNIT |  |  |  |
| 2931 | POTENTIMETER 50 KOHM  | OP 1198/5    | 503/0   | 7/185 | 1.00  | UNIT |  |  |  |
| 1467 | DIODE IN5408          |              |         | 7/20A | 19.00 | UNIT |  |  |  |
| 1935 | FUSE CARTRIGE 5 AMP   | WIS 26 NQ    |         | 7/25  | 1.00  | UNIT |  |  |  |

## INDEXB

|      |                       |             |          |        |       |      |  |  |  |
|------|-----------------------|-------------|----------|--------|-------|------|--|--|--|
| 1453 | DIODE IN4002          |             |          | 7/32A  | 46.00 | UNIT |  |  |  |
| 1454 | DIODE IN4003          |             |          | 7/34A  | 38.00 | UNIT |  |  |  |
| 1455 | DIODE IN4005          |             |          | 7/40A  | 90.00 | UNIT |  |  |  |
| 3236 | RESISTANCE VARIABLE   | 10,000 OHMS | 4 W      | 7/47   | 1.00  | UNIT |  |  |  |
| 3237 | RESISTANCE VARIABLE   | 10,000 OHMS |          | 7/48   | 1.00  | UNIT |  |  |  |
| 1464 | DIODE IN5401          |             |          | 7/4A   | 19.00 | UNIT |  |  |  |
| 1456 | DIODE IN4006          |             |          | 7/54A  | 20.00 | UNIT |  |  |  |
| 1458 | DIODE IN4007          |             |          | 7/58A  | 20.00 | UNIT |  |  |  |
| 1465 | DIODE IN5402          |             |          | 7/6A   | 16.00 | UNIT |  |  |  |
| 2419 | IC SNSSS 4050         | P/N 7692    |          | 7A/1   | 3.00  | UNIT |  |  |  |
| 4107 | TOROID 36T-16 PN      | 14036       |          | 7A/102 | 1.00  | UNIT |  |  |  |
| 4108 | TOROID 36T-18 PN      | 14035       |          | 7A/103 | 1.00  | UNIT |  |  |  |
| 4106 | TOROID 24T-16 PN      | 14034       |          | 7A/104 | 1.00  | UNIT |  |  |  |
| 4105 | TOROID PN             | 14239       |          | 7A/105 | 1.00  | UNIT |  |  |  |
| 1151 | CRYSTAL PLUG IN 25.60 | 0 KHz PN    | 2354-001 | 7A/106 | 5.00  | UNIT |  |  |  |
| 178  | CAP MOTOR MFD SPL PN  | 11279       |          | 7A/107 | 1.00  | UNIT |  |  |  |
| 2171 | IC CPV 625 KHz        | PN7694-002  |          | 7A/11  | 2.00  | UNIT |  |  |  |
| 2736 | NOISE FILTER PN       | 15390       |          | 7A/110 | 1.00  | UNIT |  |  |  |
| 3066 | PUNCH STEPPER MOTOR   | W/ADJ PLATE |          | 7A/111 | 1.00  | UNIT |  |  |  |
| 4118 | TRANSFORMER           |             |          | 7A/115 | 1.00  | UNIT |  |  |  |
| 2168 | IC COMPARATOR LN1311  | PN14042     |          | 7A/12  | 12.00 | UNIT |  |  |  |
| 2016 | IC 93340 14065        |             |          | 7A/125 | 12.00 | UNIT |  |  |  |
| 2681 | MM53070QXN            |             |          | 7A/126 | 12.00 | UNIT |  |  |  |
| 2043 | IC 4449 PN14057       |             |          | 7A/13  | 12.00 | UNIT |  |  |  |

## INDEXB

|      |                       |             |      |        |       |      |  |  |  |
|------|-----------------------|-------------|------|--------|-------|------|--|--|--|
| 2417 | IC SN26123 PN7681     |             |      | 7A/14  | 15.00 | UNIT |  |  |  |
| 2418 | IC SN74LS53           |             |      | 7A/16  | 3.00  | UNIT |  |  |  |
| 2126 | IC A7K334 1192        | P/N 2532    |      | 7A/17  | 6.00  | UNIT |  |  |  |
| 2074 | IC 7414 (306-358)     |             |      | 7A/18  | 6.00  | UNIT |  |  |  |
| 2075 | IC 7414 (306-358)     |             |      | 7A/18  | 6.00  | UNIT |  |  |  |
| 2319 | IC S/N 31LO1 P/N 7691 |             |      | 7A/2   | 3.00  | UNIT |  |  |  |
| 2077 | IC 7416 P/N 2388      |             |      | 7A/20  | 12.00 | UNIT |  |  |  |
| 2078 | IC 7416 P/N 2388      |             |      | 7A/20  | 12.00 | UNIT |  |  |  |
| 2088 | IC 74367 P/N 15405    |             |      | 7A/23  | 12.00 | UNIT |  |  |  |
| 2089 | IC 74367 P/N 15405    |             |      | 7A/23  | 12.00 | UNIT |  |  |  |
| 2393 | IC SN 74368N DM 80L98 | P/N 15406   |      | 7A/24  | 12.00 | UNIT |  |  |  |
| 2394 | IC SN 74368N DM 80L98 | P/N 15406   |      | 7A/24  | 12.00 | UNIT |  |  |  |
| 2266 | IC MC 9818P P/N 15410 |             |      | 7A/25  | 12.00 | UNIT |  |  |  |
| 2286 | IC MC9818P P/N 15410  |             |      | 7A/25  | 12.00 | UNIT |  |  |  |
| 2320 | IC S/N 9334 P/N 14065 |             |      | 7A/26  | 24.00 | UNIT |  |  |  |
| 2416 | IC SN 9334 P/N 14065  |             |      | 7A/26  | 24.00 | UNIT |  |  |  |
| 2392 | IC SN 74273 P/N 7686  |             |      | 7A/27  | 18.00 | UNIT |  |  |  |
| 2086 | IC 74279 P/N 7854     |             |      | 7A/28  | 12.00 | UNIT |  |  |  |
| 2413 | IC SN 74LS138         | P/N 7688    |      | 7A/29  | 24.00 | UNIT |  |  |  |
| 2166 | IC COM 2017 P/N 7670  |             |      | 7A/3   | 3.00  | UNIT |  |  |  |
| 2106 | IC 74L93 P/N7689      |             |      | 7A/30  | 6.00  | UNIT |  |  |  |
| 4392 | TRANSISTOR 2N 5373    | TELEMED P/N | 2901 | 7A/31  | 6.00  | UNIT |  |  |  |
| 2317 | IC ROM PTNO 16107-101 |             |      | 7A/31A | 3.00  | UNIT |  |  |  |
| 2318 | IC ROM PTNO 16109-101 |             |      | 7A/32  | 3.00  | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |        |       |      |  |  |  |
|------|-----------------------|--------------|----------|--------|-------|------|--|--|--|
| 4415 | TRANSISTOR 2N 5827    | P/N 2976     |          | 7A/33  | 9.00  | UNIT |  |  |  |
| 4422 | TRANSISTOR 2N 6282    | P/N 14052    |          | 7A/34  | 4.00  | UNIT |  |  |  |
| 4416 | TRANSISTOR 2N 5872    | P/N 2450     | GE PNP   | 7A/35  | 6.00  | UNIT |  |  |  |
| 3894 | STEPPER MOTOR ASSY    | SPACING R N0 | 1812-005 | 7A/37  | 2.00  | UNIT |  |  |  |
| 2669 | LINE FEED MOTOR ASSY  | PN 17697     |          | 7A/38  | 2.00  | UNIT |  |  |  |
| 73   | BELL RETAINER PLATE   | PN 1029      |          | 7A/39  | 12    | UNIT |  |  |  |
| 2082 | IC 7417 P/N 2692      |              |          | 7A/4   | 3.00  | UNIT |  |  |  |
| 4750 | TRANSISTOR D45H7      | PN 7614      |          | 7A/40  | 6.00  | UNIT |  |  |  |
| 4751 | TRANSISTOR D4OC4 GE   |              |          | 7A/41B | 18.00 | UNIT |  |  |  |
| 729  | CHAD BOX              | PT 11017-004 |          | 7A/42A | 2.00  | UNIT |  |  |  |
| 730  | CHAD BOX              | PT 174444    |          | 7A/43A | 2.00  | UNIT |  |  |  |
| 4767 | TRANSISTOR GES 98     | P/N 2377     |          | 7A/44  | 8.00  | UNIT |  |  |  |
| 4842 | TRANSISTOR PNP PN2139 | SILICONE     | POWER    | 7A/45  | 12.00 | UNIT |  |  |  |
| 4417 | TRANSISTOR 2N 6015    | PF162113     |          | 7A/46  | 15.00 | UNIT |  |  |  |
| 3761 | SCREW SET PN 11151000 |              |          | 7A/47A | 12.00 | UNIT |  |  |  |
| 5073 | VARISTOR 230V AC      | METAL ORIDE  |          | 7A/49  | 12.00 | UNIT |  |  |  |
| 5101 | WIRE GROIEND          |              |          | 7A/50  | 12.00 | UNIT |  |  |  |
| 1404 | DIODE IN 4752A        | P/N 7851     |          | 7A/51  | 6.00  | UNIT |  |  |  |
| 1411 | DIODE IN 5232D ZENER  | P/N 2680     |          | 7A/52  | 6.00  | UNIT |  |  |  |
| 1445 | DIODE IN 966B         | P/N 7795     |          | 7A/53  | 6.00  | UNIT |  |  |  |
| 1412 | DIODE IN 5235B        | P/N 7690-015 |          | 7A/54  | 12.00 | UNIT |  |  |  |
| 1415 | DIODE IN 5242B        | P/N 7696-022 |          | 7A/55  | 11.00 | UNIT |  |  |  |
| 1714 | DIODE ZENER IN 5228B  | B19V P/N7696 | -008     | 7A/56  | 12.00 | UNIT |  |  |  |
| 1199 | DIODE [BM 5246] ZENER | 16V P/N7696  | -026     | 7A/57  | 12.00 | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |       |       |      |  |  |  |
|------|-----------------------|--------------|----------|-------|-------|------|--|--|--|
| 1423 | DIODE IN 5366B        | P/N14058-034 |          | 7A/58 | 12.00 | UNIT |  |  |  |
| 1400 | DIODE IN 456 P/N 2227 |              |          | 7A/59 | 24.00 | UNIT |  |  |  |
| 2072 | IC 7412N P/N 1422     |              |          | 7A/6  | 12.00 | UNIT |  |  |  |
| 2809 | PC BOARD              |              |          | 7A/67 | 3.00  | UNIT |  |  |  |
| 3650 | RESISTOR O.60 OHM     | P/N 14335    |          | 7A/76 | 12.00 | UNIT |  |  |  |
| 3641 | RESISTOR O.25W        | 3.32 OHM P/N | 2109-028 | 7A/77 | 12.00 | UNIT |  |  |  |
| 3642 | RESISTOR O.25W        | 2.52 OHM P/N | 2109-029 | 7A/78 | 24.00 | UNIT |  |  |  |
| 3643 | RESISTOR O.25W 619    | OHMS PN      | 2109-007 | 7A/79 | 6.00  | UNIT |  |  |  |
| 2185 | IC DUAL OP-AMP PN2228 |              |          | 7A/8  | 18.00 | UNIT |  |  |  |
| 3645 | RESISTOR O.25W 1820   | OHMS PN      | 2109-002 | 7A/80 | 6.00  | UNIT |  |  |  |
| 3644 | RESISTOR O.25W 1650   | OHMS PN      | 2109-008 | 7A/81 | 6.00  | UNIT |  |  |  |
| 3649 | RESISTOR O.5W 0.5 5%  | OHMS PN      | 2247-001 | 7A/82 | 6.00  | UNIT |  |  |  |
| 3646 | RESISTOR O.25W 3.9    | OHMS PN      | 2049-005 | 7A/83 | 12.00 | UNIT |  |  |  |
| 3647 | RESISTOR O.25W 3.9    | OHMS PN      | 2049-007 | 7A/84 | 8.00  | UNIT |  |  |  |
| 3648 | RESISTOR O.25W 6.65   | OHMS PN      | 2109-026 | 7A/85 | 12.00 | UNIT |  |  |  |
| 3381 | RESISTOR 2 W 0.15     | OHMS PN      | 14039    | 7A/86 | 12.00 | UNIT |  |  |  |
| 3251 | RESISTOR 0.25W 15.8   | KOHMS PN     | 2109-025 | 7A/87 | 12.00 | UNIT |  |  |  |
| 3639 | RESISTOR NETWORK 15   | KOHMS PN     | 7768-017 | 7A/88 | 3.00  | UNIT |  |  |  |
| 3640 | RESISTOR NETWORK 33   | KOHMS PN     | 7768-012 | 7A/89 | 3.00  | UNIT |  |  |  |
| 3773 | SHUNTS WIS 3914-45    |              |          | 7B/11 | 10.00 | UNIT |  |  |  |
| 3652 | RESISTOR PC 66408-21  |              |          | 7B/12 | 4.00  | UNIT |  |  |  |
| 1969 | FUSE WIS 4806-8 32AMP |              |          | 7B/13 | 20.00 | UNIT |  |  |  |
| 3653 | RESISTOR PC 67001-15  |              |          | 7B/14 | 2.00  | UNIT |  |  |  |
| 3683 | RESISTOR VAR PC       | 67408-11     |          | 7B/15 | 2.00  | UNIT |  |  |  |

## INDEXB

|      |                       |             |          |       |        |      |  |  |  |
|------|-----------------------|-------------|----------|-------|--------|------|--|--|--|
| 4962 | TRASFORMER TYPE 30790 | X BFR17     |          | 7B/3  | 14.00  | UNIT |  |  |  |
| 705  | CAPACITOR WIS 4321    | 116         |          | 7B/4  | 2.00   | UNIT |  |  |  |
| 3700 | RESISTOR WIS 6265-1   |             |          | 7B/5  | 10.00  | UNIT |  |  |  |
| 3654 | RESISTOR PC-68209-1   |             |          | 7B/6  | 3.00   | UNIT |  |  |  |
| 3926 | SWITCH 4 POLE WIS     | 5198-35     |          | 7B/7  | 4.00   | UNIT |  |  |  |
| 3917 | SWITCH WIS 5190-36    |             |          | 7B/8  | 1.00   | UNIT |  |  |  |
| 4811 | TRANSISTOR NKT 223A   | FV 06096    |          | 8/106 | 2.00   | UNIT |  |  |  |
| 4812 | TRANSISTOR NKT 223A   | FV 07035    |          | 8/108 | 7.00   | UNIT |  |  |  |
| 3110 | RECTIFIER FV 09075    |             |          | 8/110 | 2.00   | UNIT |  |  |  |
| 3109 | RECTIFIER FR 00043    |             |          | 8/111 | 1.00   | UNIT |  |  |  |
| 2645 | LAMPS 12-14V 0.75W    | FL 01003    | 12V-2AMP | 8/114 | 5.00   | UNIT |  |  |  |
| 3147 | RELAY 283071-FR02691  | {RCB}       |          | 8/116 | 1.00   | UNIT |  |  |  |
| 16   | ADJUSTER CORE 274823  |             |          | 8/119 | 7      | UNIT |  |  |  |
| 3971 | SWITCH PL 23022       |             |          | 8/122 | 1.00   | UNIT |  |  |  |
| 1165 | CUPCORE FC 02137      |             |          | 8/123 | 12.00  | UNIT |  |  |  |
| 3756 | SCREW CORE FC 02858   |             |          | 8/124 | 11.00  | UNIT |  |  |  |
| 3755 | SCREW CORE FC 02851   |             |          | 8/125 | 2.00   | UNIT |  |  |  |
| 843  | COIL ASSY 218576/11   | {ASST}      |          | 8/126 | 3.00   | UNIT |  |  |  |
| 811  | COIL                  |             |          | 8/127 | 4.00   | UNIT |  |  |  |
| 735  | CHOKE                 |             |          | 8/128 | 11.00  | UNIT |  |  |  |
| 4119 | TRANSFORMER           | {ASST}      |          | 8/129 | 6.00   | UNIT |  |  |  |
| 1954 | FUSE HOLDER BODY      | FH 02763-64 |          | 8/132 | 1.00   | UNIT |  |  |  |
| 3239 | RESISTOR              | {ASST}      |          | 8/136 | 205.00 | UNIT |  |  |  |
| 1326 | DIODE FV 09047        |             |          | 8/137 | 9.00   | UNIT |  |  |  |

## INDEXB

|      |                       |              |       |        |        |      |  |  |  |
|------|-----------------------|--------------|-------|--------|--------|------|--|--|--|
| 3869 | SPEAKER FS 11503      | FS 12802     |       | 8/138  | 2.00   | UNIT |  |  |  |
| 3918 | SWITCH {MIC}          | ET 98600     |       | 8/140  | 1.00   | UNIT |  |  |  |
| 4232 | TRANSISTOR 17F211     | FV 05067     |       | 8/141  | 2.00   | UNIT |  |  |  |
| 1184 | DIODE                 | {ASST}       |       | 8/142A | 10.00  | UNIT |  |  |  |
| 1750 | DIODE ZNB 15          |              |       | 8/147  | 2.00   | UNIT |  |  |  |
| 78   | BLOCK FILTER 250008   | 260008       |       | 8/148  | 8      | UNIT |  |  |  |
| 3078 | RCA FOR 7 MIXER UNIT  |              |       | 8/149  | 1.00   | UNIT |  |  |  |
| 4829 | TRANSISTOR OC 831Y    |              |       | 8/151  | 1.00   | UNIT |  |  |  |
| 4752 | TRANSISTOR D524       |              |       | 8/152  | 2.00   | UNIT |  |  |  |
| 4809 | TRANSISTOR NKT 223    |              |       | 8/154  | 1.00   | UNIT |  |  |  |
| 181  | CAPACITOR             | {ASST}       |       | 8/154A | 160.00 | UNIT |  |  |  |
| 4460 | TRANSISTOR 2N5486     |              |       | 8/155  | 3.00   | UNIT |  |  |  |
| 1381 | DIODE IN 4002         |              |       | 8/157  | 9.00   | UNIT |  |  |  |
| 3099 | RECTIFIER 2AFI        | FVO 9634     |       | 8/158  | 2.00   | UNIT |  |  |  |
| 1006 | CONTACTOR OVERLOAD    | TRIP         |       | 8/171  | 4.00   | SET  |  |  |  |
| 3759 | SCREW CORE FCO 2856   |              |       | 8/180  | 6.00   | UNIT |  |  |  |
| 3760 | SCREW CORE FCO 2857   |              |       | 8/181  | 6.00   | UNIT |  |  |  |
| 2611 | LAMP 12V G573         | FL 01070     |       | 8/183  | 8.00   | UNIT |  |  |  |
| 3115 | REDIFON RADIA RECEIVE | R SPARES     | PARTS | 8/186  | 233.00 | UNIT |  |  |  |
| 3071 | PYE RADIO RECEIVER    | SPARES PARTS |       | 8/188A | 158.00 | UNIT |  |  |  |
| 3819 | SOCKET ASSY 275981    |              |       | 8/6    | 2.00   | UNIT |  |  |  |
| 4821 | TRANSISTOR OC 204     | FVO 5005     |       | 8/86   | 2.00   | UNIT |  |  |  |
| 4826 | TRANSISTOR OC 35      | FVO 5044     |       | 8/87   | 4.00   | UNIT |  |  |  |
| 4828 | TRANSISTOR OC 72      | FVO 5054     |       | 8/88   | 4.00   | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |        |      |      |  |  |  |
|------|-----------------------|--------------|----------|--------|------|------|--|--|--|
| 4235 | TRANSISTOR 25701      | FVO 7030     |          | 8/89   | 2.00 | UNIT |  |  |  |
| 4147 | TRANSFORMER AL21064   | 277904/5/7/8 | 277961   | 8A/1   | 8.00 | UNIT |  |  |  |
| 1607 | DIODE TYPE OA 73      |              |          | 8A/10  | 4.00 | UNIT |  |  |  |
| 4121 | TRANSFORMER           | FT 05264     |          | 8A/101 | 1.00 | UNIT |  |  |  |
| 1651 | DIODE ZENER 6.8V      | AT 5MA       | FV 05813 | 8A/103 | 2.00 | UNIT |  |  |  |
| 4816 | TRANSISTOR NKT 403    |              |          | 8A/11  | 2.00 | UNIT |  |  |  |
| 4591 | TRANSISTOR BCY 31     | FVO 5083     |          | 8A/111 | 2.00 | UNIT |  |  |  |
| 1385 | DIODE IN 4148         | FVO 5808     |          | 8A/113 | 1.00 | UNIT |  |  |  |
| 812  | COIL                  | AL 03012     |          | 8A/114 | 1.00 | UNIT |  |  |  |
| 826  | COIL ASSY             | AT 31765/1   |          | 8A/115 | 1.00 | UNIT |  |  |  |
| 2672 | LOOP                  | AT 32966     |          | 8A/116 | 1.00 | UNIT |  |  |  |
| 764  | CHOKE COMP 0.22 VH    | FT 99000     |          | 8A/117 | 1.00 | UNIT |  |  |  |
| 773  | CHOKE IVH             | FT 99009     |          | 8A/118 | 1.00 | UNIT |  |  |  |
| 4122 | TRANSFORMER           | AL 21300     |          | 8A/119 | 1.00 | UNIT |  |  |  |
| 4768 | TRANSISTOR GET 115    |              |          | 8A/12  | 1.00 | UNIT |  |  |  |
| 827  | COIL ASSY             | AT 31662/1   |          | 8A/120 | 1.00 | UNIT |  |  |  |
| 536  | CAPACITOR ELECT 1000  | MF 16 V      | PS 51131 | 8A/121 | 1.00 | UNIT |  |  |  |
| 554  | CAPACITOR ELECT 4.7MF | 25V PS 99504 |          | 8A/122 | 3.00 | UNIT |  |  |  |
| 499  | CAPACITOR COMP 150 MF | PS 99525     |          | 8A/123 | 3.00 | UNIT |  |  |  |
| 740  | CHOKE 100 MH          | AL 51091     |          | 8A/124 | 1.00 | UNIT |  |  |  |
| 4220 | TRANSISTOR            | 2N-3478      |          | 8A/125 | 2.00 | UNIT |  |  |  |
| 4117 | TRANSFORMEN           | AT 31651/9   |          | 8A/126 | 1.00 | UNIT |  |  |  |
| 828  | COIL ASSY             | AT/31785/1   |          | 8A/127 | 1.00 | UNIT |  |  |  |
| 175  | CAP ELECTROLYTIC      | 22004F 50V   | PS 53453 | 8A/129 | 1.00 | UNIT |  |  |  |

## INDEXB

|      |                       |            |          |        |       |      |  |  |  |
|------|-----------------------|------------|----------|--------|-------|------|--|--|--|
| 1476 | DIODE IS 130          |            |          | 8A/13  | 2.00  | UNIT |  |  |  |
| 851  | COIL ASSY AT 31765/3  |            |          | 8A/130 | 1.00  | UNIT |  |  |  |
| 1163 | CRYTAL METAL CAN      | 11.155 MHZ | FC 03038 | 8A/131 | 1.00  | UNIT |  |  |  |
| 1511 | DIODE OA 210          |            |          | 8A/15  | 2.00  | UNIT |  |  |  |
| 57   | BATTERY ADAPTOR ASSY  | AT 2941    |          | 8A/151 | 1     | UNIT |  |  |  |
| 1928 | FUSE AMP FF 00806     | FF 99004   | FF 00805 | 8A/154 | 15.00 | UNIT |  |  |  |
| 1955 | FUSE HOLDER FH 02762  | FH 02758   |          | 8A/155 | 2.00  | UNIT |  |  |  |
| 3932 | SWITCH BLACK 1100/E   | FS 03813   |          | 8A/156 | 1.00  | UNIT |  |  |  |
| 2099 | IC 7493 FU 99222      |            |          | 8A/157 | 1.00  | UNIT |  |  |  |
| 1277 | DIODE BZV C6V8        | FV 05590   |          | 8A/158 | 1.00  | UNIT |  |  |  |
| 4024 | TARSISTOR 2N 3054A    | FV 05805   |          | 8A/159 | 1.00  | UNIT |  |  |  |
| 1344 | DIODE HP S082-2800    |            |          | 8A/16  | 1.00  | UNIT |  |  |  |
| 1386 | DIODE IN 4148         | FV 05808   |          | 8A/160 | 1.00  | UNIT |  |  |  |
| 4307 | TRANSISTOR 2N 3053    | FV 05859   |          | 8A/161 | 2.00  | UNIT |  |  |  |
| 1726 | DIODE ZENER S.6V      | FV 05812   |          | 8A/162 | 1.00  | UNIT |  |  |  |
| 1493 | DIODE MR 501          | FV 08994   |          | 8A/165 | 1.00  | UNIT |  |  |  |
| 3043 | POTENTION METER 220.  | OHM PL     | 0960/0   | 8A/166 | 1.00  | UNIT |  |  |  |
| 3044 | POTENTION METER 330HM | LIN PL     | 09619/0  | 8A/167 | 1.00  | UNIT |  |  |  |
| 3608 | RESISTOR COMPT 1200MH | PN 10425   |          | 8A/168 | 1.00  | UNIT |  |  |  |
| 455  | CAPACITOR CER PLATE   | 220PF      | PN99775  | 8A/169 | 1.00  | UNIT |  |  |  |
| 1345 | DIODE HP S082-2815    |            |          | 8A/17  | 2.00  | UNIT |  |  |  |
| 537  | CAPACITOR ELECT 1000  | UF 63V     | PS 51135 | 8A/170 | 1.00  | UNIT |  |  |  |
| 327  | CAPACITOR 202 35V     | COMPT      | PS 99503 | 8A/171 | 1.00  | UNIT |  |  |  |
| 549  | CAPACITOR ELECT 220F  | 16V        | PS 99507 | 8A/172 | 1.00  | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |        |       |      |  |  |  |
|------|-----------------------|--------------|----------|--------|-------|------|--|--|--|
| 1966 | FUSE PWB ASSY         | AT 27840     |          | 8A/174 | 1.00  | UNIT |  |  |  |
| 2629 | LAMP INDICATOR RED    | FL 11604     |          | 8A/176 | 1.00  | UNIT |  |  |  |
| 621  | CAPACITOR MONO IN 20% | 63V          | PN 26395 | 8A/179 | 1.00  | UNIT |  |  |  |
| 1346 | DIODE HP S082-2900    |              |          | 8A/18  | 2.00  | UNIT |  |  |  |
| 4733 | TRANSISTOR BYX 22-600 |              |          | 8A/19  | 6.00  | UNIT |  |  |  |
| 1827 | FAN MOTOR MOD KIT5000 | FR 01875     |          | 8A/2   | 1.00  | UNIT |  |  |  |
| 1405 | DIODE IN 4752A        |              |          | 8A/20  | 3.00  | UNIT |  |  |  |
| 1435 | DIODE IN 914          |              |          | 8A/22  | 6.00  | UNIT |  |  |  |
| 1390 | DIODE IN 4149         |              |          | 8A/23  | 1.00  | UNIT |  |  |  |
| 4532 | TRANSISTOR BAY 74     |              |          | 8A/24  | 1.00  | UNIT |  |  |  |
| 2716 | MOTOR FM 03068        |              |          | 8A/25  | 1.00  | UNIT |  |  |  |
| 4530 | TRANSISTOR BAW 62     |              |          | 8A/25A | 3.00  | UNIT |  |  |  |
| 1897 | FUSE 2 AMP FF 99016   |              |          | 8A/29  | 5.00  | UNIT |  |  |  |
| 3164 | RELAY 720175 PO3000   | 20V 400 OHMS |          | 8A/3   | 2.00  | UNIT |  |  |  |
| 1911 | FUSE 5 AMP FF 99017   |              |          | 8A/30  | 5.00  | UNIT |  |  |  |
| 1956 | FUSE HOLDER FH 99100  | FH 99101     |          | 8A/31  | 2.00  | UNIT |  |  |  |
| 4173 | TRANSFORMER FT 05316  |              |          | 8A/32  | 1.00  | UNIT |  |  |  |
| 2506 | IC VOLTAGE REGULATOR  | FV 99109     |          | 8A/35  | 1.00  | UNIT |  |  |  |
| 1384 | DIODE IN 4148         | FVO 5808     |          | 8A/37  | 1.00  | UNIT |  |  |  |
| 1379 | DIODE IN 4001         | FVO 5840     |          | 8A/39  | 25.00 | UNIT |  |  |  |
| 2647 | LED                   |              |          | 8A/41  | 1.00  | UNIT |  |  |  |
| 1559 | DIODE SILICON RECTFIE | R 2A FVO5892 |          | 8A/44  | 1.00  | UNIT |  |  |  |
| 2972 | POTENTIOMETER 2.2 KOH | 2% PLO3353   |          | 8A/46  | 1.00  | UNIT |  |  |  |
| 2978 | POTENTIOMETER 220/470 | OHMS         |          | 8A/47  | 1.00  | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |        |       |      |  |  |  |
|------|-----------------------|--------------|----------|--------|-------|------|--|--|--|
| 3590 | RESISTOR 825 OHM      | 99085        |          | 8A/48  | 1.00  | UNIT |  |  |  |
| 3580 | RESISTOR 8/10/14/46   | KOHM         |          | 8A/49  | 4.00  | UNIT |  |  |  |
| 2614 | LAMP 50V 2.5W         | FL13507      |          | 8A/5   | 6.00  | UNIT |  |  |  |
| 442  | CAPACITOR CER         | PN 20180     | PN 99823 | 8A/50  | 1.00  | UNIT |  |  |  |
| 678  | CAPACITOR TSNT 202 35 | COMPT        | PS 99503 | 8A/51  | 1.00  | UNIT |  |  |  |
| 4120 | TRANSFORMER           | AL 21452     |          | 8A/52  | 1.00  | UNIT |  |  |  |
| 1894 | FUSE 1AMP             | FF 99015     | 20 MM    | 8A/58  | 5.00  | UNIT |  |  |  |
| 1948 | FUSE HOLDER           | FH 02873     |          | 8A/59  | 1.00  | UNIT |  |  |  |
| 3184 | RELAY FR 01017        |              |          | 8A/6   | 1.00  | UNIT |  |  |  |
| 2710 | MOTOR                 | FM 03069     |          | 8A/60  | 1.00  | UNIT |  |  |  |
| 3956 | SWITCH MAIN 19-40310  | FS 56268     |          | 8A/61  | 1.00  | UNIT |  |  |  |
| 3954 | SWITCH MAIN           | FS 59054     |          | 8A/62  | 1.00  | UNIT |  |  |  |
| 3633 | RESISTOR HEATSINK AL  | 27R99351 56R | 99352    | 8A/63  | 3.00  | UNIT |  |  |  |
| 1581 | DIODE TYPE DD 006     |              |          | 8A/7   | 8.00  | UNIT |  |  |  |
| 1602 | DIODE TYPE IZ 22 T 10 |              |          | 8A/8   | 2.00  | UNIT |  |  |  |
| 1516 | DIODE OA 81           |              |          | 8A/9A  | 12.00 | UNIT |  |  |  |
| 4634 | TRANSISTOR BF 244B    | FU 05827     |          | 8B/1   | 3.00  | UNIT |  |  |  |
| 3578 | RESISTOR 8.2, 5.6 2.2 | 3.3 4.7 KOHM | PM1445   | 8B/100 | 25.00 | UNIT |  |  |  |
| 4587 | TRANSISTOR BC113      | FV07769      |          | 8B/101 | 6.00  | UNIT |  |  |  |
| 4718 | TRANSISTOR BSY95A     | FVO6581      | FVO6581  | 8B/102 | 4.00  | UNIT |  |  |  |
| 1224 | DIODE 6.8 AT5MA       | FV05813      |          | 8B/103 | 2.00  | UNIT |  |  |  |
| 4942 | TRANSISTOR ZTX 310L   | FVO7469      |          | 8B/104 | 3.00  | UNIT |  |  |  |
| 1200 | DIODE 10V FV05815     |              |          | 8B/105 | 2.00  | UNIT |  |  |  |
| 1502 | DIODE MV 840 FV07742  |              |          | 8B/106 | 3.00  | UNIT |  |  |  |

## INDEXB

|      |                       |            |         |        |      |      |  |  |  |
|------|-----------------------|------------|---------|--------|------|------|--|--|--|
| 1459 | DIODE IN4148          | FV05808    |         | 8B/107 | 0.00 | UNIT |  |  |  |
| 4737 | TRANSISTOR COMP       | 2N4427     | FV05846 | 8B/108 | 4.00 | UNIT |  |  |  |
| 4462 | TRANSISTOR 2N5915     | FV05844    |         | 8B/109 | 4.00 | UNIT |  |  |  |
| 3056 | PRINTED CIRCUIT BOARD | ASSY AT    | 26855/7 | 8B/11  | 1.00 | UNIT |  |  |  |
| 4694 | TRANSISTOR BLX69      | FV05392    |         | 8B/110 | 2.00 | UNIT |  |  |  |
| 4487 | TRANSISTOR 40251      | FV07598    |         | 8B/111 | 2.00 | UNIT |  |  |  |
| 3112 | RECTIFIER MOA 952-1   | FVO9260    |         | 8B/112 | 1.00 | UNIT |  |  |  |
| 413  | CAPACITOR 5600UF      | PS60041    |         | 8B/113 | 2.00 | UNIT |  |  |  |
| 4150 | TRANSFORMER AL21325   |            |         | 8B/114 | 1.00 | UNIT |  |  |  |
| 3169 | RELAY AERIAL C/O      | FRO2092    |         | 8B/115 | 1.00 | UNIT |  |  |  |
| 4149 | TRANSFORMER AL21246   |            |         | 8B/116 | 1.00 | UNIT |  |  |  |
| 2762 | OVEN 12/24V FCO3018   |            |         | 8B/117 | 0.00 | UNIT |  |  |  |
| 756  | CHOKE AL51099         |            |         | 8B/118 | 1.00 | UNIT |  |  |  |
| 860  | COIL ASSY AT31757/14  |            |         | 8B/119 | 1.00 | UNIT |  |  |  |
| 3117 | REFLECTOMETER ASSY    | AT 11312/1 |         | 8B/12  | 1.00 | UNIT |  |  |  |
| 859  | COIL ASSY AT31757/13  |            |         | 8B/120 | 1.00 | UNIT |  |  |  |
| 858  | COIL ASSY AT31757/12  |            |         | 8B/121 | 2.00 | UNIT |  |  |  |
| 861  | COIL ASSY AT31757/4   |            |         | 8B/122 | 1.00 | UNIT |  |  |  |
| 857  | COIL ASSY AT31750/3   |            |         | 8B/123 | 1.00 | UNIT |  |  |  |
| 862  | COIL ASSY AT31766/1   |            |         | 8B/124 | 1.00 | UNIT |  |  |  |
| 863  | COIL ASSY AT31766/2   |            |         | 8B/125 | 1.00 | UNIT |  |  |  |
| 855  | COIL ASSY AT31226/22  |            |         | 8B/126 | 1.00 | UNIT |  |  |  |
| 854  | COIL ASSY AT31226/21  |            |         | 8B/127 | 1.00 | UNIT |  |  |  |
| 2667 | LINE AT32987          |            |         | 8B/128 | 1.00 | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |        |      |      |  |  |  |
|------|-----------------------|--------------|----------|--------|------|------|--|--|--|
| 2668 | LINE AT32989          |              |          | 8B/129 | 1.00 | UNIT |  |  |  |
| 760  | CHOKE AT31625         |              |          | 8B/130 | 1.00 | UNIT |  |  |  |
| 845  | COIL ASSY 31276/15    |              |          | 8B/131 | 1.00 | UNIT |  |  |  |
| 4664 | TRANSISTOR BFW 11     | FVO5249      |          | 8B/132 | 2.00 | UNIT |  |  |  |
| 875  | COIL AT32998          |              |          | 8B/133 | 1.00 | UNIT |  |  |  |
| 1521 | DIODE OA202           | FVO9009      |          | 8B/135 | 1.00 | UNIT |  |  |  |
| 4695 | TRANSISTOR BLY        | FV35387+B    | FVO5387  | 8B/141 | 2.00 | UNIT |  |  |  |
| 635  | CAPACITOR POLY 0.33UF | 20% PQ33478  |          | 8B/142 | 1.00 | UNIT |  |  |  |
| 644  | CAPACITOR POLY 4360PF | 2.5% PQ20100 |          | 8B/143 | 4.00 | UNIT |  |  |  |
| 793  | CKOKE AL51099         |              |          | 8B/144 | 1.00 | UNIT |  |  |  |
| 2965 | POTENTIOMETER 10KOHM  | LOP PL09665/ |          | 8B/145 | 1.00 | UNIT |  |  |  |
| 448  | CAPACITOR CER 3P3+-0  | PN 99562     |          | 8B/146 | 5.00 | UNIT |  |  |  |
| 623  | CAPACITOR O.0068UF    | +/-10% PR    | 11518    | 8B/147 | 5.00 | UNIT |  |  |  |
| 444  | CAPACITOR CER 10N     | PN 99612     |          | 8B/148 | 5.00 | UNIT |  |  |  |
| 640  | CAPACITOR POLY 220NF  | PQ 99508     |          | 8B/149 | 5.00 | UNIT |  |  |  |
| 223  | CAPACITOR 0.68UF 100V | 20% PQ 35851 |          | 8B/150 | 5.00 | UNIT |  |  |  |
| 370  | CAPACITOR 33UF 16V    | PS 29334     |          | 8B/151 | 8.00 | UNIT |  |  |  |
| 506  | CAPACITOR COMP 47UF   | 25V PS 99533 |          | 8B/152 | 5.00 | UNIT |  |  |  |
| 502  | CAPACITOR COMP 150UF  | PS 99525     |          | 8B/153 | 5.00 | UNIT |  |  |  |
| 655  | CAPACITOR SM 10PF+-   | 0.5PF PP     | 99207    | 8B/154 | 5.00 | UNIT |  |  |  |
| 493  | CAPACITOR CERM TUB    | 18PF+-5 PN   | 99524    | 8B/155 | 5.00 | UNIT |  |  |  |
| 653  | CAPACITOR S.MICA      | 100 PF 1PF   | PP99219  | 8B/156 | 5.00 | UNIT |  |  |  |
| 654  | CAPACITOR SILV MICA   | 150 PF       | PP 09404 | 8B/157 | 5.00 | UNIT |  |  |  |
| 656  | CAPACITOR SM 180 PF   | +/-5% PP     | 09652    | 8B/158 | 5.00 | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |        |       |      |  |  |  |
|------|-----------------------|--------------|----------|--------|-------|------|--|--|--|
| 445  | CAPACITOR CER 10N     | PN 99612     |          | 8B/159 | 10.00 | UNIT |  |  |  |
| 746  | CHOKE 17.5 MH         | FT 99014     |          | 8B/16  | 2.00  | UNIT |  |  |  |
| 229  | CAPACITOR 1 PF+0.1PF  | PN 99500     |          | 8B/160 | 5.00  | UNIT |  |  |  |
| 475  | CAPACITOR CER TUB     | 1.7PF+-10    | PN 99501 | 8B/161 | 5.00  | UNIT |  |  |  |
| 322  | CAPACITOR 2.2PF 0.1PF | PN 99502     |          | 8B/162 | 5.00  | UNIT |  |  |  |
| 688  | CAPACITOR VAR 2-18PF  | PV 05959     |          | 8B/163 | 2.00  | UNIT |  |  |  |
| 379  | CAPACITOR 4.7 PF      | 0.25PF       | PN99517  | 8B/164 | 5.00  | UNIT |  |  |  |
| 515  | CAPACITOR DISC 68PF   | +2% PN 99578 |          | 8B/165 | 5.00  | UNIT |  |  |  |
| 190  | CAPACITOR .12P        | PP 99208     |          | 8B/166 | 5.00  | UNIT |  |  |  |
| 481  | CAPACITOR CERM 15 PF  | -5% PN 99523 |          | 8B/167 | 5.00  | UNIT |  |  |  |
| 314  | CAPACITOR 1PF         | PP 99211     |          | 8B/168 | 5.00  | UNIT |  |  |  |
| 643  | CAPACITOR POLY 33PF   | 30V PQ 06169 |          | 8B/169 | 5.00  | UNIT |  |  |  |
| 4123 | TRANSFORMER           | AL 21318     |          | 8B/17  | 1.00  | UNIT |  |  |  |
| 526  | CAPACITOR ELEC 220N   | 35V PS 03451 |          | 8B/170 | 1.00  | UNIT |  |  |  |
| 369  | CAPACITOR 33N         | PP 28353     |          | 8B/171 | 3.00  | UNIT |  |  |  |
| 3339 | RESISTOR 120K 5% BTT  |              |          | 8B/176 | 5.00  | UNIT |  |  |  |
| 3371 | RESISTOR 180 OHM 5%   | CR25 PM      | 01427    | 8B/177 | 5.00  | UNIT |  |  |  |
| 3461 | RESISTOR 33 OHM 10%   | NG 03350     |          | 8B/178 | 8.00  | UNIT |  |  |  |
| 3387 | RESISTOR 2.2M OHM 10% | BTA PM 00565 | 2.2M OHM | 8B/179 | 16.00 | UNIT |  |  |  |
| 754  | CHOKE 6.8 MH          | FT 99013     |          | 8B/18  | 1.00  | UNIT |  |  |  |
| 3386 | RESISTOR 2.2K OHM 10% | BTA          |          | 8B/180 | 1.00  | UNIT |  |  |  |
| 3992 | SWITCH SLIDE 5526/1   | 125V         | FS 03031 | 8B/182 | 1.00  | UNIT |  |  |  |
| 2734 | NEON RED AMBER        | 200/250V     | FL01049  | 8B/183 | 0.00  | UNIT |  |  |  |
| 3151 | RELAY 302-2CHO-24-A-Z | FRO3711      |          | 8B/184 | 3.00  | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |        |      |      |  |  |  |
|------|-----------------------|--------------|----------|--------|------|------|--|--|--|
| 741  | CHOKE 100 YH          | FT99006      |          | 8B/185 | 3.00 | UNIT |  |  |  |
| 3754 | SCREW CORE 4x5x.7MM   |              |          | 8B/187 | 5.00 | UNIT |  |  |  |
| 869  | COIL AT 31351/4       |              |          | 8B/188 | 1.00 | UNIT |  |  |  |
| 870  | COIL AT 31756/5       | AT 31756/4   | AT31756/ | 8B/189 | 4.00 | UNIT |  |  |  |
| 500  | CAPACITOR COMP 150 MF | PS 995525    |          | 8B/19  | 5.00 | UNIT |  |  |  |
| 273  | CAPACITOR 100N 100V   | 10% PQ99501  |          | 8B/190 | 2.00 | UNIT |  |  |  |
| 658  | CAPACITOR SM 82PF+1PF | +1PF 350V    | PP 99218 | 8B/191 | 3.00 | UNIT |  |  |  |
| 402  | CAPACITOR 470VF 6.3V  | PS 99522     |          | 8B/193 | 3.00 | UNIT |  |  |  |
| 639  | CAPACITOR POLY 220N   | C280 AEA 220 | PQ 33069 | 8B/195 | 5.00 | UNIT |  |  |  |
| 344  | CAPACITOR 2200VF 63V  | PS 53465     |          | 8B/196 | 1.00 | UNIT |  |  |  |
| 3243 | RESISTOR .68 OHM 5%   | PL 44911     |          | 8B/197 | 5.00 | UNIT |  |  |  |
| 1621 | DIODE Y23 FV 09765    |              |          | 8B/198 | 2.00 | UNIT |  |  |  |
| 2933 | POTENTIOMETER         | VA O54 4.7   | OHM      | 8B/199 | 1.00 | UNIT |  |  |  |
| 539  | CAPACITOR ELECT 10000 | MF 16V       | PS51131  | 8B/21  | 2.00 | UNIT |  |  |  |
| 598  | CAPACITOR FOIL 0.1 MF | 20% 250V     | PQ 3200  | 8B/22  | 3.00 | UNIT |  |  |  |
| 772  | CHOKE FERRITE ASSY    | AT 30002     |          | 8B/23  | 2.00 | UNIT |  |  |  |
| 739  | CHOKE 1 MH TE ASSY    | FT 99009     |          | 8B/24  | 2.00 | UNIT |  |  |  |
| 813  | COIL                  | AT 31225/24  |          | 8B/25  | 1.00 | UNIT |  |  |  |
| 535  | CAPACITOR ELECT 10 MF | 16V 33 MF16V | PS99505  | 8B/26  | 2.00 | UNIT |  |  |  |
| 542  | CAPACITOR ELECT 15 MF | 10 V         | PS 99506 | 8B/28  | 1.00 | UNIT |  |  |  |
| 4124 | TRANSFORMER           | AL 21300     |          | 8B/29  | 2.00 | UNIT |  |  |  |
| 4181 | TRANSFORMER MODULATOR | AL 21319     |          | 8B/3   | 2.00 | UNIT |  |  |  |
| 4716 | TRANSISTOR BSY 95A    | FVO 6581     |          | 8B/30  | 2.00 | UNIT |  |  |  |
| 3991 | SWITCH SLIDE 5526/1   | FS 03031     |          | 8B/31  | 1.00 | UNIT |  |  |  |

## INDEXB

|      |                       |             |          |       |       |      |  |  |  |
|------|-----------------------|-------------|----------|-------|-------|------|--|--|--|
| 829  | COIL ASSY             | 278578      |          | 8B/32 | 2.00  | UNIT |  |  |  |
| 704  | CAPACITOR VARRIABLE   | 2-11PF      | PV 05005 | 8B/33 | 2.00  | UNIT |  |  |  |
| 820  | COIL AT 31253/22/23   |             |          | 8B/34 | 3.00  | UNIT |  |  |  |
| 748  | CHOKE 2nd RF AMP      | INPUT       | 27905    | 8B/37 | 1.00  | UNIT |  |  |  |
| 814  | COIL                  | AT 31253/21 |          | 8B/38 | 1.00  | UNIT |  |  |  |
| 830  | COIL ASSY             | AT 31758/8  |          | 8B/39 | 1.00  | UNIT |  |  |  |
| 2005 | HOLDER FH 02709       |             |          | 8B/4  | 1.00  | UNIT |  |  |  |
| 2869 | PLUG 7 WAY            | FP 16816    |          | 8B/40 | 6.00  | UNIT |  |  |  |
| 3095 | RECTIFIER 16F10       | FVO 9728    |          | 8B/41 | 11.00 | UNIT |  |  |  |
| 1654 | DIODE ZENER 6.8V AT   | 5MA         | FVO 5818 | 8B/42 | 2.00  | UNIT |  |  |  |
| 831  | COIL ASSY             | AT 31756/13 |          | 8B/44 | 1.00  | UNIT |  |  |  |
| 443  | CAPACITOR CER 10N     | PN 99612    |          | 8B/45 | 7.00  | UNIT |  |  |  |
| 815  | COIL                  | AT 31326/05 |          | 8B/46 | 2.00  | UNIT |  |  |  |
| 3909 | SWITCH                | FS 07042    |          | 8B/47 | 1.00  | UNIT |  |  |  |
| 3930 | SWITCH ANODE METER    | FS 07079    |          | 8B/48 | 1.00  | UNIT |  |  |  |
| 174  | CAP ELECT 2200 MF 50V | PS 53453    |          | 8B/49 | 2.00  | UNIT |  |  |  |
| 4437 | TRANSISTOR 2N-3553    | FVO 7557    |          | 8B/52 | 6.00  | UNIT |  |  |  |
| 763  | CHOKE B10471          | AL 51092    |          | 8B/53 | 1.00  | UNIT |  |  |  |
| 1117 | CRYSTAL 9925.00/9841. | 66/FC03038  |          | 8B/54 | 3.00  | UNIT |  |  |  |
| 80   | BOARD ASSY VOX AC     | AT 27009    |          | 8B/55 | 1     | UNIT |  |  |  |
| 1185 | DIODE                 | EC 250      |          | 8B/56 | 22.00 | UNIT |  |  |  |
| 1203 | DIODE 15500RA         | FVO 8180    |          | 8B/57 | 1.00  | UNIT |  |  |  |
| 1130 | CRYSTAL GLASS         | FCO 3039    |          | 8B/58 | 2.00  | UNIT |  |  |  |
| 4125 | TRANSFORMER           | AL 21320    |          | 8B/59 | 3.00  | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |       |       |      |  |  |  |
|------|-----------------------|--------------|----------|-------|-------|------|--|--|--|
| 3258 | RESISTOR 0.875 OHM    | PL40104      |          | 8B/60 | 28.00 | UNIT |  |  |  |
| 4126 | TRANSFORMER           | AL 21321     |          | 8B/61 | 2.00  | UNIT |  |  |  |
| 816  | COIL                  | AT 31756/2   |          | 8B/62 | 1.00  | UNIT |  |  |  |
| 3314 | RESISTOR 100 OHM 5%   | PM 00024     |          | 8B/63 | 5.00  | UNIT |  |  |  |
| 308  | CAPACITOR 15PF OPS    | 350V PP99209 | PP99210  | 8B/64 | 3.00  | UNIT |  |  |  |
| 817  | COIL                  | AT 31757/8   |          | 8B/65 | 2.00  | UNIT |  |  |  |
| 636  | CAPACITOR POLY 100N   | C280AEP100K  | PQ32000  | 8B/66 | 6.00  | UNIT |  |  |  |
| 173  | CAP ELCT 80MF C428/AR | /F80 25V     |          | 8B/67 | 2.00  | UNIT |  |  |  |
| 507  | CAPACITOR DISC 0.001  | 20% 6KV      |          | 8B/68 | 1.00  | UNIT |  |  |  |
| 176  | CAP INF 20+80%PN99610 | DISC 10 NF   | PN99612  | 8B/69 | 4.00  | UNIT |  |  |  |
| 779  | CHOKE SWINGING        | AL 51415     |          | 8B/7  | 2.00  | UNIT |  |  |  |
| 657  | CAPACITOR SM 3000PF20 | % PP18506    |          | 8B/70 | 3.00  | UNIT |  |  |  |
| 3275 | RESISTOR 1.5 & 1.8 5% | KOHM PM00052 | /54      | 8B/71 | 10.00 | UNIT |  |  |  |
| 2830 | PLAG 23 WAY           | FP 00978     |          | 8B/72 | 1.00  | UNIT |  |  |  |
| 428  | CAPACITOR 8.2PF 2.5%  | 750/38 PN    | 07059    | 8B/73 | 2.00  | UNIT |  |  |  |
| 335  | CAPACITOR 22 PF 2%    | PN11052      |          | 8B/75 | 1.00  | UNIT |  |  |  |
| 291  | CAPACITOR 15 PF 2.5%  | 750/38       | PN10027  | 8B/76 | 1.00  | UNIT |  |  |  |
| 3247 | RESISTOR 0.21 OHM+5%  | PL40107      |          | 8B/77 | 5.00  | UNIT |  |  |  |
| 3430 | RESISTOR 270 0,05W10% | PM00518      |          | 8B/78 | 5.00  | UNIT |  |  |  |
| 287  | CAPACITOR 140 MF 450V |              |          | 8B/79 | 2.00  | UNIT |  |  |  |
| 1279 | DIODE BZW 70          | FVO 5720     |          | 8B/80 | 1.00  | UNIT |  |  |  |
| 4702 | TRANSISTOR BSX 20     | FVO 5822     |          | 8B/82 | 2.00  | UNIT |  |  |  |
| 3687 | RESISTOR VARIABLE 330 | OHM LIN      | PL09026  | 8B/83 | 1.00  | UNIT |  |  |  |
| 2973 | POTENTIOMETER 2.5/10/ | 50 KOHM PL09 | 025/31/2 | 8B/84 | 3.00  | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |        |       |      |  |  |  |
|------|-----------------------|--------------|----------|--------|-------|------|--|--|--|
| 3689 | RESISTOR VARIABLE 5.6 | K LIN PL     | 09637/0  | 8B/85  | 1.00  | UNIT |  |  |  |
| 3337 | RESISTOR 120 OHM 10%  |              |          | 8B/86  | 5.00  | UNIT |  |  |  |
| 3566 | RESISTOR 68 OHM 10%   | BTA PM00511  |          | 8B/87  | 5.00  | UNIT |  |  |  |
| 3476 | RESISTOR 390 OHM 5%   | BTT PE39122  | PM00038  | 8B/88  | 10.00 | UNIT |  |  |  |
| 3297 | RESISTOR 10 OHM 5%&10 | %BTA PM00501 | PM00001  | 8B/89  | 23.00 | UNIT |  |  |  |
| 288  | CAPACITOR 140MF 450V  | ELECTORLYTIC | PS 38800 | 8B/9   | 6.00  | UNIT |  |  |  |
| 3410 | RESISTOR 22&27 KOHM 5 | %PE27324     | PM01452  | 8B/90  | 9.00  | UNIT |  |  |  |
| 3477 | RESISTOR 390 OHM 5%   | PM00038      |          | 8B/91  | 5.00  | UNIT |  |  |  |
| 3499 | RESISTOR 47 KOHM 5%   | PM01444      | PL22704  | 8B/92  | 10.00 | UNIT |  |  |  |
| 3492 | RESISTOR 47 OHM 5%    | PM01420      | PM01220  | 8B/93  | 9.00  | UNIT |  |  |  |
| 3588 | RESISTOR 820 OHM 10%  | PM00524      |          | 8B/94  | 5.00  | UNIT |  |  |  |
| 3541 | RESISTOR 560 OHM 5%   |              |          | 8B/95  | 2.00  | UNIT |  |  |  |
| 3246 | RESISTOR 0.150 OHM 5% | PL40103      |          | 8B/96  | 35.00 | UNIT |  |  |  |
| 3270 | RESISTOR 1&5&10 KOHM5 | %PM00048/448 | PE50223  | 8B/97  | 15.00 | UNIT |  |  |  |
| 3334 | RESISTOR 12&15 KOHM 5 | %PM00074/76  |          | 8B/98  | 10.00 | UNIT |  |  |  |
| 3532 | RESISTOR 56 KOHM 5%   | PM00018      |          | 8B/99  | 5.00  | UNIT |  |  |  |
| 180  | CAP VAR 46.2PF C804/  | 182 PV09356  |          | 8C/10  | 2.00  | UNIT |  |  |  |
| 1082 | CRYSTAL 4637 KHz      |              |          | 8C/154 | 1.00  | UNIT |  |  |  |
| 1108 | CRYSTAL 7131 KHz      |              |          | 8C/155 | 1.00  | UNIT |  |  |  |
| 1113 | CRYSTAL 9428 KHz      |              |          | 8C/156 | 1.00  | UNIT |  |  |  |
| 3820 | SOCKET ASSY COMPLETE  | AT 13256     |          | 8C/158 | 2.00  | UNIT |  |  |  |
| 4221 | TRANSISTOR            | SD 1407      |          | 8C/159 | 3.00  | UNIT |  |  |  |
| 4222 | TRANSISTOR            | 2N 5913      |          | 8C/160 | 3.00  | UNIT |  |  |  |
| 4229 | TRANSISTOR BAM 20     |              |          | 8C/161 | 3.00  | UNIT |  |  |  |

## INDEXB

|      |                       |              |         |         |      |      |  |  |  |
|------|-----------------------|--------------|---------|---------|------|------|--|--|--|
| 4223 | TRANSISTOR            | SD 1219      |         | 8C/162  | 3.00 | UNIT |  |  |  |
| 4224 | TRANSISTOR            | 2N 3055      |         | 8C/163  | 6.00 | UNIT |  |  |  |
| 2229 | IC LM 340-12          |              |         | 8C/166  | 1.00 | UNIT |  |  |  |
| 2234 | IC LM 380 N           |              |         | 8C/167  | 1.00 | UNIT |  |  |  |
| 2227 | IC LM 317 T           |              |         | 8C/168  | 1.00 | UNIT |  |  |  |
| 3087 | RECEIVER TYPE 1901    | WITH ACCESSO | RY KITS | 8C/171  | 2.00 | UNIT |  |  |  |
| 3118 | REFLECTOR INFRA RED   | ZE 221012-01 |         | 8C/176A | 6.00 | UNIT |  |  |  |
| 2567 | KEY SWITCH 2PL        | 51.296.026   |         | 8C/177  | 4.00 | UNIT |  |  |  |
| 177  | CAP M0TOR             | MB 950044    |         | 8C/177A | 4.00 | UNIT |  |  |  |
| 1975 | GENERATOR HI-RAY 1AL/ | COLL95571236 |         | 8C/179C | 1.00 | UNIT |  |  |  |
| 50   | BACKPLANE PCB ASSY    | 08.3193-01   |         | 8C/200A | 1    | UNIT |  |  |  |
| 2735 | NEUTRALISING ROD ASSY | AT 11311     |         | 8C/5    | 1.00 | UNIT |  |  |  |
| 777  | CHOKE SMOOTHING       | AL 51416     |         | 8C/6    | 1.00 | UNIT |  |  |  |
| 1032 | COVER BACK            | AT 13164     |         | 8C/77A  | 2.00 | UNIT |  |  |  |
| 1034 | COVER FRONT           | AT 13165-04  |         | 8C/77B  | 2.00 | UNIT |  |  |  |
| 703  | CAPACITOR VARISTOR    | 100PF C11AO  | .030    | 8C/8    | 2.00 | UNIT |  |  |  |
| 179  | CAP SM 3000PF20%CM31V | PP 18506     |         | 8C/9    | 2.00 | UNIT |  |  |  |
| 877  | COIL DISCRIMINATOR    | B11506       | ALO3156 | 8D/1    | 1.00 | UNIT |  |  |  |
| 2612 | LAMP 14V OAO9         | FL17850      |         | 8D/10   | 0.00 | UNIT |  |  |  |
| 4160 | TRANSFORMER B12012    | AL 21432     | AC200PV | 8D/100  | 4.00 | UNIT |  |  |  |
| 3067 | PUSH BUTTON ASSY      | AT 28507     | AC200PV | 8D/101  | 1.00 | UNIT |  |  |  |
| 3122 | REGULATOR ASSY        | AT 28508     | AC200PV | 8D/102  | 1.00 | UNIT |  |  |  |
| 1182 | DIGITAL XTAL CLOCK    | ASSY AT28509 | AC200PV | 8D/103  | 1.00 | UNIT |  |  |  |
| 1081 | CRYSTAL 4.194304 MHz  | FC 03186     | AC200PV | 8D/104  | 1.00 | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |        |       |      |  |  |  |
|------|-----------------------|--------------|----------|--------|-------|------|--|--|--|
| 1949 | FUSE HOLDER           | FH 02756     | AC200PV  | 8D/107 | 1.00  | UNIT |  |  |  |
| 3130 | RELAY                 | FR 03997     | AC200PV  | 8D/108 | 1.00  | UNIT |  |  |  |
| 3976 | SWITCH PUSH BUTTON 2  | POLE FS56271 | AC200PV  | 8D/109 | 1.00  | UNIT |  |  |  |
| 3148 | RELAY 2C/0 9V         | FR21703      |          | 8D/11  | 3.00  | UNIT |  |  |  |
| 3963 | SWITCH MINI TOGGLE    | FS 55610     | AC200PV  | 8D/110 | 1.00  | UNIT |  |  |  |
| 1181 | DIGITAL DISPLAY 4     | DIGIT        | FU04176  | 8D/111 | 1.00  | UNIT |  |  |  |
| 2507 | IC VOLTAGE REGULATOR  | FU 99108     | AC200PV  | 8D/113 | 7.00  | UNIT |  |  |  |
| 1274 | DIODE BYX 49-300      | FV 05550     | AC200PV  | 8D/114 | 1.00  | UNIT |  |  |  |
| 1646 | DIODE ZENER 5.6V      | FV 05812     | AC200PV  | 8D/116 | 1.00  | UNIT |  |  |  |
| 2652 | LED RED               | FV 05880     | AC200PV  | 8D/117 | 1.00  | UNIT |  |  |  |
| 1489 | DIODE L.E YELLOW,LED  | GREEN FV     | 05881,2  | 8D/118 | 1.00  | UNIT |  |  |  |
| 1635 | DIODE ZENER 12 V      | FV 05884     | AC200PV  | 8D/119 | 1.00  | UNIT |  |  |  |
| 3972 | SWITCH PUSH BUTTON    | FS07191      |          | 8D/12  | 0.00  | UNIT |  |  |  |
| 3245 | RESISTOR 0.1 OHM + 5% | PL 40113     | AC200PV  | 8D/120 | 1.00  | UNIT |  |  |  |
| 3455 | RESISTOR 32 OHM + 5%  | PM 01118     | AC200PV  | 8D/121 | 1.00  | UNIT |  |  |  |
| 3356 | RESISTOR 150 OHM 5%   | W.W 21W      | PM 01126 | 8D/122 | 1.00  | UNIT |  |  |  |
| 522  | CAPACITOR ELEC 15000  | MF 25V       | AC200PV  | 8D/123 | 1.00  | UNIT |  |  |  |
| 3055 | PRESSEL               | BT 37248     | AC200PV  | 8D/126 | 1.00  | UNIT |  |  |  |
| 2867 | PLUG 5 WAY            | 8-6973       | AC200PV  | 8D/127 | 1.00  | UNIT |  |  |  |
| 5    | ACTUATOR ASSY         | AT 13471     | AC200PV  | 8D/128 | 1     | UNIT |  |  |  |
| 3808 | SOCKET 5WAY 3PIN      | MATE NLOCK   | FS47512  | 8D/13  | 13.00 | UNIT |  |  |  |
| 3850 | SOCKET TINPLATED      | 163242-2     | FT10538  | 8D/14  | 0.00  | UNIT |  |  |  |
| 2564 | JACK SOCKET BNC       | FS43868      |          | 8D/15  | 0.00  | UNIT |  |  |  |
| 743  | CHOKE 10VH            | 58/10/0011/1 | FTO5708  | 8D/16  | 2.00  | UNIT |  |  |  |

## INDEXB

|      |                       |             |          |        |      |      |  |  |  |
|------|-----------------------|-------------|----------|--------|------|------|--|--|--|
| 2006 | HOUSING 2WAY 1480319  | FT10536     | FT10535  | 8D/17  | 0.00 | UNIT |  |  |  |
| 770  | CHOKE COMP 470VH      | FT99007     |          | 8D/18  | 1.00 | UNIT |  |  |  |
| 2512 | IFAMP+DISCR [MC3357]  | FV07680     |          | 8D/19  | 5.00 | UNIT |  |  |  |
| 832  | COIL ASSY             | AT32122/1   |          | 8D/2   | 2.00 | UNIT |  |  |  |
| 4233 | TRANSISTOR 2314       | FU 41807    |          | 8D/20A | 1.00 | UNIT |  |  |  |
| 2009 | I/C 741 FU 99073      |             |          | 8D/21  | 0.00 | UNIT |  |  |  |
| 4395 | TRANSISTOR 2N 5447    | FV 5788     |          | 8D/22  | 0.00 | UNIT |  |  |  |
| 4833 | TRANSISTOR PBC 108    | FV 05800    |          | 8D/23  | 0.00 | UNIT |  |  |  |
| 4836 | TRANSISTOR PBC 108B   | FV 5802     |          | 8D/24  | 0.00 | UNIT |  |  |  |
| 1387 | DIODE IN 4148         | FV 5808     |          | 8D/25  | 4.00 | UNIT |  |  |  |
| 4635 | TRANSISTOR BF 244B    | FV 5827     |          | 8D/26  | 0.00 | UNIT |  |  |  |
| 4396 | TRANSISTOR 2N 5447    | FVO 5828    | 2TX 3702 | 8D/27  | 0.00 | UNIT |  |  |  |
| 4740 | TRANSISTOR COMPT      | ZTX 327     | FV 05830 | 8D/28  | 0.00 | UNIT |  |  |  |
| 2656 | LED TIL 209           | FV 05858    |          | 8D/29  | 2.00 | UNIT |  |  |  |
| 757  | CHOKE ASSY            | AT31975/1   |          | 8D/3   | 2.00 | UNIT |  |  |  |
| 4890 | TRANSISTOR SMALL SIG  | GP NPN MMPS | FV05893  | 8D/30  | 0.00 | UNIT |  |  |  |
| 1748 | DIODE ZF 8.2          | FV08030     |          | 8D/31  | 3.00 | UNIT |  |  |  |
| 4916 | TRANSISTOR TIS 88A    | FV08241     |          | 8D/32  | 0.00 | UNIT |  |  |  |
| 4798 | TRANSISTOR MPS-A13    | FV08935     |          | 8D/33  | 6.00 | UNIT |  |  |  |
| 4904 | TRANSISTOR TIP 32     | W/INSURLS   | FV08940  | 8D/34  | 0.00 | UNIT |  |  |  |
| 1494 | DIODE MR 751          | FV08961     |          | 8D/35  | 7.00 | UNIT |  |  |  |
| 4776 | TRANSISTOR J309       | FV40828     |          | 8D/36  | 1.00 | UNIT |  |  |  |
| 4939 | TRANSISTOR WN 1003    | FV40829     |          | 8D/37  | 0.00 | UNIT |  |  |  |
| 3040 | POTENTIOMETER PL03323 | PL06730     | 100 OHM  | 8D/38  | 2.00 | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |       |       |      |  |  |  |
|------|-----------------------|--------------|----------|-------|-------|------|--|--|--|
| 3041 | POTENTIOMETER PL03370 | PL03647 10   | 4.7K OHM | 8D/39 | 4.00  | UNIT |  |  |  |
| 2592 | KNOB ON/OFF           | BT37460      |          | 8D/4  | 0.00  | UNIT |  |  |  |
| 2929 | POT 5K OHM LOG C/W    | KNOB PL09217 |          | 8D/40 | 0.00  | UNIT |  |  |  |
| 2010 | I/C AUDIO AMP PT      | FU 08027 TDA | Z002     | 8D/41 | 0.00  | UNIT |  |  |  |
| 1002 | CONTACT SKT FT 10683  |              |          | 8D/42 | 26.00 | UNIT |  |  |  |
| 1835 | FERROX CUBE           | FC02103      |          | 8D/5  | 10.00 | UNIT |  |  |  |
| 456  | CAPACITOR CER PLATE   | 10,33,47PF2% | 99765/67 | 8D/51 | 7.00  | UNIT |  |  |  |
| 457  | CAPACITOR CER PLATE   | 56,82,120PF  | 99768/70 | 8D/52 | 7.00  | UNIT |  |  |  |
| 321  | CAPACITOR 2.2,10 NF   | 99617/21/823 |          | 8D/53 | 5.00  | UNIT |  |  |  |
| 676  | CAPACITOR TONT 0.1 UF | 25 V PS99201 |          | 8D/54 | 1.00  | UNIT |  |  |  |
| 235  | CAPACITOR 1/10 UF     | 35/25 V ELEC | PS99502  | 8D/55 | 3.00  | UNIT |  |  |  |
| 315  | CAPACITOR 2.2 /6.8 UF | TANT COMPT   | PS99503  | 8D/56 | 7.00  | UNIT |  |  |  |
| 662  | CAPACITOR TANT 100 UF | 3V PS99510   |          | 8D/57 | 1.00  | UNIT |  |  |  |
| 371  | CAPACITOR 33UF 16V    | ELECT        | PS99807  | 8D/58 | 0.00  | UNIT |  |  |  |
| 556  | CAPACITOR ELECT 470UF | 25/16 V      | PS99809  | 8D/59 | 0.00  | UNIT |  |  |  |
| 1018 | CORE FC0289/1FC36120/ | FC99105/1    | FC36163/ | 8D/6  | 35.00 | UNIT |  |  |  |
| 433  | CAPACITOR AL ELECT    | 2.2 UF 63V   | PS99821  | 8D/60 | 0.00  | UNIT |  |  |  |
| 691  | CAPACITOR VAR 30-140, | 60-180,10-18 | 7-35PF   | 8D/61 | 6.00  | UNIT |  |  |  |
| 601  | CAPACITOR FOTHR       | 1000PF       | PN99200  | 8D/62 | 1.00  | UNIT |  |  |  |
| 4104 | TOOL EXTRACTOR294/296 | BT 29007     |          | 8D/63 | 2.00  | UNIT |  |  |  |
| 2914 | PLUG STRAIGHT BNC     | FF 99100     |          | 8D/65 | 2.00  | UNIT |  |  |  |
| 833  | COIL ASSY             | AT 31185,6,7 | ,8       | 8D/67 | 8.00  | UNIT |  |  |  |
| 850  | COIL ASSY AT 31233/4  | AT 32052/2/3 | /4-32060 | 8D/68 | 9.00  | UNIT |  |  |  |
| 852  | COIL ASSY AT 32078/3/ | 4/5-32700/1/ | 9/10     | 8D/69 | 17.00 | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |        |      |      |  |  |  |
|------|-----------------------|--------------|----------|--------|------|------|--|--|--|
| 1927 | FUSE 8A               | FF99020      |          | 8D/7   | 0.00 | UNIT |  |  |  |
| 1120 | CRYSTAL FILTER        | FC 99004     |          | 8D/70  | 1.00 | UNIT |  |  |  |
| 1863 | FILTER CER 455KHz NOM | /25K FC99020 |          | 8D/71  | 3.00 | UNIT |  |  |  |
| 768  | CHOKE COMP 15&22 UH   | FT 99004     | FT99011  | 8D/72  | 2.00 | UNIT |  |  |  |
| 1380 | DIODE IN 4001 M294    | AC 200 PV    | FVO5840  | 8D/73  | 3.00 | UNIT |  |  |  |
| 3449 | RESISTOR 30 MILLIOHMS | PL 41528     |          | 8D/76  | 3.00 | UNIT |  |  |  |
| 510  | CAPACITOR DISC 12PF=2 | % PN 99569   |          | 8D/77  | 1.00 | UNIT |  |  |  |
| 234  | CAPACITOR 1,1.8,2.2PF | OP25 63V PN  | 99750/1  | 8D/78  | 5.00 | UNIT |  |  |  |
| 426  | CAPACITOR 8.2,12,15PF | OP25 63V PN  | 99760/1  | 8D/79  | 6.00 | UNIT |  |  |  |
| 1951 | FUSE HOLDER FH02839   | FH99101      | FH99100  | 8D/8   | 5.00 | UNIT |  |  |  |
| 260  | CAPACITOR 100,150,270 | PF2%63V PN   | 99771/3/ | 8D/80  | 3.00 | UNIT |  |  |  |
| 2589 | KNOB CHANNEL          | BT 37459     |          | 8D/81  | 0.00 | UNIT |  |  |  |
| 3933 | SWITCH CHANNEL        | FS07199      |          | 8D/82  | 0.00 | UNIT |  |  |  |
| 1802 | ELECTRECT INSERT ASSY | AT13420 M294 | AC200PV  | 8D/84  | 0.00 | UNIT |  |  |  |
| 3910 | SWITCH                | FS 07193     |          | 8D/85  | 1.00 | UNIT |  |  |  |
| 889  | COIL LEAD ASSY GRIMP  | Px2 AT11405/ | 1        | 8D/86  | 1.00 | UNIT |  |  |  |
| 3911 | SWITCH                | AT 13157     |          | 8D/87  | 1.00 | UNIT |  |  |  |
| 2619 | LAMP HOLDER           | FL17849      |          | 8D/9   | 1.00 | UNIT |  |  |  |
| 4127 | TRANSFORMER           | AL 21219     |          | 8D/99A | 1.00 | UNIT |  |  |  |
| 849  | COIL ASSY AL 03335/1  | AL 3335/2    |          | 8E/1   | 2.00 | UNIT |  |  |  |
| 2    | 27 WAY SIGLE HOUSING  | FC 00820/27  |          | 8E/10  | 1    | UNIT |  |  |  |
| 2928 | POT 10K 0HMS          | PLO3647      |          | 8E/100 | 1.00 | UNIT |  |  |  |
| 323  | CAPACITOR 2.2PF-25PF  | 5.6PF-5PF    | PNOI049  | 8E/101 | 2.00 | UNIT |  |  |  |
| 494  | CAPACITOR CERM TUBE   | PF-0P1       | PN99533  | 8E/102 | 1.00 | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |        |      |      |  |  |  |
|------|-----------------------|--------------|----------|--------|------|------|--|--|--|
| 458  | CAPACITOR CER PLATE   | 5PB=0P25     | PN99756  | 8E/103 | 1.00 | UNIT |  |  |  |
| 459  | CAPACITOR CER PLATE   | 10/12PF      | PN99759  | 8E/104 | 2.00 | UNIT |  |  |  |
| 460  | CAPACITOR CER PLATE   | 47/68PF      | PN99767  | 8E/105 | 3.00 | UNIT |  |  |  |
| 461  | CAPACITOR CER PLATE   | 180PF 63V    | PN99774  | 8E/106 | 1.00 | UNIT |  |  |  |
| 427  | CAPACITOR 8.2PF       | PF99779      |          | 8E/107 | 1.00 | UNIT |  |  |  |
| 472  | CAPACITOR CER PLATED  | 33PF 2% 63V  | PN99799  | 8E/108 | 1.00 | UNIT |  |  |  |
| 1121 | CRYSTAL FILTER        | FC99002      |          | 8E/109 | 1.00 | UNIT |  |  |  |
| 1831 | FEROX CUBE            | FC 02103     |          | 8E/11  | 1.00 | UNIT |  |  |  |
| 3866 | SPAERKER 35HE/4       | FS11525      |          | 8E/111 | 0.00 | UNIT |  |  |  |
| 3315 | RESISTOR 100 OHM 5%   | CR25 PM01424 |          | 8E/112 | 1.00 | UNIT |  |  |  |
| 3757 | SCREW CORE FC 36120   | FC 36130     | FC 36150 | 8E/12  | 3.00 | UNIT |  |  |  |
| 2662 | LENS CLEAR            | FL 13800     |          | 8E/13  | 1.00 | UNIT |  |  |  |
| 2624 | LAMP HOLDER FL 13801  | FL 13803     | FL 13802 | 8E/14  | 3.00 | UNIT |  |  |  |
| 3814 | SOCKET 7/12/19 WAY    |              |          | 8E/16  | 3.00 | UNIT |  |  |  |
| 2854 | PLUG 19 WAY           | FP 10845     |          | 8E/17  | 1.00 | UNIT |  |  |  |
| 2841 | PLUG FP 17878         |              |          | 8E/18  | 1.00 | UNIT |  |  |  |
| 3183 | RELAY FP 20205        |              |          | 8E/19  | 1.00 | UNIT |  |  |  |
| 2581 | KNOB ASSY AT 25819    | AT 25820     | AT 25821 | 8E/2   | 4.00 | UNIT |  |  |  |
| 3934 | SWITCH CHANNEL/ HIGH  | POWER/LOW,   | RESET    | 8E/20  | 3.00 | UNIT |  |  |  |
| 3969 | SWITCH ON/OFF/LIGHT   | FS 07150/51  |          | 8E/21  | 2.00 | UNIT |  |  |  |
| 128  | BULKHEAD JACK GE35830 | C59 FS43861  |          | 8E/22  | 1    | UNIT |  |  |  |
| 755  | CHOKE 68 UH           | FT 05725     |          | 8E/23  | 1.00 | UNIT |  |  |  |
| 2008 | HOUSING TWO WAY 48031 | 9/480318     | FT10535/ | 8E/24  | 4.00 | UNIT |  |  |  |
| 766  | CHOKE COMP 100/470 UH | FT 99006/7   |          | 8E/25  | 2.00 | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |        |       |      |  |  |  |
|------|-----------------------|--------------|----------|--------|-------|------|--|--|--|
| 767  | CHOKE COMP 1000 UH    | FT 99008     |          | 8E/26  | 1.00  | UNIT |  |  |  |
| 3849 | SOCKET TIN PLATED     | 16342-2 FT   | 10537,8  | 8E/27  | 4.00  | UNIT |  |  |  |
| 4069 | THICK FILM HYBRID     | FV 00532     |          | 8E/28  | 2.00  | UNIT |  |  |  |
| 4068 | THICK FILM CIRCUIT    | FV 00537     |          | 8E/29  | 2.00  | UNIT |  |  |  |
| 3069 | PWB OSC MOTHER ASSY   | AT 27636/4   |          | 8E/3   | 1.00  | UNIT |  |  |  |
| 2430 | IC TBA 750            | FV 07565     |          | 8E/30  | 1.00  | UNIT |  |  |  |
| 2432 | IC TBA 810            | FV 99091     |          | 8E/31  | 0.00  | UNIT |  |  |  |
| 1388 | DIODE IN 4148         | FV 05808     |          | 8E/34  | 0.00  | UNIT |  |  |  |
| 3891 | STARLOCK WASHER 5 MM  | QA 14903     |          | 8E/34A | 10.00 | UNIT |  |  |  |
| 1332 | DIODE GERMERNIUM      | FV 05818     |          | 8E/38  | 2.00  | UNIT |  |  |  |
| 2746 | OPTION INTERCON       | AT 27764     |          | 8E/4   | 1.00  | UNIT |  |  |  |
| 4902 | TRANSISTOR TIP 31     | FV 08232     |          | 8E/45  | 5.00  | UNIT |  |  |  |
| 3068 | PWB 12.5V REST+10V\   | REG AT       | 27883/1  | 8E/5   | 0.00  | UNIT |  |  |  |
| 4073 | THYRISTOR 2N5060      | FV 08909     |          | 8E/50  | 2.00  | UNIT |  |  |  |
| 2949 | POTENTIOMETER 1,1.7K  | PL 03370     | PL03624  | 8E/52  | 2.00  | UNIT |  |  |  |
| 4056 | THERMISTOR 100 OHM    | PL 23128     |          | 8E/54  | 1.00  | UNIT |  |  |  |
| 3609 | RESISTOR COMPT 820    | OHM 2%       | PL99153  | 8E/55  | 1.00  | UNIT |  |  |  |
| 3474 | RESISTOR 39,100 OHM2% | PL 99173,8   |          | 8E/56  | 2.00  | UNIT |  |  |  |
| 3444 | RESISTOR 3.9,5.6 OHM% | 2% PL99161,3 |          | 8E/57  | 2.00  | UNIT |  |  |  |
| 517  | CAPACITOR DISC,CER 20 | %+80,100%40V | PN50338  | 8E/58  | 1.00  | UNIT |  |  |  |
| 518  | CAPACITOR DISC,CER100 | +80%100V     | PN62335  | 8E/59  | 0.00  | UNIT |  |  |  |
| 477  | CAPACITOR CER,PLATE   | 1.8,2.2PF63V | PN99750, | 8E/60  | 3.00  | UNIT |  |  |  |
| 478  | CAPACITOR CER1.PLATE  | 15,18PF2%63V | PN99761, | 8E/61  | 2.00  | UNIT |  |  |  |
| 429  | CAPACITOR 8.2PF+OP25  | PN99758      |          | 8E/62  | 1.00  | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |       |      |      |  |  |  |
|------|-----------------------|--------------|----------|-------|------|------|--|--|--|
| 351  | CAPACITOR 27+2%       | PN99763/4/5  |          | 8E/63 | 7.00 | UNIT |  |  |  |
| 216  | CAPACITOR 0.1VF35V/   | O.47VF35V    | PS99501/ | 8E/69 | 1.00 | UNIT |  |  |  |
| 758  | CHOKE ASSY AT 31681/3 |              |          | 8E/7  | 1.00 | UNIT |  |  |  |
| 533  | CAPACITOR ELEC IVF35V |              | PS99522/ | 8E/70 | 1.00 | UNIT |  |  |  |
| 666  | CAPACITOR TANT 2.2VF  | 35V COMPT    | PS99503  | 8E/71 | 1.00 | UNIT |  |  |  |
| 534  | CAPACITOR ELECT       | 4.7VF25V     | PS99504  | 8E/72 | 1.00 | UNIT |  |  |  |
| 546  | CAPACITOR ELECT 15VF/ | 22VF/33VF/10 | PS99506/ | 8E/73 | 1.00 | UNIT |  |  |  |
| 659  | CAPACITOR TANT        | 100VF 3V     | PS99510  | 8E/74 | 1.00 | UNIT |  |  |  |
| 295  | CAPACITOR 150 MF16V   | PS99525      |          | 8E/75 | 1.00 | UNIT |  |  |  |
| 301  | CAPACITOR 1500 MF16V  | PS 99527     |          | 8E/76 | 0.00 | UNIT |  |  |  |
| 700  | CAPACITOR VARIABLE 2- | 18,16PF PV07 | 264,5959 | 8E/77 | 2.00 | UNIT |  |  |  |
| 871  | COIL AT 31874/1       | AT 32418/1   |          | 8E/8  | 2.00 | UNIT |  |  |  |
| 868  | COIL AT 31249/3/5/6/9 | /10          |          | 8E/84 | 5.00 | UNIT |  |  |  |
| 872  | COIL AT 31874/1,32402 | /1/2         |          | 8E/85 | 4.00 | UNIT |  |  |  |
| 846  | COIL ASSY 32403/5/6/9 |              |          | 8E/86 | 3.00 | UNIT |  |  |  |
| 847  | COIL ASSY 32407/5     | 408/6,7      | 32410/4  | 8E/87 | 5.00 | UNIT |  |  |  |
| 3168 | RELAY A/E C/O FR03971 |              |          | 8E/88 | 1.00 | UNIT |  |  |  |
| 765  | CHOKE COMP 1.5,4.7,   | 3.3UH FT9900 | 2/3/010  | 8E/89 | 3.00 | UNIT |  |  |  |
| 2924 | POLORING PLUG         | FC 00798     |          | 8E/9  | 1.00 | UNIT |  |  |  |
| 29   | AMP MOD+BE/OX         | MS537BGY     | FVO7518  | 8E/90 | 1    | UNIT |  |  |  |
| 4459 | TRANSISTOR 2N5448     | FVO5829      |          | 8E/91 | 0.00 | UNIT |  |  |  |
| 4741 | TRANSISTOR COMPT      | 2TX327       | FVO5830  | 8E/92 | 1.00 | UNIT |  |  |  |
| 4738 | TRANSISTOR COMP       | 2N4427       | FV05846  | 8E/93 | 0.00 | UNIT |  |  |  |
| 4475 | TRANSISTOR 2TX312     | FVO7476      |          | 8E/95 | 2.00 | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |        |      |      |  |  |  |
|------|-----------------------|--------------|----------|--------|------|------|--|--|--|
| 1503 | DIODE MV840           | FV07742      |          | 8E/96  | 1.00 | UNIT |  |  |  |
| 4886 | TRANSISTOR SILICONIX  | E310         | FV40804  | 8E/99  | 1.00 | UNIT |  |  |  |
| 1861 | FILTER ASSY AT29908/A | B FREQ RANGE | 132-174M | 8F/10  | 1.00 | UNIT |  |  |  |
| 687  | CAPACITOR VAR 2-12PF  | PV08062      |          | 8F/100 | 1.00 | UNIT |  |  |  |
| 2723 | MOUNTING CLIP+RING FR | LED QA99006  |          | 8F/101 | 2.00 | UNIT |  |  |  |
| 2722 | MOUNTING BUSH FOR     | FV05930      | QA99007  | 8F/102 | 2.00 | UNIT |  |  |  |
| 1817 | EXCITER ASSY PWB TX   | AT27946/1    |          | 8F/103 | 1.00 | UNIT |  |  |  |
| 1864 | FILTER COMPLETE       | AT13332/7    |          | 8F/104 | 1.00 | UNIT |  |  |  |
| 1773 | DRIVER ASSY PWB PA    | AT27988/1    |          | 8F/105 | 1.00 | UNIT |  |  |  |
| 821  | COIL AT31174          |              |          | 8F/106 | 1.00 | UNIT |  |  |  |
| 761  | CHOKE AT31680/1       |              |          | 8F/107 | 1.00 | UNIT |  |  |  |
| 864  | COIL ASSY AT32402/1/2 | AT32407/5    | 32410/4  | 8F/108 | 4.00 | UNIT |  |  |  |
| 866  | COIL ASSY AT32432/1   |              |          | 8F/109 | 1.00 | UNIT |  |  |  |
| 771  | CHOKE COMPT 1.5MH     | FT99002      |          | 8F/110 | 1.00 | UNIT |  |  |  |
| 4333 | TRANSISTOR 2N 3866    | FV05810      |          | 8F/111 | 0.00 | UNIT |  |  |  |
| 4739 | TRANSISTOR COMP2N4427 | FV05846      |          | 8F/112 | 1.00 | UNIT |  |  |  |
| 4584 | TRANSISTOR BC107      | FV05160      |          | 8F/113 | 1.00 | UNIT |  |  |  |
| 4789 | TRANSISTOR MJE 371C/W | FITG KIT     | FV08931  | 8F/114 | 1.00 | UNIT |  |  |  |
| 4735 | TRANSISTOR CO2315CONT | BE OX        | FV33806  | 8F/115 | 1.00 | UNIT |  |  |  |
| 4736 | TRANSISTOR CO4917     | FV33814      |          | 8F/116 | 1.00 | UNIT |  |  |  |
| 3015 | POTENTIOMETER BOURNS  | VA05H4.7KOHM | PL01486  | 8F/117 | 1.00 | UNIT |  |  |  |
| 474  | CAPACITOR CER TIB 0.5 | PF 0.1P      | PN00008  | 8F/118 | 1.00 | UNIT |  |  |  |
| 451  | CAPACITOR CER DISC1.8 | PF0.25P PN   | 99560/1/ | 8F/119 | 4.00 | UNIT |  |  |  |
| 634  | CAPACITOR PLATE PL10/ | 12/15/22/7PF | PN99570/ | 8F/120 | 6.00 | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |        |       |      |  |  |  |
|------|-----------------------|--------------|----------|--------|-------|------|--|--|--|
| 632  | CAPACITOR PL33/39/47  | PF2%63V PN   | 99574/6/ | 8F/121 | 3.00  | UNIT |  |  |  |
| 471  | CAPACITOR CER PLATE68 | /82PF2% PN   | 99769/70 | 8F/122 | 2.00  | UNIT |  |  |  |
| 470  | CAPACITOR CER PLATE 2 | 180/330PF PN | 99774/77 | 8F/123 | 2.00  | UNIT |  |  |  |
| 685  | CAPACITOR VAR 10-18/  | 3.5-13PF75-  | PV01055  | 8F/124 | 2.00  | UNIT |  |  |  |
| 2820 | PICO FUSE 4AMP ANTISU | RGE FF03111/ | FF06802  | 8F/125 | 10.00 | UNIT |  |  |  |
| 2752 | OSCIL ASSY PWB SINGLE | OH AT27906/1 |          | 8F/126 | 1.00  | UNIT |  |  |  |
| 4451 | TRANSISTOR 2N4292     | FV09208      |          | 8F/127 | 1.00  | UNIT |  |  |  |
| 446  | CAPACITOR CER 22PF+2% | 63V PN99804  |          | 8F/128 | 1.00  | UNIT |  |  |  |
| 4128 | TRANSFORMER           | AL 21450     |          | 8F/129 | 1.00  | UNIT |  |  |  |
| 436  | CAPACITOR ASSY        | AT 13385     |          | 8F/130 | 1.00  | UNIT |  |  |  |
| 1950 | FUSE HOLDER           | FF02756/8    |          | 8F/132 | 1.00  | UNIT |  |  |  |
| 41   | APPLIANCE INLET PLC   | FF99010      |          | 8F/133 | 1     | UNIT |  |  |  |
| 3805 | SOCKET 3PIN P587BLGN  | FS 41516     |          | 8F/134 | 1.00  | UNIT |  |  |  |
| 3793 | SOCKET 14WAY DIL      | FS 99145     |          | 8F/135 | 1.00  | UNIT |  |  |  |
| 5080 | VOLTAGE REGULATOR PWB | ASSY AT27949 |          | 8F/136 | 1.00  | UNIT |  |  |  |
| 566  | CAPACITOR ELECT10 MF  | 16V PS99505  |          | 8F/137 | 1.00  | UNIT |  |  |  |
| 1932 | FUSE BOX FH02769      |              |          | 8F/2   | 1.00  | UNIT |  |  |  |
| 2855 | PLUG 23 WAY FP16823   |              |          | 8F/3   | 1.00  | UNIT |  |  |  |
| 2915 | PLUG STRAIGHT BNC     | FP99100      |          | 8F/4   | 1.00  | UNIT |  |  |  |
| 3813 | SOCKET 7/11 WAY       | FS46814      | FS46801  | 8F/5   | 2.00  | UNIT |  |  |  |
| 3070 | PWB PROTECTION CCT AS | SY AT27902/  | 11       | 8F/51  | 1.00  | UNIT |  |  |  |
| 3903 | STRIP LOCKING         | BT25249/3    |          | 8F/52  | 5.00  | UNIT |  |  |  |
| 3758 | SCREW CORE FC36120    | FC36150      |          | 8F/53  | 20.00 | UNIT |  |  |  |
| 2888 | PLUG FREE FP01122     |              |          | 8F/54  | 1.00  | UNIT |  |  |  |

## INDEXB

|      |                       |             |         |       |      |      |  |  |  |
|------|-----------------------|-------------|---------|-------|------|------|--|--|--|
| 2557 | JACK CONNECTOR        | FS42584/5   |         | 8F/55 | 2.00 | UNIT |  |  |  |
| 2560 | JACK PANEL            | FS43808     |         | 8F/56 | 1.00 | UNIT |  |  |  |
| 3807 | SOCKET 5&7 WAY MAB7,5 | FS44450/1   |         | 8F/57 | 2.00 | UNIT |  |  |  |
| 3801 | SOCKET 32 WAY DIL     | FS44460     |         | 8F/58 | 1.00 | UNIT |  |  |  |
| 3964 | SWITCH MINI TOGGLE    | 2 POLES XMU | FS55602 | 8F/59 | 2.00 | UNIT |  |  |  |
| 2887 | PLUG FP00136          |             |         | 8F/6  | 1.00 | UNIT |  |  |  |
| 4688 | TRANSISTOR BFY50      | FV05159     |         | 8F/60 | 1.00 | UNIT |  |  |  |
| 1298 | DIODE BZY 88 C30      | FV05419     |         | 8F/61 | 1.00 | UNIT |  |  |  |
| 4656 | TRANSISTOR BFR 41 T05 | FV05512     |         | 8F/62 | 1.00 | UNIT |  |  |  |
| 4683 | TRANSISTOR BFY 51     | FV05803     |         | 8F/66 | 1.00 | UNIT |  |  |  |
| 1460 | DIODE IN4148          | FV05808     |         | 8F/67 | 1.00 | UNIT |  |  |  |
| 1644 | DIODE ZENER 4V7       | FV05811     |         | 8F/68 | 1.00 | UNIT |  |  |  |
| 1655 | DIODE ZENER 6.8VAT5MA | FV05813     |         | 8F/69 | 1.00 | UNIT |  |  |  |
| 2885 | PLUG ELBOW R.H UHF    | FP99121     |         | 8F/7  | 1.00 | UNIT |  |  |  |
| 1657 | DIODE ZENER 9.1VAT5MA | FV05814     |         | 8F/70 | 1.00 | UNIT |  |  |  |
| 1632 | DIODE ZENER 10V AT5MA | FV05815     |         | 8F/71 | 0.00 | UNIT |  |  |  |
| 4446 | TRANSISTOR 2N4286     | FV05821     |         | 8F/72 | 1.00 | UNIT |  |  |  |
| 4457 | TRANSISTOR 2N5447     | FV05828     |         | 8F/73 | 1.00 | UNIT |  |  |  |
| 4742 | TRANSISTOR COMPT      | FV05830     |         | 8F/74 | 2.00 | UNIT |  |  |  |
| 1452 | DIODE IN4001          | FV05840     |         | 8F/75 | 2.00 | UNIT |  |  |  |
| 1309 | DIODE COMPT BAX 16    | FV05841     |         | 8F/76 | 1.00 | UNIT |  |  |  |
| 4675 | TRANSISTOR BFX 88     | FV05847     |         | 8F/77 | 1.00 | UNIT |  |  |  |
| 4225 | TRANSISTOR            | FV05874     |         | 8F/78 | 1.00 | UNIT |  |  |  |
| 2654 | LED RED/GREEN         | FV05880/2   |         | 8F/79 | 2.00 | UNIT |  |  |  |

## INDEXB

|      |                       |              |          |       |      |      |  |  |  |
|------|-----------------------|--------------|----------|-------|------|------|--|--|--|
| 2917 | PLUG UHF FREE ELBOW   | 500 OHM      | FP99120  | 8F/8  | 1.00 | UNIT |  |  |  |
| 4891 | TRANSISTOR SMALL SIG  | GP NPN       | FV05893  | 8F/80 | 4.00 | UNIT |  |  |  |
| 2655 | LED T1 YELLOW         | 5930         |          | 8F/81 | 1.00 | UNIT |  |  |  |
| 4943 | TRANSISTOR ZTX 310L   | FV07469      |          | 8F/82 | 1.00 | UNIT |  |  |  |
| 3014 | POTENTIOMETER BOURNS  | VA050H 10KOH | PL01478  | 8F/83 | 1.00 | UNIT |  |  |  |
| 1504 | DIODE MV840           | FV07742      |          | 8F/84 | 1.00 | UNIT |  |  |  |
| 2958 | POTENTIOMETER 100 OHM | 1W 10%       | PL07302  | 8F/85 | 1.00 | UNIT |  |  |  |
| 2951 | POTENTIOMETER 1/2.2KO | PL09606/0    | PL09609/ | 8F/86 | 2.00 | UNIT |  |  |  |
| 4063 | THERMISTOR E220ZZ/02  | PL23110      |          | 8F/87 | 1.00 | UNIT |  |  |  |
| 3042 | POTENTIOMETER STLN    | PRA SET 2K2  | PL99006  | 8F/88 | 1.00 | UNIT |  |  |  |
| 3291 | RESISTOR 1/4.7/8.2 KO | PL99154/62/5 |          | 8F/89 | 3.00 | UNIT |  |  |  |
| 10   | ADAPTOR GE 40008      | FA00031      |          | 8F/9  | 1    | UNIT |  |  |  |
| 3352 | RESISTOR 15/33/KOHM2% | PL99168/72   |          | 8F/90 | 2.00 | UNIT |  |  |  |
| 449  | CAPACITOR CER DISC    | 100N+80%100V | PN62335  | 8F/91 | 1.00 | UNIT |  |  |  |
| 630  | CAPACITOR PL10/15/47  | PF63V PN9956 | 8/70/76  | 8F/92 | 3.00 | UNIT |  |  |  |
| 462  | CAPACITOR CER PLATE   | 100PF 2% 63V | PN99792  | 8F/93 | 1.00 | UNIT |  |  |  |
| 305  | CAPACITOR 1500/3900PF | 2% 125V PQ15 | 514/1950 | 8F/94 | 2.00 | UNIT |  |  |  |
| 663  | CAPACITOR TANT 2.2 MF | 35V COMPT    | PS99503  | 8F/95 | 2.00 | UNIT |  |  |  |
| 550  | CAPACITOR ELECT 22MF  | 16V PS99507  |          | 8F/96 | 1.00 | UNIT |  |  |  |
| 660  | CAPACITOR TANT 33MF   | 10V PS99508  |          | 8F/97 | 1.00 | UNIT |  |  |  |
| 669  | CAPACITOR TANT/COMP   | 100MF 3/43V  | PS99510  | 8F/98 | 3.00 | UNIT |  |  |  |
| 558  | CAPACITOR ELECT 680MF | 40V PS99530  |          | 8F/99 | 0.00 | UNIT |  |  |  |
| 2239 | IC LM101AH            |              |          | 8G/1  | 5.00 | UNIT |  |  |  |
| 2277 | IC MC14001            |              |          | 8G/10 | 5.00 | UNIT |  |  |  |

## INDEXB

|      |                       |          |  |       |      |      |  |  |  |
|------|-----------------------|----------|--|-------|------|------|--|--|--|
| 2279 | IC MC14027            |          |  | 8G/11 | 0.00 | UNIT |  |  |  |
| 2284 | IC MC14556            |          |  | 8G/12 | 5.00 | UNIT |  |  |  |
| 2278 | IC MC14025            |          |  | 8G/13 | 4.00 | UNIT |  |  |  |
| 2177 | IC DG201BK            |          |  | 8G/14 | 5.00 | UNIT |  |  |  |
| 2282 | IC MC14520            |          |  | 8G/15 | 5.00 | UNIT |  |  |  |
| 2289 | IC MM74C32            |          |  | 8G/16 | 5.00 | UNIT |  |  |  |
| 2281 | IC MC14516            |          |  | 8G/17 | 5.00 | UNIT |  |  |  |
| 2280 | IC MC14049            |          |  | 8G/18 | 5.00 | UNIT |  |  |  |
| 2240 | IC LM555H             |          |  | 8G/19 | 5.00 | UNIT |  |  |  |
| 2222 | IC LM 139D            |          |  | 8G/2  | 5.00 | UNIT |  |  |  |
| 3125 | REGULATOR LAS1412     |          |  | 8G/20 | 5.00 | UNIT |  |  |  |
| 3126 | REGULATOR LAS1415     |          |  | 8G/21 | 5.00 | UNIT |  |  |  |
| 3127 | REGULATOR LAS1815     |          |  | 8G/22 | 5.00 | UNIT |  |  |  |
| 1152 | CRYSTAL QA19 1540 KHz |          |  | 8G/23 | 1.00 | UNIT |  |  |  |
| 2818 | PHOTO CELL PIN 10D    |          |  | 8G/24 | 1.00 | UNIT |  |  |  |
| 2631 | LAMP IODINE HI-24V    |          |  | 8G/25 | 3.00 | UNIT |  |  |  |
| 3175 | RELAY D31C5110        |          |  | 8G/26 | 1.00 | UNIT |  |  |  |
| 4726 | TRANSISTOR BUX40      | BUV21/61 |  | 8G/27 | 5.00 | UNIT |  |  |  |
| 4440 | TRANSISTOR 2N2905     |          |  | 8G/28 | 5.00 | UNIT |  |  |  |
| 4461 | TRANSISTOR 2N5680     |          |  | 8G/29 | 5.00 | UNIT |  |  |  |
| 2176 | IC DG200 BA           |          |  | 8G/3  | 5.00 | UNIT |  |  |  |
| 4464 | TRANSISTOR 2N699      |          |  | 8G/30 | 5.00 | UNIT |  |  |  |
| 4439 | TRANSISTOR 2N2222     |          |  | 8G/31 | 5.00 | UNIT |  |  |  |
| 1355 | DIODE ICT45           |          |  | 8G/32 | 3.00 | UNIT |  |  |  |

## INDEXB

|      |                      |             |  |         |       |      |  |  |  |
|------|----------------------|-------------|--|---------|-------|------|--|--|--|
| 1356 | DIODE ICT8           |             |  | 8G/33   | 3.00  | UNIT |  |  |  |
| 1323 | DIODE F42            |             |  | 8G/34   | 3.00  | UNIT |  |  |  |
| 1260 | DIODE BB36931        |             |  | 8G/35   | 3.00  | UNIT |  |  |  |
| 1451 | DIODE IN3880         |             |  | 8G/36   | 3.00  | UNIT |  |  |  |
| 1471 | DIODE IN827          |             |  | 8G/37   | 3.00  | UNIT |  |  |  |
| 1473 | DIODE IN914          |             |  | 8G/38   | 3.00  | UNIT |  |  |  |
| 1217 | DIODE 5082-4684      |             |  | 8G/39   | 3.00  | UNIT |  |  |  |
| 2161 | IC CD4000            |             |  | 8G/4    | 5.00  | UNIT |  |  |  |
| 1470 | DIODE IN758A3        |             |  | 8G/40   | 3.00  | UNIT |  |  |  |
| 1463 | DIODE IN4753A        |             |  | 8G/41   | 3.00  | UNIT |  |  |  |
| 1469 | DIODE IN746A         |             |  | 8G/42   | 3.00  | UNIT |  |  |  |
| 2165 | IC CD4027            |             |  | 8G/5    | 15.00 | UNIT |  |  |  |
| 2163 | IC CD4011            |             |  | 8G/6    | 2.00  | UNIT |  |  |  |
| 2164 | IC CD4020            |             |  | 8G/7    | 5.00  | UNIT |  |  |  |
| 2162 | IC CD4007            |             |  | 8G/8    | 5.00  | UNIT |  |  |  |
| 2283 | IC MC14538           |             |  | 8G/9    | 5.00  | UNIT |  |  |  |
| 2846 | PLUG 13AMP           |             |  | 9A/152A | 5.00  | UNIT |  |  |  |
| 3779 | SIL BRIDGE 25A 600V  | 262517      |  | 9A/154A | 2.00  | UNIT |  |  |  |
| 3789 | SOCKET (SQUARE) UHF  | 455-725     |  | 9A/16   | 8.00  | UNIT |  |  |  |
| 2849 | PLUG 15WAY CANNON    | 466-185     |  | 9A/169A | 3.00  | UNIT |  |  |  |
| 3788 | SOCKET (ROUND) UHF   | 455-905     |  | 9A/17   | 1.00  | UNIT |  |  |  |
| 2862 | PLUG 37 WAY          | 467-065     |  | 9A/171A | 2.00  | UNIT |  |  |  |
| 3802 | SOCKET 37 WAY        | 467-071     |  | 9A/172A | 2.00  | UNIT |  |  |  |
| 3762 | SCREWLOCK D COVER 15 | WAY 469-572 |  | 9A/174A | 1.00  | UNIT |  |  |  |

## INDEXB

|      |                       |             |  |         |        |      |  |  |  |
|------|-----------------------|-------------|--|---------|--------|------|--|--|--|
| 3763 | SCREWLOCK D COVER 37  | WAY 469-594 |  | 9A/175A | 4.00   | UNIT |  |  |  |
| 116  | BULB 1E.A 6.5V 3A 6V  |             |  | 9A/176A | 39     | UNIT |  |  |  |
| 4965 | TRIAC T2700D          | 262-725     |  | 9A/27   | 1.00   | UNIT |  |  |  |
| 4152 | TRANSFORMER ASST      |             |  | 9A/59   | 12.00  | UNIT |  |  |  |
| 1019 | CORE LOCKING COMPOUND |             |  | 9A/61   | 3.00   | TUBE |  |  |  |
| 1119 | CRYSTAL ASST          |             |  | 9A/76   | 461.00 | UNIT |  |  |  |
| 2906 | PLUG RECORDER 3WAY/   | 5WAY/6WAY   |  | 9A/77   | 8.00   | UNIT |  |  |  |
| 1826 | FAN FILTER 120MM      | 507-905     |  | 9A/8    | 2.00   | UNIT |  |  |  |
| 2845 | PLUG 12WAY/8WAY       |             |  | 9A/80   | 4.00   | UNIT |  |  |  |
| 3791 | SOCKET 12WAY/8WAY/6   |             |  | 9A/82   | 4.00   | UNIT |  |  |  |
| 3063 | PULZES                |             |  | 9A/96   | 42.00  | UNIT |  |  |  |
| 5042 | VALVE 6BH6            |             |  | 9B/118  | 4.00   | UNIT |  |  |  |
| 5028 | VALVE 12AX7,ECC83,    | CV492       |  | 9B/127  | 9.00   | UNIT |  |  |  |
| 5053 | VALVE CV 136          |             |  | 9B/133  | 22.00  | UNIT |  |  |  |
| 5055 | VALVE CV 4025         |             |  | 9B/135  | 6.00   | UNIT |  |  |  |
| 5054 | VALVE CV 2218         |             |  | 9B/144  | 14.00  | UNIT |  |  |  |
| 5052 | VALVE CV 124          |             |  | 9B/163  | 17.00  | UNIT |  |  |  |
| 5027 | VALVE 12 BY 7A        |             |  | 9B/181  | 8.00   | UNIT |  |  |  |
| 5068 | VALVE TT 21           |             |  | 9B/187  | 1.00   | UNIT |  |  |  |
| 5057 | VALVE ECC 33,CV 2821  |             |  | 9B/191  | 26.00  | UNIT |  |  |  |
| 5060 | VALVE ECH 42          |             |  | 9B/24A  | 1.00   | UNIT |  |  |  |
| 5061 | VALVE EL 91 6AM5,CV13 | 6           |  | 9B/30   | 1.00   | UNIT |  |  |  |
| 5062 | VALVE EL 91,CV138     | GZ3Z        |  | 9B/48   | 11.00  | UNIT |  |  |  |
| 5056 | VALVE D77 6AL5 CV140  |             |  | 9B/7    | 1.00   | UNIT |  |  |  |

## INDEXB

|      |                       |        |  |         |       |      |  |  |  |
|------|-----------------------|--------|--|---------|-------|------|--|--|--|
| 5031 | VALVE 4031 ECC 91     |        |  | 9B/8A   | 18.00 | UNIT |  |  |  |
| 5040 | VALVE 6922 CV2492     |        |  | 9C/101  | 1.00  | UNIT |  |  |  |
| 5038 | VALVE 6360            |        |  | 9C/103  | 1.00  | UNIT |  |  |  |
| 5047 | VALVE 8425            |        |  | 9C/105  | 1.00  | UNIT |  |  |  |
| 5063 | VALVE EL38R           |        |  | 9C/107  | 1.00  | UNIT |  |  |  |
| 5058 | VALVE ECC88           |        |  | 9C/108  | 1.00  | UNIT |  |  |  |
| 5059 | VALVE ECF 80          |        |  | 9C/11   | 1.00  | UNIT |  |  |  |
| 5046 | VALVE 7841            |        |  | 9C/12   | 1.00  | UNIT |  |  |  |
| 1789 | EAR DEFENDER HEADSET  | MT7H3A |  | 9C/126  | 9.00  | PAIR |  |  |  |
| 30   | AMPLIFIER 3 WAY       |        |  | 9C/126A | 3     | UNIT |  |  |  |
| 1818 | EXTENTION BOX         |        |  | 9C/127  | 9.00  | UNIT |  |  |  |
| 5034 | VALVE 5749            |        |  | 9C/14   | 1.00  | UNIT |  |  |  |
| 5035 | VALVE 5763            |        |  | 9C/16   | 1.00  | UNIT |  |  |  |
| 5064 | VALVE EZ 80,EZ 81     |        |  | 9C/20   | 1.00  | UNIT |  |  |  |
| 5030 | VALVE 3J170E          |        |  | 9C/23   | 1.00  | UNIT |  |  |  |
| 5033 | VALVE 5642            |        |  | 9C/3    | 1.00  | UNIT |  |  |  |
| 5069 | VALVE U/19            |        |  | 9C/30   | 1.00  | UNIT |  |  |  |
| 5070 | VALVE U18/20          |        |  | 9C/31   | 1.00  | UNIT |  |  |  |
| 5029 | VALVE 3B28            |        |  | 9C/32   | 1.00  | UNIT |  |  |  |
| 5067 | VALVE QY4-400,CV 3872 |        |  | 9C/36   | 1.00  | UNIT |  |  |  |
| 5032 | VALVE 4CX5000,A/AC5   |        |  | 9C/37   | 6.00  | UNIT |  |  |  |
| 2572 | KLYSTRON 014610-0001  |        |  | 9C/38   | 1.00  | UNIT |  |  |  |
| 5026 | VALVE 12 B4           |        |  | 9C/4    | 1.00  | UNIT |  |  |  |
| 5071 | VALVE U52 OR 5U4G     |        |  | 9C/40   | 1.00  | UNIT |  |  |  |

## INDEXB

|      |                     |  |  |       |       |      |  |  |  |
|------|---------------------|--|--|-------|-------|------|--|--|--|
| 5044 | VALVE 6J6           |  |  | 9C/41 | 1.00  | UNIT |  |  |  |
| 5043 | VALVE 6BWL          |  |  | 9C/42 | 1.00  | UNIT |  |  |  |
| 5045 | VALVE 6SS3B         |  |  | 9C/43 | 10.00 | UNIT |  |  |  |
| 5041 | VALVE 6939,QQV 02/6 |  |  | 9C/5  | 1.00  | UNIT |  |  |  |
| 5036 | VALVE 6080          |  |  | 9C/6  | 1.00  | UNIT |  |  |  |
| 5037 | VALVE 6197          |  |  | 9C/7  | 1.00  | UNIT |  |  |  |
| 5039 | VALVE 6386          |  |  | 9C/8  | 1.00  | UNIT |  |  |  |
| 3980 | SWITCH RELAY        |  |  | 9C/9  | 4.00  | UNIT |  |  |  |