



Changes: New Chart

DEPARTURES RWY14 WEST

TABULAR DESCRIPTION

Route Designator	Serial number	Path Descriptor	WPT Identifier	Fly-over	Mag Var	°M	°T	Distance (NM)	Turn direction	Altitude	Speed (kts)	VPA/TCH	NAV Spec
ETGO1A	10	IF	RW14	-	-18.38	-	-	-					RNP 1
	20	TF	EPNES	Y	-18.38	135	116.91	1.5			-210		RNP 1
	30	DF	MP211	N	-18.38	-	-	-	R	-FL100			RNP 1
	40	TF	ETGOR	N	-18.38	254	235.94	30.8					RNP 1

Route Designator	Serial number	Path Descriptor	WPT Identifier	Fly-over	Mag Var	°M	°T	Distance (NM)	Turn direction	Altitude	Speed (kts)	VPA/TCH	NAV Spec
PASA2A	10	IF	RW14	-	-18.38	-	-	-					RNP 1
	20	TF	EPNES	Y	-18.38	135	116.91	1.5			-210		RNP 1
	30	DF	MP211	N	-18.38	-	-	-	R	-FL100			RNP 1
	40	TF	PASAR	N	-18.38	269	250.48	67.5					RNP 1

Route Designator	Serial number	Path Descriptor	WPT Identifier	Fly-over	Mag Var	°M	°T	Distance (NM)	Turn direction	Altitude	Speed (kts)	VPA/TCH	NAV Spec
SOBA2A	10	IF	RW14	-	-18.38	-	-	-					RNP 1
	20	TF	EPNES	Y	-18.38	135	116.91	1.5			-210		RNP 1
	30	DF	MP211	N	-18.38	-	-	-	R	-FL100			RNP 1
	40	TF	MP212	N	-18.38	301	282.38	7.4					RNP 1
	50	TF	MP156	N	-18.38	283	264.48	27.6					RNP 1
	60	TF	SOBAT	N	-18.38	283	264.73	36.8					RNP 1

DEPARTURES RWY14 WEST (CONTINUED)

TABULAR DESCRIPTION

Route Designator	Serial number	Path Descriptor	WPT Identifier	Fly-over	Mag Var	°M	°T	Distance (NM)	Turn direction	Altitude	Speed (kts)	VPA/TCH	NAV Spec
RASM2A	10	IF	RW14	-	-18.38	-	-	-					RNP 1
	20	TF	EPNES	Y	-18.38	135	116.91	1.5			-210		RNP 1
	30	DF	MP211	N	-18.38	-	-	-	R	-FL100			RNP 1
	40	TF	MP212	N	-18.38	301	282.38	7.4					RNP 1
	50	TF	MP214	N	-18.38	323	304.90	9.7		+FL110			RNP 1
	60	TF	MP224	N	-18.38	323	304.96	5.3					RNP 1
	70	TF	MP234	N	-18.38	331	312.59	11.8					RNP 1
	80	TF	RASMA	N	-18.38	297	278.34	57					

Route Designator	Serial number	Path Descriptor	WPT Identifier	Fly-over	Mag Var	°M	°T	Distance (NM)	Turn direction	Altitude	Speed (kts)	VPA/TCH	NAV Spec
NIBI2A	10	IF	RW14	-	-18.38	-	-	-					RNP 1
	20	TF	EPNES	Y	-18.38	135	116.91	1.5			-210		RNP 1
	30	DF	MP211	N	-18.38	-	-	-	R	-FL100			RNP 1
	40	TF	MP212	N	-18.38	301	282.38	7.4					RNP 1
	50	TF	MP214	N	-18.38	323	304.90	9.7		+FL110			RNP 1
	60	TF	MP224	N	-18.38	323	304.96	5.3					RNP 1
	70	TF	MP234	N	-18.38	331	312.59	11.8					RNP 1
	80	TF	MP244	N	-18.38	331	312.64	5.1		+FL170			RNP 1
	90	TF	NIBIS	N	-18.38	331	312.66	109.6					